


## Specifications

- Current rating:3A AC,DC
- Voltage rating:250V AC,DC
- Temperature range:-40°C~+105°C
- Contact resistance:10mΩMax.
- Insulation resistance:1000MΩMin.
- Withstanding voltage:800V AC/minute
- \*Compliant with RoHS and REACH\*
- \*Meet the HF/Halogen Free,need to customize\*
- \*Contact CJT for details\*

## Standards



## Assembly layout




## A2006-T

2.00mm pitch Crimp Terminal

### Reference Informations:

\*Used in CJT A2006 series Housing



Ordering information & Specifications:

Unit:mm

| Part NO. | Wire Range | Insulation O.D. | Material        | Finish          | Qty/reel   |
|----------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Gold over flash | 10,000 PCS |


Optional Gold plating available but MOQ requested

## A2006-T-B

2.00mm pitch Crimp Terminal

### Reference Informations:

\*Used in CJT A2006HB series Housing



Ordering information & Specifications:

Unit:mm

| Part NO.   | Wire Range | Insulation O.D. | Material        | Finish          | Qty/reel   |
|------------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP-B | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP-B | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Gold over flash | 10,000 PCS |


Optional Gold plating available but MOQ requested

## A2006-T-U

2.00mm pitch Crimp Terminal

### Reference Informations:

\*Used in CJT A2006HU series Housing



Ordering information & Specifications:

Unit:mm

| Part NO.   | Wire Range | Insulation O.D. | Material        | Finish          | Qty/reel   |
|------------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP-U | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP-U | AWG#22-#28 | 1.50mm(max)     | Phosphor Bronze | Gold over flash | 10,000 PCS |

Optional Gold plating available but MOQ requested

## A2006H-2xXP

2.00mm pitch Dual Row Housing

### Reference Informations:

\*Material:Nylon 66,UL94V-0

\*Suitable CJT A2006 series Terminal

\*Mates with CJT A2006 series Dual Row Wafer

\*Color:White

Ordering Information:

A2006H-2xXP - \*\*

1 2



1.Part No.

2.Color

(blank) :White

BK :Black

Ordering Information & Dimensions:



| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 5.90  |
| 2x3P     | 4.00       | 7.90  |
| 2x4P     | 6.00       | 9.90  |
| 2x5P     | 8.00       | 11.90 |
| 2x6P     | 10.00      | 13.90 |
| 2x7P     | 12.00      | 15.90 |
| 2x8P     | 14.00      | 17.90 |
| 2x9P     | 16.00      | 19.90 |
| 2x10P    | 18.00      | 21.90 |
| 2x11P    | 20.00      | 23.90 |
| 2x12P    | 22.00      | 25.90 |
| 2x13P    | 24.00      | 27.90 |
| 2x14P    | 26.00      | 29.90 |
| 2x15P    | 28.00      | 31.90 |
| 2x16P    | 30.00      | 33.90 |
| 2x17P    | 32.00      | 35.90 |
| 2x18P    | 34.00      | 37.90 |
| 2x19P    | 36.00      | 39.90 |
| 2x20P    | 38.00      | 41.90 |
| 2x21P    | 40.00      | 43.90 |
| 2x22P    | 42.00      | 45.90 |
| 2x23P    | 44.00      | 47.90 |
| 2x24P    | 46.00      | 49.90 |
| 2x25P    | 48.00      | 51.90 |





Unit: mm

## A2006HA-2xXP

2.00mm pitch Dual Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT A2006 series Terminal
- \*Mates with CJT A2006 series Dual Row Wafer
- \*Color:White



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |       |
|----------|------------|-------|-------|
|          | A          | B     | C     |
| 2x3P     | 4.00       | 6.45  | 11.60 |
| 2x4P     | 6.00       | 8.45  | 13.60 |
| 2x5P     | 8.00       | 10.45 | 15.60 |
| 2x6P     | 10.00      | 12.45 | 17.60 |
| 2x7P     | 12.00      | 14.45 | 19.60 |
| 2x8P     | 14.00      | 16.45 | 21.60 |
| 2x9P     | 16.00      | 18.45 | 23.60 |
| 2x10P    | 18.00      | 20.45 | 25.60 |
| 2x11P    | 20.00      | 22.45 | 27.60 |
| 2x12P    | 22.00      | 24.45 | 29.60 |
| 2x13P    | 24.00      | 26.45 | 31.60 |
| 2x14P    | 26.00      | 28.45 | 33.60 |
| 2x15P    | 28.00      | 30.45 | 35.60 |
| 2x16P    | 30.00      | 32.45 | 37.60 |
| 2x17P    | 32.00      | 34.45 | 39.60 |
| 2x18P    | 34.00      | 36.45 | 41.60 |
| 2x19P    | 36.00      | 38.45 | 43.60 |
| 2x20P    | 38.00      | 40.45 | 45.60 |





Unit: mm

## A2006HB-2xXP

2.00mm pitch Dual Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT A2006-T-B series Terminal
- \*Mates with CJT A2006WVB , A2006WRB series Dual Row Wafer
- \*Color:White



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 5.90  |
| 2x3P     | 4.00       | 7.90  |
| 2x4P     | 6.00       | 9.90  |
| 2x5P     | 8.00       | 11.90 |
| 2x6P     | 10.00      | 13.90 |
| 2x7P     | 12.00      | 15.90 |
| 2x8P     | 14.00      | 17.90 |
| 2x9P     | 16.00      | 19.90 |
| 2x10P    | 18.00      | 21.90 |
| 2x11P    | 20.00      | 23.90 |
| 2x12P    | 22.00      | 25.90 |
| 2x13P    | 24.00      | 27.90 |
| 2x14P    | 26.00      | 29.90 |
| 2x15P    | 28.00      | 31.90 |
| 2x16P    | 30.00      | 33.90 |
| 2x17P    | 32.00      | 35.90 |
| 2x18P    | 34.00      | 37.90 |
| 2x19P    | 36.00      | 39.90 |
| 2x20P    | 38.00      | 41.90 |
| 2x21P    | 40.00      | 43.90 |
| 2x22P    | 42.00      | 45.90 |






Unit: mm

## A2006HU-2xXP

2.00mm pitch Dual Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT A2006-T-U series Terminal
- \*Mates with CJT A2006WVU,WRU series Dual Row Wafer
- \*Color:Natural



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm

## A2006WV-2xXP






2.00mm pitch 180° Dual Row Wafer

### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:Nylon 66,UL94V-0
- \*Mates with CJT A2006 series Dual Row Housing
- \*Color:Grey

Ordering Information:  
A2006WV-2xXP - \*\*

- 1.Part No.
- 2.Color  
(blank) :Grey  
BK :Black



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 5.90  |
| 2x3P     | 4.00       | 7.90  |
| 2x4P     | 6.00       | 9.90  |
| 2x5P     | 8.00       | 11.90 |
| 2x6P     | 10.00      | 13.90 |
| 2x7P     | 12.00      | 15.90 |
| 2x8P     | 14.00      | 17.90 |
| 2x9P     | 16.00      | 19.90 |
| 2x10P    | 18.00      | 21.90 |
| 2x11P    | 20.00      | 23.90 |
| 2x12P    | 22.00      | 25.90 |
| 2x13P    | 24.00      | 27.90 |
| 2x14P    | 26.00      | 29.90 |
| 2x15P    | 28.00      | 31.90 |
| 2x16P    | 30.00      | 33.90 |
| 2x17P    | 32.00      | 35.90 |
| 2x18P    | 34.00      | 37.90 |
| 2x19P    | 36.00      | 39.90 |
| 2x20P    | 38.00      | 41.90 |
| 2x21P    | 40.00      | 43.90 |
| 2x22P    | 42.00      | 45.90 |
| 2x23P    | 44.00      | 47.90 |
| 2x24P    | 46.00      | 49.90 |
| 2x25P    | 48.00      | 51.90 |

Unit: mm


## A2006WR-2xXP

2.00mm pitch 90° Dual Row Wafer

### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT A2006 series Dual Row Housing
- \*Color: Grey





Ordering Information:  
A2006WR-2xXP - \*\*  
1  
2  
1. Part No.  
2. Color  
(blank) : Grey  
BK : Black



Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 5.90  |
| 2x3P     | 4.00       | 7.90  |
| 2x4P     | 6.00       | 9.90  |
| 2x5P     | 8.00       | 11.90 |
| 2x6P     | 10.00      | 13.90 |
| 2x7P     | 12.00      | 15.90 |
| 2x8P     | 14.00      | 17.90 |
| 2x9P     | 16.00      | 19.90 |
| 2x10P    | 18.00      | 21.90 |
| 2x11P    | 20.00      | 23.90 |
| 2x12P    | 22.00      | 25.90 |
| 2x13P    | 24.00      | 27.90 |
| 2x14P    | 26.00      | 29.90 |
| 2x15P    | 28.00      | 31.90 |
| 2x16P    | 30.00      | 33.90 |
| 2x17P    | 32.00      | 35.90 |
| 2x18P    | 34.00      | 37.90 |
| 2x19P    | 36.00      | 39.90 |
| 2x20P    | 38.00      | 41.90 |
| 2x21P    | 40.00      | 43.90 |
| 2x22P    | 42.00      | 45.90 |
| 2x23P    | 44.00      | 47.90 |
| 2x24P    | 46.00      | 49.90 |
| 2x25P    | 48.00      | 51.90 |

Unit: mm







## A2006WVA-2xXP

2.00mm pitch 180° Dual Row Wafer

### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT A2006HA series Dual Row Housing
- \*Color: Grey



Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 8.00  |
| 2x3P     | 4.00       | 10.00 |
| 2x4P     | 6.00       | 12.00 |
| 2x5P     | 8.00       | 14.00 |
| 2x6P     | 10.00      | 16.00 |
| 2x7P     | 12.00      | 18.00 |
| 2x8P     | 14.00      | 20.00 |
| 2x9P     | 16.00      | 22.00 |
| 2x10P    | 18.00      | 24.00 |
| 2x11P    | 20.00      | 26.00 |
| 2x12P    | 22.00      | 28.00 |
| 2x13P    | 24.00      | 30.00 |
| 2x14P    | 26.00      | 32.00 |
| 2x15P    | 28.00      | 34.00 |
| 2x16P    | 30.00      | 36.00 |
| 2x17P    | 32.00      | 38.00 |
| 2x18P    | 34.00      | 40.00 |
| 2x19P    | 36.00      | 42.00 |
| 2x20P    | 38.00      | 44.00 |


Unit: mm

## A2006WRA-2xXP

2.00mm pitch 90° Dual Row Wafer

### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT A2006HA series Dual Row Housing
- \*Color: Grey



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 8.00  |
| 2x3P     | 4.00       | 10.00 |
| 2x4P     | 6.00       | 12.00 |
| 2x5P     | 8.00       | 14.00 |
| 2x6P     | 10.00      | 16.00 |
| 2x7P     | 12.00      | 18.00 |
| 2x8P     | 14.00      | 20.00 |
| 2x9P     | 16.00      | 22.00 |
| 2x10P    | 18.00      | 24.00 |
| 2x11P    | 20.00      | 26.00 |
| 2x12P    | 22.00      | 28.00 |
| 2x13P    | 24.00      | 30.00 |
| 2x14P    | 26.00      | 32.00 |
| 2x15P    | 28.00      | 34.00 |
| 2x16P    | 30.00      | 36.00 |
| 2x17P    | 32.00      | 38.00 |
| 2x18P    | 34.00      | 40.00 |
| 2x19P    | 36.00      | 42.00 |
| 2x20P    | 38.00      | 44.00 |



Unit: mm

## A2006WVB-2xXP

2.00mm pitch 180° Dual Row Wafer

### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT A2006HB series Dual Row Housing
- \*Color: Grey



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 6.00  |
| 2x3P     | 4.00       | 8.00  |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |






Unit: mm

## A2006WRB-2xXP

2.00mm pitch 90° Dual Row Wafer

### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:Nylon 66,UL94V-0
- \*Mates with CJT A2006HB series Dual Row Housing
- \*Color:White



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x2P     | 2.00       | 6.00  |
| 2x3P     | 4.00       | 8.00  |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm

## A2006WVU-2xXP

2.00mm pitch 180° Dual Row Wafer






### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:PA4T,UL94V-0
- \*Mates with CJT A2006HU series Dual Row Housing
- \*Color:Natural

### Ordering Information:

A2006WVU-2xXP - <sup>\*</sup>/<sub>1 2</sub>

- 1.Part No.
- 2.Finish  
(blank) :Tin over Nickel  
G :Gold over Nickel






### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm

2x4P~2x7P Without Guideway  
2x8P~2x20P Without Guideway













## A2006WRU-2xXP

2.00mm pitch 90° Dual Row Wafer

### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:PA4T,UL94V-0
- \*Mates with CJT A2006HU series Dual Row Housing
- \*Color:Natural

Ordering Information:  
**A2006WRU-2xXP** - <sup>\*\*</sup>/<sub>2</sub> - <sup>\*</sup>/<sub>3</sub>  
 1.Part No.  
 2.Size(L):  
 (blank) :3.00mm  
 L18 :1.80mm  
 3.Finish  
 (blank) :Tin over Nickel  
 G :Gold over Nickel



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm









## A2006WVU-F-2xXP

2.00mm pitch 180° Dual Row Wafer

### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:PA4T,UL94V-0
- \*Mates with CJT A2006HU series Dual Row Housing
- \*Color:Natural

Ordering Information:  
**A2006WVU-F-2xXP** - <sup>\*</sup>/<sub>2</sub>  
 1.Part No.  
 2.Finish  
 (blank) :Tin over Nickel  
 G :Gold over Nickel



### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm

## A2006WRU-F-2xXP






2.00mm pitch 90° Dual Row Wafer

### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: PA4T, UL94V-0
- \*Mates with CJT A2006HU series Dual Row Housing
- \*Color: Natural

### Ordering Information:


- A2006WRU-F-2xXP - <sup>\*\*</sup> - <sup>\*</sup>  
1 2 3
- Part No.
  - Size(L):  
(blank) : 3.00mm  
L18 : 1.80mm
  - Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



2x4P~2x5P



2x6P~2x9P



2x10P~2x20P

### Ordering Information & Dimensions:

| PART NO. | Dimensions |       |
|----------|------------|-------|
|          | A          | B     |
| 2x4P     | 6.00       | 10.00 |
| 2x5P     | 8.00       | 12.00 |
| 2x6P     | 10.00      | 14.00 |
| 2x7P     | 12.00      | 16.00 |
| 2x8P     | 14.00      | 18.00 |
| 2x9P     | 16.00      | 20.00 |
| 2x10P    | 18.00      | 22.00 |
| 2x11P    | 20.00      | 24.00 |
| 2x12P    | 22.00      | 26.00 |
| 2x13P    | 24.00      | 28.00 |
| 2x14P    | 26.00      | 30.00 |
| 2x15P    | 28.00      | 32.00 |
| 2x16P    | 30.00      | 34.00 |
| 2x17P    | 32.00      | 36.00 |
| 2x18P    | 34.00      | 38.00 |
| 2x19P    | 36.00      | 40.00 |
| 2x20P    | 38.00      | 42.00 |

Unit: mm

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Changjiang](#) manufacturer:*

Other Similar products are found below :

[57102-F02-18ULF](#) [58102-G61-06LF](#) [0009485154](#) [009176003701906](#) [0050291907](#) [00-9021-0611-00-339](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [644827-2](#) [65495-038](#) [65692-001LF](#) [65781-018](#)  
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [66207-023LF](#) [67016-026LF](#) [67095-007LF](#) [68631-112](#) [68645-018](#) [68648-049](#) [699319-000](#)  
[70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71961-016LF](#) [733-134](#) [754199-000](#) [760-3052](#) [787-8014-00](#)  
[FCN-367T-T012/H](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)  
[803-41-018-10-001000](#)