COVENTRY TM Clean Room Products

Division of Chemtronics

TDS # 5000

Wrapped Polyester & Diamond SwabsTM

PRODUCT DESCRIPTION

CoventryTM Wrapped Polvester Swabs and **Diamond Swabs**TM consist of polyester knit fabric which is either thermally bonded to the handle or held in place using a shrink tube. These swabs are low in nonvolatile residue, ionic and particulate contamination, while providing exceptional strength and solvent resistance. The Diamond SwabTM uses a tubular knit fabric head to create "The Cleanest Swab in the World", This Swab is designed for ultra critical applications where contamination is of the utmost concern.

- No edge seamless head design on all swabs
- High strength, durable head
- Low particulate and nonvolatile residue contamination
- No adhesives or binders are used in the construction
- Excellent solvent compatibility
- Available Aqua-PrimeTM processed

TYPICAL APPLICATIONS

CoventryTM Wrapped Polyester and Diamond **Swabs**TM can be used to:

- Clean High End Disk Drive Components
- Clean Surfaces for the Aerospace Industry
- Micro Mechanical Cleaning
- Validate cleanliness of Manufacturing
- Surfaces for the Pharmaceutical and **Biotechnical Industry**

COMPATIBILITY

Polyester Fabric Heads and Glass Filled Nylon Handles are compatible with most common solvents such as isopropyl alcohol, methanol and dilute or weak acids, as well as ketones such as acetone or methyl ethyl ketone.

AVAILABILITY

51121 2.80 " (7.1 cm) Glass Filled Nylon Handle, 0.23" (5.80 mm)) Wrapped Polyester Head, 25/ bag

52121 6.3 " (16.0 cm) Glass Filled Nylon Handle, 0.23" (5.90 mm)) Wrapped Polyester Head, 25/ bag

Diamond SwabsTM

51353 2.80 " (7.1 cm) Glass Filled Nylon Handle, 0.12" (3.0 mm) at tip, 0.18" (4.8mm) at head base, Tubular Knit Head, 100/bag

51353I 2.80 " (7.1 cm) Glass Filled Nylon Handle, 0.12" (3.0 mm), 0.18" (4.8mm) at head base, Tubular Knit Head, 100/bag Aqua-PrimeTM Processed

COVENTRYTM Clean Room Products Division of Chemtronics®

8125 Cobb Center Drive Kennesaw, GA 30152

1-770-424-4888 REV. A (08/13)

TECHNICAL HOT LINE 1-800-TECH-401

Wrapped Polyester & Diamond Swabs™ Test Data

Head Material	Wrapped Polyester Knit Fabric		
TVIAUCI IAI	vviapped i divester Kint Fabric		
Swabs:	52121	51353	51353I
Head	0.23"	0.12"	0.12"
Diameter	(5.9 mm)	(3.0 mm)	(3.0 mm)
Handle	6.3"	2.80"	2.80"
Length	(16.0 cm)	(7.1 cm)	(7.1 cm)
Particle Counts:			
0.5 - 1 um	3,463	718	269
1.0 - 2 um	1,605	182	93
2.0 - 5 um	206	27	17
5.0 - 10 um	29	23	3
10 - 25 um	14	21	7
over 25 um	23	6	6
TOTAL	5,340	977	395
NVR			
(ug/swab)	none detected	none detected	none detected
Chlorides			
(ug/swab)	3	4	1

The swabs were tested by Particle Measurement Technology. All the swabs tests were done using the recommended practices of the Institute of Environmental Science, Swabs and Wipes Working Group.

TECHNICAL AND APPLICATION ASSISTANCE

CoventryTM Clean Room Products provides a technical hotline to answer your technical and application related questions. The toll free number is: **1-800-TECH-401**.

DISTRIBUTE	D BY:
------------	-------

Chemtronics® is a registered trademark of Chemtronics. All rights reserved. Coventry™, Diamond Swabs™ and Aqua-Prime™ are trademarks of Chemtronics. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Swabs category:

Click to view products by Chemtronics manufacturer:

Other Similar products are found below:

2310-10 8112A-100 2317-50 CCT2425 38040 CM502 CC50 CF3050 814-10 2306-1000 2303-1000 2316-50 48040 21050 36060ESD 38040ESD 41050 41050ESD 44070 44070ESD CF1050 CF4050 CT100 CX50 2313-30 2314-10 810-50 2301-100 52121 2307-1000 2309-10 2311-10 CT2000 2301-1000 2302-50 2300-100 (100 PK) 48042F 25123X 25183 31040ESD CS25 CT200 CT5000 CXM50 810-15 810D-15 810D-50 811-100 812-10 812-50