# **CHEMTRONICS Technical Data Sheet**

## **TDS # 1217**

## Duster

## **PRODUCT DESCRIPTION**

Duster is a high pressure duster that removes particulates from electronic devices. This duster / cleaner is nonflammable, residue-free and won't scratch delicate surfaces.

- Nonflammable
- Leaves no residue
- High pressure for contamination control
- Nonabrasive
- Excellent material compatibility
- Penetrates hard to reach areas
- Contains no ozone depleting compounds

#### **TYPICAL APPLICATIONS**

Duster is engineered for all phases of electronic equipment maintenance and is particularly suited for applications involving:

- Audio/Video Equipment
- Fax Machines
- Keyboards
- Laboratory Instruments
- Microcomputers
- Photo Equipment
- Printers


## TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

<b>Boiling Point</b>	-15.7°F	
Vapor Density (air=1 @ 77°F	1) 3.18	
Solubility in Water @ 77°F F/1 atm	0.10% by weight	
Specific Gravity (water = 1 @77°F)	1.21	
Evaporation Rate (butyl acetate=1)	>1	
Appearance	Clear, Colorless Gas	
Odor	Slight Ethereal	
Flash Point (TCC)	None	
Shelflife	5 years	

#### COMPATIBILITY

Duster is generally compatible with most materials used in printed circuit board fabrication, including sensitive plastics and compounds. As with any duster/cleaner, compatibility must be determined on a noncritical area prior to use.

<u>Material</u>	<u>Compatibility</u>
Buna-N	Excellent
Graphite	Excellent
HDPE	Excellent
LDPE	Excellent
Lexan <sup>TM</sup>	Excellent
Neoprene	Excellent
Cross-Linked PE	Excellent
Polyacrylate	Excellent
Polystyrene	Excellent
PVC	Excellent
Silicone Rubber	Excellent
Teflon <sup>TM</sup>	Excellent
Viton <sup>TM</sup>	Excellent



## **USAGE INSTRUCTIONS**

For industrial use only.

Read MSDS carefully prior to use. No special surface preparation is required prior to using Duster. Direct high pressure spray onto the area to be cleaned to remove dust, dirt and other contaminants. For optimum performance and pin point control, use Duster with the attached extension tube.

## AVAILABILITY

ES517	5 oz. Aerosol
ES1017	10 oz. Aerosol
ES1217	8 oz. Aerosol
ES1617	12 oz. Aerosol

## TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is: **1-800-TECH-401.** 

#### ENVIRONMENTAL IMPACT DATA

ENVIRONMENTAL IMPACT DATA				
CFC	0.0%	VOC	0.0%	
HCFC	0.0%	HFC	100.0%	
CL Solv.	0.0%	ODP	0.0	

CFC, HCFC, CL. SOLV., VOC, and HFC numbers shown are the content by weight. Ozone depletion potential (ODP) is determined in accordance with the Montreal Protocol and U.S. Clean Air Act of 1990. The ODP of this product is 0.0. It is the sum of the ODP of the substances that may contribute to the depletion of stratospheric ozone, based upon the weight of each substance in the product's formulation.

#### NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

#### CHEMTRONICS 8125 COBB CENTER DRIVE

KENNESAW, GA 30152 1-770-424-4888 REV. G (08/13)

**DISTRIBUTED BY:** 

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Chemicals category:

Click to view products by Chemtronics manufacturer:

Other Similar products are found below :

DP-605NS 3045-QT 3125-9S 3748-Q-58"x8" FO-25DT \$1009-KIT-A-CS8606 DP100-200ML 1743-2FP 152-KA-NC 826-450G 9729 9223 9945 700000275 1601 8330-19G 842AR-15ML 841AR-150ML 842AR-P 843WB-15ML 8462-85ML 4354-1L 838AR-P 838AR-15ML 419D-P-BK 419D-P-WH 8MT-450 8MT-25 832HD-25ML 832FX-450ML 834ATH-375ML 832HD-400ML 8617-1P 843AR-340G 843ER-800ML 9310-300ML 847-1P 419D-55ML 8800-375ML 8810-375ML 8820-2.55L 419E-340G 842UR-12ML 419D-1L CW3300WHITE CW2205 10447 9620-945ML 4140A-945ML FW2170