



QS9000 & ISO14001 & TS16949 CHILISIN ELECTRONICS CORP.

Lead-Free & RoHs Compliance!!

SPECIFICATION FOR APPROVAL

CUSTOMER : 商 络

CUSTOMER P/N : _____

OUR DWG No : TE1-8A0100

QUANTITY : x Pcs. DATE : 2018/10/11

ITEM : SL0812T-102J-B-N

SPECIFICATION ACCEPTED BY:	
COMPONENT ENGINEER	
ELECTRICAL ENGINEER	
MECHANICAL ENGINEER	
APPROVED	
REJECTED	

奇力新電子股份有限公司
Chilisin Electronics Corp
No. 29, Alley 301, Tehhsin Rd.,
Hukou,Hsinchu 303, Taiwan
TEL : +886-3- 599-2646
FAX : +886-3- 599-9176
E-mail : sales@chilisin.com
http : //www.chilisin.com

奇力新電子(越南廠)有限公司
Chilisin Electronics (Vietnam) Limited
No 143 - 145, Road No 10, VSIP Hai Phong,
Lap Le Commune, Thuy Nguyen Dist,
Haiphong City, Vietnam
Tel : 84-316 255 688 Fax : 84-316 255
689
E-mail : sales@chilisin.com

東莞奇力新電子(東莞廠)有限公司
Chilisin Electronics (Dongguan) Co., Ltd.
No. 78, Puxing Rd., Yuliangwei
Administration Area, Qingxi Town,
Dongguan City, Guangdong,China
TEL : +86-769-8773-0251~3
FAX : +86-769-8773-0232
E-mail : cect@chilisin.com

奇力新電子(湖南廠)有限公司
HuNan Chilisin Electronics
Technology Co., Ltd
No. 8, Shaziao Liangshuijing Town,
Yuanling County, Huaihua City,
Hunan Province 419601, China
Tel : 86-745-867-5882
E-mail : cect@chilisin.com

DRAWN BY	Yonghui	CHECKED BY	Huixu	APPROVED BY	Tangshan	QRA BY	
----------	---------	------------	-------	-------------	----------	--------	--

SPECIFICATION FOR APPROVAL

CUSTOMER		商 络		CLS DWG. NO. TE1-8A0100	Rev A
CUSTOMER'S PART NO/DWG NO.		DESCRIPTION SL0812T-102J-B-N		DATE 2018/10/11	
(1)MECHANICAL ASSEMBLY				A	8.0max m/m
				B	12.0max m/m
				C	5.0±1.0 m/m
				D	3.5±0.5 m/m
				E	0.65ref m/m
				F	3.5±0.5 m/m
				G	m/m
				H	m/m
				I	m/m
				J	m/m
				(2)ELECTRICAL REQUIREMENTS	
L	1.0±5%	mH	TEST FREQUENCY	252KHZ	1V
RDC	2.4max	Ω	TEST FREQUENCY		
Q	50.0min		TEST FREQUENCY	252KHZ	
RATED CURRENT					
(4)TEST INSTRUMENTS					
*A16502 (RDC) *HP4285 (L,Q)					
*Storage Temperature: Under 25 °C ,Humidity < 75% RH(6 Month) * Operating temperature -25°C to +85°C					
NOTE:				APPROVED BY	
				Tangshan	
				CHECKED BY	
				Huixu	
				DRAWN BY	
				Yonghui	



Rev
A

5. MATERIAL LIST :

ITEM	PART	DESCRIPTION	TEMP	SUPPLIERS	UL NO.
1	WIRE	2SFBW		JUNG SHING OR EQUIV	E174837
2	CORE	Ferrite		CHENZHOU OR EQUIV	
3	PIN	TC線		MINGTONG OR EQUIV	
4	Solder	Sn99.3Cu0.7		QUANJIA OR EQUIV	
5	EPOXY	FK661-9		QIFU OR EQUIV	
6	TUBE	白色UL		XINGQI OR EQUIV	

DRAWN BY	CHECKED BY	APPROVED BY	CUSTOMER : 商络	DATE	2018/10/11
Yonghui	Huixu	Tangshan	PART NO :	REV	
			ISSUE NO : SL0812T-102J-B-N	RACE	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [chilisin manufacturer](#):

Other Similar products are found below :

[CS0603-R10J-S](#) [SCDS127T-681M-N](#) [MHCI06015-1R0M-R8](#) [SCDS105R-150M-N](#) [SSL0402T-4R7M-N](#) [LVS505020-1R5M-N](#)
[MPB201210T-4R7M-NA2](#) [LVH252A12H-R47M-N](#) [HEI252012A-1R0M-Q8](#) [MHCD322512A-2R2M-A8S](#) [MHCD201610A-2R2M-A8L](#)
[MHCB06030-3R3M-C1](#) [SSL1306T-220M-N](#) [LS0603-R56J-N](#) [MHCI06040-R22M-R8B](#) [PBY321611T-500Y-N](#) [SL0812T-102J-B-N](#)
[MHCD252010A-R47M-A8L](#) [MHCD252010A-R24M-A8S](#) [SCDS104R-1R5M-N](#) [MHCB10040-100M-R7](#) [SCD0705T-3R3M-N](#) [SL1016T-102K-B-N](#) [CS0805-47NJ-S](#) [MHCI04012N-R22M-R8](#) [SLF0745T-100M-N](#) [SCDS74T-561M-N](#) [CL321611T-120K-N](#) [SCDS127T-221M-N](#)
[SCDS125T-330M-N](#) [MHCI06030-220M-R8](#) [SCDS124T-3R3M-N](#) [MHCB06030-3R3M-AU](#) [CL160808T-100K-N](#) [CS0402-3N3H-S](#)
[MHCC12060-100M-R7A](#) [MHCI05018-1R0M-R8A](#) [CL201209T-2R2K-N](#) [LVS404012-4R7M-N](#) [SCDS6D38T-471M-S-N](#) [SCDS125T-180M-N](#) [CS0603-10NJ-S](#) [LVF404026-1R5M-N](#) [SCDS125T-560M-N](#) [MHCHL252010A-2R2M-Q8](#) [MHCB10040-4R7M-R8AU](#) [SSL0804HC-4R7M-N](#) [SCDS125T-150M-N](#) [LVS808040-470M-N](#) [SCD0503T-150M-N](#)