

Datasheet revision 1.8

www.chipquik.com

Liquid Flux Water Washable in 10ml (0.34oz) Pen w/tip

Product Highlights A liquid flux that is non-flammable Low solids Water soluble Highly Activated Organic Acid (OA) VOC Free Ideal for all rework, solder, and de-solder applications Excellent wetting Easily cleaned with water or isopropyl alcohol (IPA) Can be used with Leaded and Lead-Free applications RoHS 3 and REACH compliant



Specifications

Flux Type: Flux Classification: VOC Content: Specific Gravity: Packaging: Shelf Life: Water Washable Liquid Flux (for Leaded and Lead-Free applications) ORM1 (Water Soluble, Must be cleaned off post-use using Water or IPA) VOC Free 1.09 10ml Pen Refrigerated >24 months, Unrefrigerated >24 months

Dispensing

Gently press tip into work piece (depress tip) to dispense.

Storage and Handling

Store refrigerated or at room temperature 3-25°C (37-77°F). The liquid flux can be allowed to freeze. Freezing will not degrade this product. Allow 4 hours for flux to reach an operating temperature of 20-25°C (68-77°F) before use.

Transportation

This product has no shipping restrictions. Shipping below 0°C (32°F) or above 25°C (77°F) for normal transit times by ground or air will not impact this product's stated shelf life.

Cleaning

This is a water soluble liquid flux, post-use cleaning is required. Clean with water or isopropyl alcohol (IPA).

Conforms to the following Industry Standards: J-STD-004B, Amendment 1 (Solder Fluxes): RoHS 3 Directive 2015/863/EU:

Yes Yes

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Soldering Flux category:

Click to view products by Chip Quik manufacturer:

Other Similar products are found below :

 8351-1L
 8351-125ML
 051-0001
 051-0002
 051-0003
 051-0007
 051-0009
 053-1000
 053-1001
 053-1002
 053-1003
 8342-50G

 ART.AGT-088
 270WR
 ART.AGT-089
 ART.AGT-094
 ART.AGT-179
 CW8100
 SSS500ML
 63-0000-0186
 63-0000-0951
 63-0000-0977

 63-0000-1544
 83-1000-0186
 83-1000-0951
 83-1097-2331
 8341-10ML
 835-100ML
 SF-02
 CW8700
 FL22W
 SMD291SNL50T3

 SMD291AX50T3
 SMD291/30CC
 CQ2LF
 CQ4LF
 CQ4LF-0.5
 CQ4LF-1.0
 SMD291
 SMD291AX
 SMD291AX
 SMD291AX10