


CRYSTAL CLOCK OSCILLATORS (SMD · Ceramic Package)

RoHS compliant

CSX-750F


1,000pcs/reel




FEATURES

- Frequency range : 1.0 ~ 80.0MHz
- External dimensions (mm)
L : 7.0 x W : 5.0 x H : 1.6
- Applications
Consumer products

DIMENSION [mm]



SOLDER PAD LAYOUT [mm]




STANDARD SPECIFICATIONS

*Model is determined by selection of OE/ST functions, frequency stability, and supply voltage.


Item	Model	OE	CSX-750FC (*)		CSX-750FB (*)	CSX-750FJ (*)
		STAND-BY				
Frequency Range			1.8432~39.999MHz	40.000~75.000MHz	1.8432~39.999MHz	40.000~80.000MHz
Supply Voltage			Vdd: 5.0V±0.5V		Vdd: 3.3V±0.3V	
Frequency Stability	(*)		B: ±50ppm(-20°C ~ +70°C), C: ±100ppm(-20°C ~ +70°C) E: ±50ppm(-40°C ~ +85°C), F: ±100ppm(-40°C ~ +85°C)			
Operating Temperature Range			-20°C ~ +70°C / (-40°C ~ +85°C)			
Storage Temperature Range			-55°C ~ +125°C			
Current consumption			25mA Max.	45mA Max.	15mA Max.	25mA Max.
Duty	TTL level (1.4V)		40~60%		—	
	CMOS level (1/2 Vdd)				45~55%	
Output Voltage	V _{OH}				0.9Vdd Min.	
	V _{OL}		0.4V Max.		0.1Vdd Max.	
Output Load	TTL		10TTL Max.		—	
	CMOS		50pF Max.		30pF Max.	
Rise and Fall Time			8 nsec Max.	6 nsec Max.	8 nsec Max.	6 nsec Max.
Start-up time			4 msec Max.	10 msec Max.	4 msec Max.	10 msec Max.
Input Voltage	V _{IH}		2.0V Min.			0.7Vdd Min.
	V _{IL}		0.8V Max.		0.4V Max.	0.3Vdd Max.
Disable current			10mA Max.	20mA Max.	5mA Max.	—
Stand-by current			—		10 μA Max.	

■ PART NUMBERING SYSTEM



*Please contact us for specifications available.

■ Part Marking [standard]




CTZ : Manufacture's ID Code

* : Model


f : Frequency

: Production Lot No.


■ Reflow profile



■ Packing



Conforming to JIS C 0806 TB1208NEIAJ and RC-1009B TE1208N



Conforming to JIS C 0806 R12R and EIAJ RC-1009B R15

Q'ty/reel	a	b	c	d (φ)	e	f	g	h	j	k	l	m (φ)	n (φ)
1,000	16.0	7.5	8.0	1.5	7.4	0.3	1.9	5°	5.4	5°	16.0	180	62

Product specifications are subject to change without notice.

Rev.2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [CITIZEN](#) manufacturer:

Other Similar products are found below :

[CSX-750FCC4000000T](#) [CSX-750FHB12000000T](#) [HC-49/U-S24000000ABJB](#) [CS325S14318180ABJT](#) [CM315 32.768KDZY-UT](#) [HC-49/U-S4915200ABJB](#) [HCM49-7.680MABJ-UT](#) [HC49US-28.63636MABJ](#) [HCM49-18.000MABJT](#) [CSX750FJC-50.000M-UT](#) [HCM49-11.000MABJT](#) [HCM49-11.0592MABJ-UT](#) [CSX750FCC-4.000M-UT](#) [HCM493579545ABJT](#) [HCM4920000000ABJT](#) [CSX750FCC40.000M-UT](#) [CS325S28636300ABJT](#) [HC49US-6.176MABJ-UB](#) [CSX-750FCC4000000T](#) [CM309E-8.000MABJ-UT](#) [HCM498000000ABJT](#) [HCM49-48.000MABJT](#) [HC49US-6.144MABJ](#) [HCM4950000000ABJT](#) [HCM4925000000ABJT](#) [CS325S27000000ABJT](#) [HC49US-4.000MABJ-UB](#) [CMR200T32768DZFT](#) [HC49US-5.000MABJ-UB](#) [CS10-32.000MABJ-UT](#) [HC49US-9.216MABJ-UB](#) [HC49US-4.9152MABJ-UB](#) [HCM49-12.288MABJT](#) [CS325S-12000000ABJT](#) [HCM49-6.144MABJ-UT](#) [HCM49-13.500MABJ-UT](#) [HC49US-16.9344MABJ-UB](#) [HC-49/U-S6144000ABJB](#) [CM1610H32768DZFT](#) [CM51932768DZFT](#) [CSX-750FCC14745600T](#) [HC49US15.000MABJ-UB](#) [HC49US-9.000MABJ](#) [HCM4949152000ABJT](#) [HC49US-12.000MABJ-UB](#) [HCM49-5.000MABJT](#) [HC-49/U-S15000000ABJB](#) [HC49US-19.6608MABJ-UB](#) [CSX750FCC-3.6864M-UT](#) [HCM49-30.000MABJ-UT](#)