

## **Key Features**

- Silent PSU with Temperature Control Fan
- ATX 12V Compliant for all kinds of CPU and mainboard
- MTBF 50,000 Hours @ 25 degrees C
- 2 x SATA Connectors
- 4 x 4-Pin Molex Connectors

## **PSU Specifications**


AC INPUT: 230 VAC 4A 50-60Hz					
DC	+3.3V	+5V	+12V1	-12V	+5VSB
Output	18A	20A	21A	0.3A	2A
Max	<b>400W</b>				

## **Connectors**



20+4 Pin Main Connectors:

1




4-Pin 12V Connectors:

1




SATA Connectors:

2



4-Pin Molex Connectors:

4



Floppy Drive Connectors:

1

## **Detailed Specifications**

<b>Dimensions:</b>	125mm x 65mm x 100mm (W x H x D)
<b>Input Voltage:</b>	230 VAC
<b>Input Current:</b>	4A
<b>Input Frequency Range:</b>	50-60Hz
<b>PFC:</b>	Yes - Power Factor Control
<b>Power Good Signal:</b>	150-450 ms
<b>Hold Up Time:</b>	1MS-40MS
<b>Efficiency:</b>	75%
<b>MTBF:</b>	100,000 Hours
<b>Protection:</b>	OVP / UVP/ OPP
<b>Power:</b>	400W
<b>Operation Temperature:</b>	45°C
<b>Safety:</b>	CE / ROHS

**Cooling:** 8cm Fan

**Noise:** < 17 dBA

### General Specifications

**Manufacturer Part Number:** M-400U

**EAN Number:** 5055492411051

**Has Mains Plug:** No

**Colour:** Grey

**What's In The Box:** PSU

**Unit (Product) Dimensions (mm):** 126mm x 64mm x 101mm (W x H x D)

**Packaging Dimensions (mm):** 163mm x 76mm x 141mm (W x H x D)

**Net Weight (KGs):** 0.7 KGs

**Gross Weight (KGs):** 0.8 KGs

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [CIT Relay manufacturer](#):*

Other Similar products are found below :

[PSUCIT400MICRO](#) [J115F21A240VACS](#) [J109F1CS1048VDC.45](#) [J115F21C12VDCS-6](#) [A2M1CSQ12VDC1.6](#) [A3M1ASQ12VDC2D](#)  
[J115F31A12VDCS.9](#) [J115F31A24VDCS.9](#) [J115F31A120VACS](#) [J1021CS312VDC.20](#)