

RF 15 - Tactile switch, fully illuminated with 2 LED, gold contacts

3.14.200.011/0000

For keycaps, refer to RK 90 system design.




| General information | |
|--|--|
| Color of lens | red |
| Recommended key grid | 19.05 mm |
| | |
| Dimensions | |
| Length | 15 mm |
| Width | 15 mm |
| Overall height | 9.7 mm |
| Mechanical design | |
| Mounting | soldering in PCB |
| Terminals | THT |
| Contact system | snap-action contact |
| Contact arrangement | 1 NO |
| Contact materials | Au |
| Illumination | fully illuminated 2 LED |
| LED color | red |
| LED type | 2 mm |
| Mechanical characteristics | |
| Operating force max. | 2.9 ^{±0.6} N |
| Switching travel | 0.5 ^{+0.2} mm |
| Robustness max. | with through-plated PCB 100 N |
| | |
| Electrical characteristics | |
| Rated voltage min. | Au: 0.02 V, Ag: 3 V |
| Rated voltage max. | 35 V |
| Rated current min. | Au: 0.01 mA, Ag: 0.1 mA |
| Rated current max. | Au: 100 mA, Ag: 250 mA |
| Rated power max. (ohmic load) | Au: 2 W, Ag: 12.5 W |
| Contact resistance when new max. | 100 mΩ |
| Insulation resistance | 10 ⁹ Ω |
| Other specifications | |
| Ambient temp. operating min. | -25 °C |
| Ambient temp. operating max. | +70 °C |
| Environmental restistance | acc. to IEC 60068-2-14, -30, -33 and -78 |
| Operating life min. (operations) | 1,000,000 cycle |
| Solderability / solder heat resistance | according to DIN EN 60068-2-20 |
| | 3.000.0g to 2 2 00000 E E0 |



| Wave soldering | 260 °C max. | |
|------------------|----------------------|--|
| Manual soldering | 350 °C / 5 sec. max. | |
| ROHS compliant | yes | |
| REACH compliant | yes | |





Lens red



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tactile Switches category:

Click to view products by C&K manufacturer:

Other Similar products are found below:

5GTH92001 1-1977120-4 ADTSA62NV ADTSA62RV ADTSA63KV ADTSA644NV ADTSMW66NV ADTSMW67RV B3F-3123 B3F-6055A B3F-B32-01-KIT 1977177-8 1977266-1 ADTS644KV ADTSA61RV ADTSA62KV ADTSA63NV ADTSA63RV ADTSM21NSVTR ADTSM32NVTR ADTSM63SVTR ADTSM644KVTR ADTSMW64RV ADTSMW69NV FSMRA4JHA04 GS4.70F300QP 3ESH9R 506E00201 MJTP1164TR 3FTL600RAS 3FTL640RAS Y96K132V0FPLFS 101-TS5022T1601-EV 5GSH92001 KSJ0A231 80SH LFG ADTSM31NVTR EVQ-P1D05K MJTP1162TR ADTSM63KV 2-1977120-7 TSJW-5.2-260-TR KMT011MNGJLHS B3WN6002S ADTSA648RV 70-201.0 ADTSG648NV ADTSM62KSVTR ATA600VTR ADTSG66RV ADTSG1NV