


DC Power Connectors

The **CLIFF®** range of **DC** Power Connectors comprise several different models for chassis mounting and horizontal or vertical PCB mounting. Our products are manufactured to strict quality and performance standards and incorporate a tough durable UL 94V-0 body. The standard colour is Black and some models are available with a choice of pin diameters and switched contacts. Typical applications include portable equipment of all types, signal processors, power supplies etc.



DC-8 PCB mounting pin ring type. Rated 12V / 1A. Minature version for PCB mounting. 1.3mm dia. pin.


DC-8 (FC68145)





DC-9 PCB mounting pin ring type with switch. Rated 12V / 5A. DC9 with 2.1mm dia. pin. DC9A with 2.5mm dia. pin.


DC-9 (FC68146) DC-9A (FC681461)





DC-10 PCB mounting pin / ring type with switch. Rated 12V / 5A. DC10A with 2.1mm dia. pin. DC10B with 2.5mm dia. pin.


DC-10A (FC68148) DC-10B (FC68149)





SCD-026 chassis mounting. SCD - 026 with 2.1mm dia. pin. SCD - 026A with 2.5mm dia. pin.

SCD-026 (FC681445) SCD-026A (FC681446)



Cliff Electronic Components, Ltd.

76 Holmethorpe Avenue, Holmethorpe Ind. Est. Redhill, Surrey RH1 2PF. England

Tel: +44 (0) 1737 771375 **Fax:** +44 (0) 1737 766012 **Email:** sales@cliffuk.co.uk



Visit us online at:




DC Power Connectors




DC-12A PCB mounting pin / ring type with switch. Rated 12V / 5A. With 2.1mm dia. pin.

DC-12A (FC681485)





DC-13 panel mounting pin / ring type with switch. Rated 12V / 5A. DC-13A with 2.1mm dia. pin. DC-13B with 2.5mm dia. pin. DC-13A (FC681492) DC-13B (FC681493)





DCPP1 DC Line connector. Rated 12V / 5A. DCPP1 with 2.1mm dia. pin. DCPP2 with 2.5mm dia. pin.


DCPP1 (FC68147) DCPP2 (FC681471)


NOTE # DHS FLANGE D D STREET ON THE SHORT OF ALL CENTRE NOT PROBLEM TO THE SHORT OF ALL OF THE SHORT OF THE SHOTT OF THE SHORT OF THE S	VARIANTS MODEL: DIM A DIM B DIN C DIM D DIM E DIM F P / No.							
MODELS STATE OF THE STATE OF TH	DCPP1 DCPP2 DCPP2 DCPP2GREY DCPP2L DCPP3	2.1 2.5 2.5 2.5 2.5 1.3	5.5 5.5 5.5 5.5 5.5 5.5	9.5 14.0 9.5 9.5 14.0 9.0	21.8 21.8 21.8 21.8 21.8 21.8	4.0	M7×0.5 M7×0.5	FC 68147 FA 6758 FC 681471 FA 6756 FA 67555
		★ THE	SE DIMS	VARY	VITH MO	DEL		




DCPP3 DC Line connector. Rated 12V / 5A. With 1.3mm dia. pin

DCPP3 (FA67555)





CCB-1 9V Battery connector. Cable length 220mm. Tough molded body. CCB-1A 'T' Type Cable length 220mm. CCB-1 (FC6830) CCB-1A (FC6831)



Please note we can also supply DC Plugs moulded onto cable as custom products.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Other Tools category:

Click to view products by Cliff manufacturer:

Other Similar products are found below:

CR-05FL7--150R CR-05FL7--698K 899-2-KT46 899-5-KT46 CR-0AFL4--332K CR-12FP4--260R CRCW04021100FRT7

CRCW04021961FRT7 5800-0090 CRCW04024021FRT7 CRCW040254R9FRT7 CRCW0603102JRT5 59065-5 00-8273-RDPP 00-8729-WHPP 593033 593058 593072 593564100 593575 593591 593593 011349-000 LTILA506SBLAMNBL CRCW08052740FRT1 LUC-012S070DSM LUC-018S070DSP 599-2021-3-NME 599-JJ-2021-03 00-5080-YWPP 5E4750/01-20R0-T/R LW1A-L1-GL LW1A-P1-GD LW1L-A1C10V-GL LW1L-M1C70-A 0202-0173 00-9089-RDPP 00-9300-RDPP CRCW2010331JR02 01-1003W-8/32-10 601-GP-08-KT39 601-JJ-06 601-SPB 601YSY 602-JJ-03 602SPB 602Z 603-JJ-07-FP 603-JJY-04 604J