





| 插頭部件 (Plug Component) |  |      | 頭部剥皮尺寸 (Dimensions)           |           |                 | 線材規格 (Wire Styles)   | 尾部剥皮尺寸 (Dimensions) |            |                 | 端子規格 (Terminal Style)                                  |                 |
|-----------------------|--|------|-------------------------------|-----------|-----------------|--|---------------------|------------|-----------------|--|-----------------|
| 顏色(Color)             | 零件描述(Component)                                | Qty. | 內剥(Stript)                    | 分線(Split) | 顏色(Color)       | SPT-2 18AWGx2C<br><br>105°C 黑色(Black)<br><br>Length : 2438.4±50 (96"±2") | 分線(Split)           | 內剥(Stript) | 顏色(Color)       | 規格描述(Instruction)                                      | 端子編號(Style No.) |
| 35P 黑色 (Black)        | ME-101A (1-15P, Polarized)                     | 1    | 6 <sup>+1</sup> <sub>-0</sub> | 15 ± 2    | 圓邊 (L) (Smooth) |  | 50.8±5              | 6.35±3     | 圓邊 (L) (Smooth) | 絕緣依尺寸剝除，留膠於線上(半剝) (Strip and Retain outside Insulated) |                 |
| 鍍鎳 (Nickel-Plated)    | (8.0/6.3) 極性端子97662-1 (Polarized Solid Blades) | 2    | 6 <sup>+1</sup> <sub>-0</sub> | 15 ± 2    | 毛邊 (N) (Ribbed) |  | 50.8±5              | 6.35±3     | 毛邊 (N) (Ribbed) | 絕緣依尺寸剝除，留膠於線上(半剝) (Strip and Retain outside Insulated) |                 |



ME-101A (NEMA 1-15P)  
(Dimensions of Plug Face)



SPT-2 18AWGx2C截面圖  
(Wire Cross-Section)



B-C2 扎線圖示 (Tied Loop Hank Detail)

| REV | DATE       | REVISE CONTENT                           |
|-----|------------|--|
| A   | 08/06-2012 | The first edition is issued and drawing. |

- NOTE:**
- Hi-Pot Test : 1500V/1Sec ; <0.5mA.
  - Insulation Resistance Test : DC 500/min>100 meg-ohm.
  - Continuity & Polarization Test : No short circuit, break circuit, displacement.
  - Each end terminal shall be capable of withstanding a pull of 25lbs for 1 minutes without loosening.
  - Strain relief shall be capable of withstanding a pull of 35lbs for 1 minutes without loosening.
  - All material according to Non-toxic standard.(Material must be RoHS compliant.)
  - "FMC" logo maybe present on 1-15P.

|                     |   |   |                   |  |    |
|---------------------|---|---|-------------------|--|----|
| 線材印字 (Wire Printed) | 充實, 油墨印字 (Un-Fillers, Printing Ink)     | <b>CnC Tech, LLC</b><br>Industrial Cable and Connector Technology |                   |  |    |
| 包裝方式 (Packing)      |   |   |                   |  |    |
| Tied Hank           | See Hank Detail                         | DATE<br>08/06-2012  | CUSTOMER          |  |    |
| Carton Size         | 480 x 320 x 180                         |   | P/N No.           | 800-1808-2-SPT2-BL-0008F (PCIA-3SF-00008F) |    |
| Pack Number         | 100pcs/ <small>UL Laster Labels</small> | MATERIAL  | PVC               | UNIT                                       | mm |
| Carton Print        | See Purchase Order                      |   | Customer Approval |  |    |
| TYPE                | NEMA 1-15P Polarized Power Supply Cord  |   |                   |  |    |
| DRAWING NO.         | 098MM956                                | REV   | A                 |  |    |

業務校閱：  
品質校閱：

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [cnc manufacturer](#):*

Other Similar products are found below :

[741-20010-00500](#) [DL-5468](#) [2725-2828-01000-T](#) [300-30-40-GR-0250F](#) [743-60012-00300](#) [302-28-50-GR-0250F](#) [302-28-10-GR-0100F](#)  
[3020-10-0300-00-TR](#) [FM-213-4](#) [FM-214-4](#) [302-28-26-GR-0250F](#) [302-28-40-GR-0250F](#) [304-28-26-MC-0250F](#) [304-28-40-MC-0250F](#)  
[302-28-09-GR-0250F](#) [1002-003-02000](#) [302-28-37-GR-0250F](#) [302-28-25-GR-0250F](#) [3020-10-0300-00](#) [300-30-14-GR-0250F](#) [302-28-14-GR-](#)  
[0250F](#) [300-30-04-GR-0250F](#) [300-30-26-GR-0250F](#) [304-28-16-MC-0250F](#) [304-28-26-MC-0100F](#) [302-28-10-GR-0250F](#) [800-1401-2-SJT0-](#)  
[BL-00200](#) [300-30-20-GR-0250F](#) [304-28-14-MC-0250F](#) [800-1800-2-SVT0-BL-00100](#) [741-20010-01000](#) [CNC-99-16](#) [302-28-20-GR-0100F](#)  
[302-28-26-GR-0100F](#) [304-28-40-MC-0100F](#) [600218](#) [510-26-6600-WH-0007F](#) [610230](#) [3010-10-003-13-00](#) [304-28-14-MC-0100F](#) [302-28-50-](#)  
[GR-0100F](#) [3030-16-0102-00](#) [3221-10-0300-00](#) [304-28-16-MC-0100F](#) [610234](#) [302-28-37-GR-0100F](#) [800-12-32D-BL-0008F](#) [FM-215-8](#) [DL-](#)  
[1006](#) [304-28-20-MC-0250F](#)