



## Orthomat® Ribbed Anti Fatigue Mat


Ribbed anti-fatigue mat for dry workplaces



- Versatile single layer foam anti-fatigue mat.
- Insulates standing workers against the effects of cold concrete floors.
- Lightweight, so easy to transport and reposition.
- Best suited to dry environments.
- High visibility version available with bright yellow borders.
- Ideal for lighter industrial use.
- Stylish ribbed surface pattern.
- Available in mats and rolls.
- Fire tested to BS EN 13501-1.



### Styles Available



Black

Grey

Grey/Yellow

### Parts

Part Number	Size	Colour	Weight
AL010001	0.6 m x 0.9 m	Black	1.50 kg
AL010002	0.9 m x 1.5 m	Black	3.00 kg
AL010003	0.9 m x 18.3 m	Black	38.00 kg
AL010003C	0.9 m x per linear metre	Black	2.00 kg
AL010004	1.2 m x 18.3 m	Black	51.00 kg
AL010004C	1.2 m x per linear metre	Black	4.00 kg
AL010006	0.6 m x 18.3 m	Black	31.00 kg
AL010006C	0.6 m x per linear metre	Black	1.70 kg
AL060001	0.6 m x 0.9 m	Grey	1.50 kg

### Technical Specification

<b>Material</b>	Open Cell PVC (Foam)
<b>Surface Finish</b>	Ribbed
<b>Product Height</b>	9.5 mm
<b>Size of Safety Border</b>	100 mm
<b>Operating Temperature</b>	0°C to +60°C
<b>Environmental Resistance</b>	Suitable for dry indoor environments
<b>Typical Applications</b>	Production lines, Assembly areas, Packing stations, Workbenches
<b>Installation Method</b>	Loose lay
<b>Cleaning Method</b>	Brush/mop the top surface

AL060002	0.9 m x 1.5 m	Grey	3.00 kg
AL060003	0.9 m x 18.3 m	Grey	38.00 kg
AL060003C	0.9 m Linear m	Grey	2.00 kg
AL060004	0.6 m x 18.3 m	Grey	25.00 kg
AL060004C	0.6 m Linear m	Grey	1.90 kg
AL060005	1.2 m x 18.3 m	Grey	51.00 kg
AL060005C	1.2 m Linear m	Grey	4.00 kg
AL060006	0.6 m x 0.9 m (x3)	Grey	4.5 kg
AL060701	0.6 m x 0.9 m	Grey/Yellow	1.50 kg
AL060702	0.9 m x 1.5 m	Grey/Yellow	3.00 kg
AL060703	0.9 m x 18.3 m	Grey/Yellow	38.00 kg
AL060703C	0.9 m x lin. m	Grey/Yellow	2.00 kg
AL060704	1.2 m x 18.3 m	Grey/Yellow	51.00 kg
AL060704C	1.2 m x per linear metre	Grey/Yellow	4.00 kg

<b>Fire Tested to</b>	BS EN 13501-1 Class Dfl - s1
<b>Country of Origin</b>	China
<b>Guarantee</b>	1 year when used in a dry environment
<b>Adhesive recommended by F.Ball for permanent bond</b>	F44
<b>Tackifier recommended by F.Ball</b>	F41
<b>Adhesive recommended by F.Ball for heavy-duty/wet areas</b>	F74, F81, F84

Get in touch | To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email [sales@cobaeurope.com](mailto:sales@cobaeurope.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [PPE Safety Equipment / Lockout Tagout](#) category:*

*Click to view products by [COBA](#) manufacturer:*

Other Similar products are found below :

[AB12-SF1260](#) [GPSL-6KA](#) [GPSL-8MKEY](#) [35035](#) [702201756](#) [PSL-PC38-33](#) [7100078986](#) [132231](#) [44-809](#) [G3000NUV-VI-R](#) [STC1165](#)  
[STC5951](#) [DAF010701](#) [WC000003](#) [509-0015](#) [509-0017](#) [509-0019](#) [509-0020](#) [509-0021](#) [509-0022](#) [509-0002](#) [509-0003](#) [509-0004](#) [509-0006](#)  
[109-0920](#) [109-0917](#) [109-0918](#) [109-0919](#) [DYC200-01-01-9-DYCLEAN-S](#) [109-0027](#) [X2A](#) [26702](#) [28774](#) [SFTY PADLOCK NYLON 38MM](#)  
[SHA YELLOW 6/PAC](#) [FMB12](#) [FMB14](#) [FMB14 MIDI](#) [FMB18](#) [FMB38](#) [FMFR 12](#) [FMFR 12-AUT](#) [FMFR 14](#) [FMFR 14 MIDI](#) [FMFR 18](#)  
[FMFR 38](#) [FML 12](#) [FML 14](#) [FML 14 MIDI](#) [FML 18](#) [FMR 12](#)