




## Orthomat® Premium Anti Fatigue Mat


Reduces standing fatigue for those that move at work



- Exceptional fatigue-relief properties – a real investment for the workplace.
- Dual layer construction for superior comfort and durability.
- Tough textured top surface for excellent resilience against wear and tear.
- Insulates against the effects of cold concrete floors.
- Low density under layer provides extremely effective underfoot cushioning.
- Ideal for demanding locations, especially where regular turning is involved.
- Tapered edges to reduce trip hazards.
- Range of colours available.
- Fire tested to BS EN 13501-1.



### Styles Available



Green

Blue

Black

### Parts

| Part Number | Size                     | Colour | Weight   |
|-------------|--------------------------|--------|----------|
| FF010001    | 0.6 m x 0.9 m            | Black  | 2.00 kg  |
| FF010002    | 0.9 m x 1.5 m            | Black  | 4.99 kg  |
| FF010003    | 0.9 m x 18.3 m           | Black  | 61.00 kg |
| FF010003C   | 0.9 m x per linear metre | Black  | 3.80 kg  |
| FF010004    | 0.9 m x 3.65 m           | Black  | 12.15 kg |
| FF010005    | 0.6 m x 18.3 m           | Black  | 45.60 kg |

### Technical Specification

|                                 |                                      |
|---------------------------------|--------------------------------------|
| <b>Material</b>                 | Open Cell PVC (Foam)                 |
| <b>Surface Finish</b>           | Pebble                               |
| <b>Product Height</b>           | 12.5 mm                              |
| <b>Roll Length</b>              | 18.3 m                               |
| <b>Operating Temperature</b>    | 0°C to +60°C                         |
| <b>Environmental Resistance</b> | Suitable for dry indoor environments |

|           |                          |       |          |
|-----------|--------------------------|-------|----------|
| FF010005C | 0.6 m x per linear metre | Black | 2.49 kg  |
| FF010006  | 1.2 m x 18.3 m           | Black | 93.50 kg |
| FF010006C | 1.2 m x per linear metre | Black | 5.10 kg  |
| FF010007  | Special                  | Black |          |
| FF010008  | 0.9 m x 22 m             | Black | 73.26 kg |
| FF020003  | 0.9 m x 18.3 m           | Blue  | 61.00 kg |
| FF020003C | 0.9 m x per linear metre | Blue  | 3.80 kg  |
| FF040003  | 0.9 m x 18.3 m           | Green | 61.00 kg |
| FF040003C | 0.9 m x per linear metre | Green | 3.80 kg  |
| FF040005  | 1.2 m x 18.3 m           | Green | 88.00 kg |

|                             |  |
|-----------------------------|--|
| <b>Typical Applications</b> | Production lines, Assembly areas, Packing stations, Workbenches, Retail counters |
| <b>Installation Method</b>  | Loose lay  |
| <b>Cleaning Method</b>      | Brush/mop the top surface  |
| <b>Fire Tested to</b>       | BS EN 13501-1 Class Dfl - s1   |
| <b>Country of Origin</b>    | China  |
| <b>Guarantee</b>            | 2 years when used in a dry environment   |

Get in touch | To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email [sales@cobaeurope.com](mailto:sales@cobaeurope.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [PPE Safety Equipment / Lockout Tagout](#) category:*

*Click to view products by [COBA](#) manufacturer:*

Other Similar products are found below :

[AB12-SF1260](#) [GPSL-6KA](#) [GPSL-8MKEY](#) [35035](#) [702201756](#) [PSL-PC38-33](#) [7100078986](#) [132231](#) [44-809](#) [G3000NUV-VI-R](#) [STC1165](#)  
[STC5951](#) [DAF010701](#) [WC000003](#) [509-0015](#) [509-0017](#) [509-0019](#) [509-0020](#) [509-0021](#) [509-0022](#) [509-0002](#) [509-0003](#) [509-0004](#) [509-0006](#)  
[109-0920](#) [109-0917](#) [109-0918](#) [109-0919](#) [DYC200-01-01-9-DYCLEAN-S](#) [109-0027](#) [X2A](#) [26702](#) [28774](#) [SFTY PADLOCK NYLON 38MM](#)  
[SHA YELLOW 6/PAC](#) [FMB12](#) [FMB14](#) [FMB14 MIDI](#) [FMB18](#) [FMB38](#) [FMFR 12](#) [FMFR 12-AUT](#) [FMFR 14](#) [FMFR 14 MIDI](#) [FMFR 18](#)  
[FMFR 38](#) [FML 12](#) [FML 14](#) [FML 14 MIDI](#) [FML 18](#) [FMR 12](#)