



COBAelite[®] Bubble Anti Fatigue Mat

Excellent fatigue relief with superior resilience



- Improve comfort when standing in the workplace.
- Raised surface stimulates blood circulation and foot movement.
- Superior material ensures durability.
- Ramped edges help avoid creating a trip risk.
- Loose lay can easily be installed in a wide array of workplaces.
- Fire tested to BS EN 13501-1.





Parts

Part Number	Size	Colour	Weight
SE010001	0.6 m x 0.9 m	Black	2.00 kg
SE010003	0.9 m x 1.2 m	Black	4.50 kg
SE010010	Special size	Black	

Technical Specification

Material	PU	
Surface Finish	Bubble	
Product Height	15 mm	
Product Weight	2.5kg ±0.2	
Operating Temperature	-40 $^{\circ}$ C to +80 $^{\circ}$ C (temporarily up to +120 $^{\circ}$ C)	
Resistance to Chemicals	PU offers limited resistance to chemicals and oils	
Environmental Resistance	Suitable for dry indoor environments	
UV Resistance	Yes	
Typical Applications	General industrial, Retail	
Installation Method	Loose lay	
Cleaning Method	Brush down, vacuum clean and wipe with wet cloth	
Fire Tested to	BS EN 13501-1 Class Efl - s1	

Country of Origin

Germany

Get in touch | To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email sales@cobaeurope.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PPE Safety Equipment / Lockout Tagout category:

Click to view products by COBA manufacturer:

Other Similar products are found below :

AB12-SF1260 GPSL-6KA GPSL-8MKEY 35035 702201756 PSL-PC38-33 7100078986 132231 44-809 G3000NUV-VI-R STC1165 STC5951 DAF010701 WC000003 509-0015 509-0017 509-0019 509-0020 509-0021 509-0022 509-0002 509-0003 509-0004 509-0006 109-0920 109-0917 109-0918 109-0919 DYC200-01-01-9-DYCLEAN-S 109-0027 X2A 26702 28774 SFTY PADLOCK NYLON 38MM SHA YELLOW 6/PAC FMB12 FMB14 FMB14 MIDI FMB18 FMB38 FMFR 12 FMFR 12 FMFR 14 FMFR 14 MIDI FMFR 18 FMFR 38 FML 12 FML 14 FML 14 MIDI FML 18 FMR 12