



## Superdry Doormat

High performance mat with optimum moisture retention

- Heavy-duty entrance matting, ideal for office spaces and general workplaces.
- Raised, reinforced 'waffle' pattern scrapes dirt away from footwear, helping to reduce the amount of dirt/debris brought into the building.
- Exceptional moisture wiping properties. Able to retain up to 5.4 litres water/ m2.
- Lipped edges to help reduce tripping hazards and rubber backing for slip-resistance.



### Styles Available



Red

Grey

Brown

Blue

Anthracite

### Parts

| Part Number | Size          | Colour | Weight  |
|-------------|---------------|--------|---------|
| WH010001    | 0.6 m x 0.9 m | Black  | 2.45 kg |
| WH020001    | 0.6 m x 0.9 m | Blue   | 2.45 kg |
| WH030001    | 0.6 m x 0.9 m | Red    | 2.45 kg |
| WH050001    | 0.6 m x 0.9 m | Brown  | 2.45 kg |
| WH060001    | 0.6 m x 0.9 m | Grey   | 2.45 kg |
| WH010003    | 0.9 m x 1.5 m | Black  | 6.00 kg |

### Technical Specification

|                              |                             |
|------------------------------|-----------------------------|
| <b>Material</b>              | PP                          |
| <b>Backing</b>               | Natural and recycled rubber |
| <b>Surface Finish</b>        | Waffle                      |
| <b>Product Height</b>        | 7 mm                        |
| <b>Product Weight</b>        | 3.7kg/ m2                   |
| <b>Operating Temperature</b> | -20°C to +130°C             |

|          |               |       |          |
|----------|---------------|-------|----------|
| WH020003 | 0.9 m x 1.5 m | Blue  | 6.00 kg  |
| WH030003 | 0.9 m x 1.5 m | Red   | 6.00 kg  |
| WH050003 | 0.9 m x 1.5 m | Brown | 6.00 kg  |
| WH060003 | 0.9 m x 1.5 m | Grey  | 6.00 kg  |
| WH010004 | 1.2 m x 1.8 m | Black | 10.05 kg |
| WH020004 | 1.2 m x 1.8 m | Blue  | 10.05 kg |
| WH030004 | 1.2 m x 1.8 m | Red   | 10.05 kg |
| WH050004 | 1.2 m x 1.8 m | Brown | 10.05 kg |
| WH060004 | 1.2 m x 1.8 m | Grey  | 10.05 kg |

|                                 |   |
|---------------------------------|---|
| <b>Environmental Resistance</b> | Suitable for indoor environments only   |
| <b>UV Resistance</b>            | Yes   |
| <b>Typical Applications</b>     | Entrance areas  |
| <b>Installation Method</b>      | Loose lay   |
| <b>Cleaning Method</b>          | Wash with cold water, use vacuum cleaner or use pressure pump to remove dirt. |
| <b>Country of Origin</b>        | India   |
| <b>Tensile Strength</b>         | 2.75 to 3.25 MPa  |

Get in touch | To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email [sales@cobaeurope.com](mailto:sales@cobaeurope.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [PPE Safety Equipment / Lockout Tagout](#) category:*

*Click to view products by [COBA](#) manufacturer:*

Other Similar products are found below :

[AB12-SF1260](#) [GPSL-6KA](#) [GPSL-8MKEY](#) [35035](#) [702201756](#) [PSL-PC38-33](#) [7100078986](#) [132231](#) [44-809](#) [G3000NUV-VI-R](#) [STC1165](#)  
[STC5951](#) [WC000003](#) [509-0015](#) [509-0017](#) [509-0019](#) [509-0020](#) [509-0021](#) [509-0022](#) [509-0002](#) [509-0003](#) [509-0004](#) [509-0006](#) [109-0920](#)  
[109-0917](#) [109-0918](#) [109-0919](#) [DYC200-01-01-9-DYCLEAN-S](#) [109-0027](#) [X2A](#) [26702](#) [28774](#) [SFTY PADLOCK NYLON 38MM SHA](#)  
[YELLOW 6/PAC](#) [FMFR 12](#) [FMFR 12-AUT](#) [FMFR 14](#) [FMFR 14 MIDI](#) [FMFR 18](#) [FMFR 38](#) [FML 12](#) [FML 14](#) [FML 14 MIDI](#) [FML 18](#)  
[FMR 12](#) [FMR 18](#) [FMR 38](#) [603](#) [30-551-3040](#) [30-552-0010](#) [30-552-6012](#)