





Dept	
Qty	
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QE	1




N=No.of contacts/2



Recommend PCB layout  
(Tolerance:±0.05)




(Series Image-Reference Only)



REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 08/28/08'		LJC 08/28/08'
B	DRAWING UPDATE	JLZ 09/10/15'	HZW 09/10/15'	LJC 09/10/15'
D	DRAWING UPDATE	JLZ 12/26/18'		

- Notes:  
Specifications:
- Contact Resistance: 20mΩ Max.
  - Insulation Resistance: 1000MΩ Min.
  - Dielectric Withstanding Voltage: 600V AC(rms) For 1 Minute.
  - Current Rating:3A.
  - Temperature: -40°C--+105°C.

- Materials:
- Contact Material: Copper Alloy.
  - Contact Plating: Gold Plating Over Nickel.
  - Insulator Materials: PBT,Black,UL94-V0.
- Product Number Code:







GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	2.54mm FEMALE HEADER FOR "BOX HEADER" MATING	
X.	±0.60	X.	±5°	UNITS	mm	SERIES	DS1023-02 SERIES	
.X	±0.38	.X	±3°					
.XX	±0.25	.XX	±2°					
DRAWING TYPE		CUSTOMER		<b>晨翔电子有限公司</b> <b>CONNFLY CONNFLY ELECTRONIC CO. LTD</b>				
SCALE	1:1	SHEET	1 OF 2					
DRAWING NO.	C-DS1023-02-XSXX-C							


The information provided herein is from CONNFLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights of CONNFLY Electronic Co., Ltd. are reserved. All rights are reserved. CONNFLY Electronic Co., Ltd. does not assume any responsibility for the use or misuse of the information provided herein. CONNFLY Electronic Co., Ltd. does not assume any responsibility for the use or misuse of the information provided herein. CONNFLY Electronic Co., Ltd. does not assume any responsibility for the use or misuse of the information provided herein. CONNFLY Electronic Co., Ltd. does not assume any responsibility for the use or misuse of the information provided herein.

Dept	
Qty	
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QF	1

The information provided herein is from CONNPLY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights of CONNPLY Electronic Co., Ltd. are reserved. All intellectual properties provided herein are for reference purposes only and does not constitute authorization of its use or modification. CONNPLY may enforce its intellectual property rights at its own discretion; failures or delays to exercise such rights does not constitute a waiver of such rights.



(Series Image-Reference Only)



REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 08/28/08'		LJC 08/28/08'
B	DRAWING UPDATE	JLZ 09/10/15'	HZW 09/10/15'	LJC 09/10/15'
D	DRAWING UPDATE	JLZ 12/26/18'		

- Notes:
- Specifications:
- Contact Resistance: 20mΩ Max.
  - Insulation Resistance: 1000MΩ Min.
  - Dielectric Withstanding Voltage: 600V AC(rms) For 1 Minute.
  - Current Rating:3A.
  - Temperature: -40°C~+105°C.
- Materials:
- Contact Material: Copper Alloy.
  - Contact Plating: Gold Plating Over Nickel.
  - Insulator Materials: PBT,Black,UL94-V0.
- Product Number Code:

DS1023-02 - X X X X

- Profile height(DIM A)  
1: 8.5mm
- Contact plating  
F1: Full gold flash  
2: Nickel + Gold flash
- Mounting type  
R: R/A type
- No.of contacts  
2x2-2x40

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	2.54mm FEMALE HEADER FOR "BOX HEADER" MATING				
X.	±0.60	X.	±5°	UNITS	mm	SERIES	DS1023-02 SERIES				
.X	±0.38	.X	±3°								
.XX	±0.25	.XX	±2°								
DRAWING TYPE		CUSTOMER		<b>晨翔电子有限公司</b> <b>CONNPLY ELECTRONIC CO. LTD</b>							
SCALE		1:1							SHEET	2 OF 2	
DRAWING NO.		C-DS1023-02-XRXX-C									

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Connfly](#) manufacturer:*

Other Similar products are found below :

[57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [009176003701906](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [644827-2](#) [65495-038](#) [65692-001LF](#)  
[65781-018](#) [65781-047](#) [65817-010LF](#) [65817-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#)  
[M90C108951C](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5028](#) [71.350.2428.0](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-](#)  
[3052](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#) [803-41-018-10-001000](#)  
[803-43-024-10-001000](#)