


+105°C Very Long Life

FEATURES	Small Size – Long Life
APPLICATIONS	Filtering – Bypass/ Coupling – De-Coupling

Operating Temperature Range		-55°C to +105°C					
Capacitance Tolerance		+20% at 120 Hz, 20°C					
Surge Voltage	WVDC	6.3	10	16	25	35	50
	SVDC	7.9	13	20	32	44	63
Dissipation Factor	WVDC	6.3	10	16	25	35	50
		.32	.24	.2	.16	.13	.12
Leakage Current		2 Minutes					
		.01CV or 3uA, Whichever is greater					
Low Temperature Stability Impedance Ratio (120 Hz)	Rated WVDC	6.3	10	16	25	35	50
	-25°C to +20°C	4	3	2	2	2	2
	-40°C to +20°C	10	7	5	3	3	3
Load Life		5000 hours(3000 hours for D=4,5,6.3mm) at 105°C with rated WVDC					
		Capacitance Change ≤30% of initial measured value					
		Dissipation Factor ≤300% of maximum specified value					
		Leakage Current ≤100% of maximum specified value					
Shelf Life		1000 hours at 85°C with no voltage applied					
		Capacitance Change ≤30% of initial measured value					
		Dissipation Factor ≤300% of maximum specified value					
		Leakage Current ≤100% of maximum specified value					
Resistance to Soldering Heat		Capacitors placed on a 250°C hot plate for 30 seconds with their electrode terminations facing downward will fulfill the following conditions after being cooled to room temperature					
		Capacitance Change ≤10% of initial measured value					
		Dissipation Factor ≤100% of maximum specified value					
		Leakage Current ≤100% of maximum specified value					
Ripple Current Multipliers		Frequency (Hz)					
		50	120	300	1k	100k	
		.7	1.0	1.17	1.36	1.5	



D	L	W±0.2	H±0.2	C±0.2	R	LL±0.2	S±0.2
4	5.8 +0.1/-0.2	4.3	4.3	5.0	0.5~0.8	1.8	1.0
5	5.8 +0.1/-0.2	5.3	5.3	6.0	0.5~0.8	2.1	1.3
6.3	5.8 +0.1/-0.2	6.6	6.6	7.3	0.5~0.8	2.4	2.2
6.3	7.7 +0.1/-0.2	6.6	6.6	7.3	0.5~0.8	2.4	2.2
8	10.5+0.1/-0.2	8.3	8.3	9.0	0.7~1.0	2.9	3.1
10	10.5+0.1/-0.2	10.3	10.3	11.0	0.7~1.0	3.2	4.5

**SVL****+105°C, Long Life, up to 5000 hours**

WVDC	Capacitance ( $\mu$ F)	IC PART NUMBER	Maximum ESR ( $\Omega$ ) 120 Hz, +20°C	Maximum RMS Ripple Current (mA) 120 Hz, +105°C	Dims DxL (mm)
6.3	47	<b>476SVL6R3MDW</b>	11.29	45	5x5.8
6.3	220	<b>227SVL6R3MEL</b>	2.41	105	6.3x7.7
6.3	330	<b>337SVL6R3MFE</b>	1.61	245	8x10.5
6.3	1000	<b>108SVL6R3MGW</b>	0.53	350	10x10.5
10	33	<b>336SVL010MDW</b>	12.06	40	5x5.8
10	100	<b>107SVL010MEW</b>	3.98	75	6.3x5.8
10	220	<b>227SVL010MFE</b>	1.81	170	8x10.5
16	10	<b>106SVL016MCW</b>	33.16	20	4x5.8
16	22	<b>226SVL016MDW</b>	15.07	35	5x5.8
16	47	<b>476SVL016MEW</b>	7.05	60	6.3x5.8
16	100	<b>107SVL016MEL</b>	3.32	90	6.3x7.7
16	470	<b>477SVL016MGW</b>	0.71	360	10x10.5
25	33	<b>336SVL025MEW</b>	8.04	50	6.3x5.8
25	47	<b>476SVL025MEL</b>	5.64	65	6.3x7.7
25	100	<b>107SVL025MFE</b>	2.65	140	8x10.5
25	330	<b>337SVL025MGW</b>	0.8	250	10x10.5
35	4.7	<b>475SVL035MCW</b>	45.6	20	4x5.8
35	10	<b>106SVL035MDW</b>	21.55	30	5x5.8
35	22	<b>226SVL035MEW</b>	9.8	50	6.3x5.8
35	33	<b>336SVL035MEL</b>	6.53	62	6.3x7.7
35	220	<b>227SVL035MGW</b>	0.98	230	10x10.5
50	1	<b>105SVL050MCW</b>	198.94	8	4x5.8
50	2.2	<b>225SVL050MCW</b>	90.43	12	4x5.8
50	3.3	<b>335SVL050MCW</b>	90.29	17	4x5.8
50	4.7	<b>475SVL050MDW</b>	42.33	21	5x5.8
50	10	<b>106SVL050MEW</b>	19.89	35	6.3x5.8
50	22	<b>226SVL050MEL</b>	9.04	52	6.3x7.7
50	33	<b>336SVL050MFE</b>	6.03	80	8x10.5
50	47	<b>476SVL050MFE</b>	4.23	95	8x10.5
50	100	<b>107SVL050MGW</b>	1.99	99	10x10.5

Americas / EU  
 Phone: 1-508-996-8561  
 Email: [cdena@cde.com](mailto:cdena@cde.com)



Asia  
 Phone: 852-2793-0931  
 Email: [cdeasia@cde.com](mailto:cdeasia@cde.com)

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for Aluminium Electrolytic Capacitors - SMD category:***

***Click to view products by Cornell Dubilier manufacturer:***

Other Similar products are found below :

[EEV-FK1E332W 22927](#) [MAL214099813E3 HUB1800-S 34610](#) [RYK-50V101MG5TT-FL 107AXZ016MQ5](#) [EMF1EM101E83D00R](#)  
[EMK1AM221E83D00R](#) [EMK1EM471GB0D00R](#) [EMK1VM101E83D00R](#) [EMVY350ARA221MHA0G](#) [UV2G3R3M0810VG](#)  
[RVT2A4R7M0605](#) [MAL214097402E3](#) [MAL215375471E3](#) [MAL224699909E3](#) [MAL224699813E3](#) [MAL215099017E3](#) [MAL215099117E3](#)  
[MAL215099818E3](#) [AEH1010471M010R](#) [AEA0810101M035R](#) [AEA1010681M016R](#) [AEA1010471M025R](#) [AEA0810331M010R](#)  
[AEA1616102M050R](#) [AEH1010101M050R](#) [AEA1010102M010R](#) [AEA1010102M016R](#) [AEH0810470M050R](#) [AEA0810220M100R](#)  
[AEA0810151M035R](#) [AEA0810331M016R](#) [AEA0810331M025R](#) [AEA0810470M063R](#) [AEA1213102M025R](#) [AEA1213221M063R](#)  
[AEA1213471M035R](#) [AEH0608101M016R](#) [AEH0608330M050R](#) [AEH0608470M025R](#) [AEH0608470M035R](#) [HV100M100E077ETR](#)  
[RC0J226M04005VR](#) [RC0J476M05005VR](#) [RC1A227M08010VR](#) [RC1C476M6L005VR](#) [MAL214099111E3](#) [50SEV1M4X5.5](#)