



# MATERIAL SAFETY DATA SHEET

Product Name **CONTACT 2000**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** CRC INDUSTRIES (AUST) PTY LIMITED  
**Address** 9 Gladstone Road, Castle Hill, NSW, AUSTRALIA, 2154  
**Telephone** (02) 9634 2088  
**Fax** (02) 9680 4914  
**Emergency** (02) 9634 2088  
**Email** info@crcind.com.au  
**Web Site** http://www.crcind.com.au/  
**Synonym(s)** 2012 - MANUFACTURER'S CODE • 2012 CONTACT 2000 (AEROSOL) • CRC 2012 CONTACT 2000 (AEROSOL) (FORMERLY)  
**Use(s)** CLEANING AGENT • ELECTRONIC CLEANER  
**SDS Date** 01 Apr 2010

## 2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>UN No.</b>	1950	<b>DG Class</b>	2.2	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	None Allocated	<b>Hazchem Code</b>	2Y	<b>EPG</b>	2D1

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
HFE METHYL NONAFLUOROBUTYLETHER	C4-F6-O-CH3	163702-07-6	>60%
CARBON DIOXIDE (PROPELLANT)	Not Available	124-38-9	1-10%

## 4. FIRST AID MEASURES

**Eye** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation risk exists. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

**Advice to Doctor** Treat symptomatically

**First Aid Facilities** Eye wash facilities should be available.

## 5. FIRE FIGHTING MEASURES

<b>Flammability</b>	Non flammable. May evolve toxic gases (carbon oxides, hydrogen fluoride, hydrocarbons) when heated strongly.
<b>Fire and Explosion</b>	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
<b>Extinguishing</b>	Prevent contamination of drains or waterways.
<b>Hazchem Code</b>	2Y

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spillage</b>	If cans/containers are punctured (bulk), use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Collect and allow to discharge outdoors. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.
-----------------	--

## 7. STORAGE AND HANDLING

<b>Storage</b>	Store in a cool, dry, well ventilated area, removed from oxidising agents, alkalis, active metals, metal powders, heat or ignition sources and foodstuffs. Aerosol containers may explode if exposed to excessive heat (> 50°C). Ensure containers are adequately labelled and protected from physical damage when not in use.
<b>Handling</b>	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Carbon dioxide	ASCC (AUS)	5000	--	9000	--
	Carbon dioxide in coal mines	ASCC (AUS)	12500	--	30000	--

<b>Biological Limits</b>	No biological limit allocated.
<b>Engineering Controls</b>	Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.
<b>PPE</b>	Wear splash-proof goggles. When using large quantities or where heavy contamination is likely, wear: nitrile or viton (R) gloves and coveralls. Where an inhalation risk exists, wear: a Type A-Class P1 (Organic gases/vapours and Particulate) respirator. At high vapour levels, wear: an Air-line respirator.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	CLEAR COLOURLESS LIQUID (AEROSOL DISPENSED)	<b>Solubility (Water)</b>	SLIGHTLY SOLUBLE
<b>Odour</b>	SLIGHT ETHEREAL ODOUR	<b>Specific Gravity</b>	1.5
<b>pH</b>	NOT AVAILABLE	<b>% Volatiles</b>	100 %
<b>Vapour Pressure</b>	22.61 kPa @ 20°C	<b>Flammability</b>	NON FLAMMABLE
<b>Vapour Density</b>	8.6 (Air = 1)	<b>Flash Point</b>	NOT RELEVANT
<b>Boiling Point</b>	60°C	<b>Upper Explosion Limit</b>	NOT RELEVANT
<b>Melting Point</b>	< 0°C	<b>Lower Explosion Limit</b>	NOT RELEVANT
<b>Evaporation Rate</b>	NOT AVAILABLE		

---

## 10. STABILITY AND REACTIVITY

---

<b>Chemical Stability</b>	Stable under recommended conditions of storage.
<b>Conditions to Avoid</b>	Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.
<b>Material to Avoid</b>	Incompatible with oxidising agents (eg. hypochlorites), alkalis/ alkali earth metals.
<b>Decomposition</b>	May evolve toxic gases if heated to decomposition.
<b>Hazardous Reactions</b>	Polymerization will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

---

<b>Health Hazard Summary</b>	Asphyxiant - narcotic. This product may present a hazard with direct eye contact, prolonged skin contact or with vapour inhalation at high levels. Individuals with impaired cardiovascular function, especially those with a history of cardiac arrhythmias, are advised to avoid exposure.
<b>Eye</b>	Low irritant. Contact may result in irritation, lacrimation and redness.
<b>Inhalation</b>	Irritant - asphyxiant. Over exposure may result in respiratory irritation, coughing, nausea, dizziness and headache. High level exposure may result in dizziness, breathing difficulties and anaesthesia, cardiac arrhythmias, pulmonary oedema and unconsciousness at very high levels.
<b>Skin</b>	Low irritant. Prolonged or repeated contact may result in mild irritation.
<b>Ingestion</b>	Ingestion is considered unlikely due to product form.
<b>Toxicity Data</b>	CARBON DIOXIDE (PROPELLANT) (124-38-9) LCLo (Inhalation): 9 pph/5M (human)

---

## 12. ECOLOGICAL INFORMATION

---

<b>Environment</b>	Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.
--------------------	--

---

## 13. DISPOSAL CONSIDERATIONS

---

<b>Waste Disposal</b>	For small amounts absorb contents with sand or similar and dispose of to an approved landfill site. Do not puncture or incinerate aerosol cans. Contact the manufacturer for additional information.
<b>Legislation</b>	Dispose of in accordance with relevant local legislation.

---

## 14. TRANSPORT INFORMATION

---



### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>Shipping Name</b>	AEROSOLS				
<b>UN No.</b>	1950	<b>DG Class</b>	2.2	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	None Allocated	<b>Hazchem Code</b>	2Y	<b>EPG</b>	2D1

---

## 15. REGULATORY INFORMATION

---

<b>Poison Schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
<b>AICS</b>	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

---

## 16. OTHER INFORMATION

---

<b>Additional Information</b>	ASPHYXIANTS (1): When present in the atmospheres in high concentrations, asphyxiants reduce the oxygen concentration by displacement. Atmospheres deficient in oxygen do not provide adequate sensory warning of danger and most simple asphyxiants are odourless. Therefore it is not appropriate to recommend an exposure standard for each asphyxiant, but to maintain oxygen concentrations. However, some asphyxiants may be given an exposure standard due to the potential for narcotic effects at high concentrations or an explosion hazard.
-------------------------------	---

ASPHYXIANTS (2): There is a significant hazard associated with workers entering poorly ventilated areas (eg.

**Product Name CONTACT 2000**

tanks) where oxygen may be deficient. An air supplied breathing apparatus may be required if adequate ventilation is not ensured. Refer to AS/NZS 2865 - Safe Working in a Confined Space.

**ABBREVIATIONS:**

ADB - Air-Dry Basis.  
BEI - Biological Exposure Indice(s)  
CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.  
CNS - Central Nervous System.  
EINECS - European INventory of Existing Commercial chemical Substances.  
IARC - International Agency for Research on Cancer.  
M - moles per litre, a unit of concentration.  
mg/m<sup>3</sup> - Milligrams per cubic metre.  
NOS - Not Otherwise Specified.  
NTP - National Toxicology Program.  
OSHA - Occupational Safety and Health Administration.  
pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).  
ppm - Parts Per Million.  
RTECS - Registry of Toxic Effects of Chemical Substances.  
TWA/ES - Time Weighted Average or Exposure Standard.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared By**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: info@rmt.com.au  
Web: www.rmt.com.au

**SDS Date:** 01 Apr 2010

**End of Report**

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [CRC manufacturer](#):*

Other Similar products are found below :

[20581](#) [32722](#) [FS7110](#) [102553161231](#) [20584](#) [30463](#) [100364071242](#) [30589-001](#) [12006-002](#) [33164](#) [30344-003](#) [100364011242](#) [101513161231](#)  
[GX3045](#) [100364001242](#) [100364081242](#) [32168](#) [GX4097C](#) [AC6028](#) [10690-009](#) [FC6069](#) [100364041242](#) [100364051242](#) [100043911231](#)  
[RS5025](#) [GY4007](#) [GX4218C](#) [YX4314](#) [GY4004](#) [AC5019](#) [GX4115](#) [GX4115C](#) [GX4125C](#) [GX4128J](#) [GX4212C](#) [GX4228](#) [GX5051J](#) [GX5064C](#)  
[YX4411C](#) [YX5011J](#) [YX5075C](#) [GX4223C](#) [HA4002](#) [HA4037](#) [HS5044](#) [AC5030](#) [GY3005](#) [GX4100C](#) [YX4278J](#) [HS5005](#)