

MATERIAL SAFETY DATA SHEET

NF CONTACT CLEANER 2017 Product Name

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name CRC INDUSTRIES (AUST) PTY LIMITED

Address 9 Gladstone Road, Castle Hill, NSW, AUSTRALIA, 2154

(02) 9634 2088 **Telephone** Fax (02) 9680 4914 **Emergency** (02) 9634 2088 info@crcind.com.au **Email Web Site** http://www.crcind.com.au/

2017 - MANUFACTURER'S CODE • CRC NF CONTACT CLEANER • NF CONTACT CLEANER (AEROSOL) • NF Synonym(s)

CONTACT CLEANER (FORMERLY)

Use(s) CLEANING AGENT • CONTACT CLEANER • ELECTRICAL CLEANER

SDS Date 01 Apr 2010

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R59 Dangerous for the ozone layer.

SAFETY PHRASES

S59 Refer to manufacturer / supplier for information on recovery / recycling.

S61 Avoid release to the environment. Refer to special instructions / safety data sheets.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 1950 **DG Class** 22 Subsidiary Risk(s) None Allocated

Packing Group Hazchem Code 2Y **EPG** 2D1 None Allocated

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
1,1-DICHLORO-1-FLUOROETHANE (HCFC 141B)	C2-H3-Cl2-F	1717-00-6	>60%
CARBON DIOXIDE (PROPELLANT)	Not Available	124-38-9	<10%

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor, or for at least 15 minutes.

If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator or Self Contained Inhalation

Breathing Apparatus (SCBA). Be aware of possible explosive atmospheres. Apply artificial respiration if not

breathing. Give oxygen if available.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, Ingestion

do not induce vomiting.



Page 1 of 5 **RMT**

Reviewed: 01 Apr 2010

NF CONTACT CLEANER 2017 Product Name

Advice to Doctor

CHLOROFLUOROCARBONS: If inhalation occurs, epinephrine or other sympathomimetic amines and adrenergic activators should not be administered since they will further sensitise the heart to development of arrhythmias [Clayton, G&F). In persons who are intoxicated with fluorocarbons, steps can be taken to lessen the risk of arrhythmias. Before evaluation at the hospital, patients should be advised to avoid strenuous exercise. In the hospital, patients can be placed in a quiet, non threatening environment and sedated if necessary.

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases (chlorides, fluorides, phosgene, carbon oxides, hydrocarbons) when

heated to decomposition. Vapour may form explosive mixtures with air.

Fire and **Explosion**

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.

Hazchem Code 2Y

6. ACCIDENTAL RELEASE MEASURES

Spillage

If cans/containers are punctured (bulk), use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Collect and allow to discharge outdoors. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

7. STORAGE AND HANDLING

Store in a cool, dry, well ventilated area, removed from oxidising agents, alkalis, alkali earth metals, metal Storage

powders, heat or ignition sources and foodstuffs. Aerosol containers may explode if exposed to excessive heat (> 50°C). Ensure containers are adequately labelled and protected from physical damage when not in use.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating,

drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA		STEL	
		ppm	mg/m3	ppm	mg/m3
Carbon dioxide	ASCC (AUS)	5000		9000	
Carbon dioxide in coal mines	ASCC (AUS)	12500		30000	

No biological limit allocated. **Biological Limits**

Engineering Controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Wear splash-proof goggles. When using large quantities or where heavy contamination is likely, wear: viton (R) or PVA gloves and coveralls. Where an inhalation risk exists, wear: a Type A (Organic vapour) respirator. At high vapour levels, wear: an Air-line respirator or self Contained Breathing Apparatus (SCBA).



9. PHYSICAL AND CHEMICAL PROPERTIES

COLOURLESS LIQUID (AEROSOL Appearance Solubility (Water) **INSOLUBLE**

DISPENSED)

Specific Gravity Odour ETHEREAL ODOUR 1.21 На **NOT RELEVANT** % Volatiles 100 %

69.5 kPa @ 20°C **Flammability** NON FLAMMABLE Vapour Pressure Vapour Density Flash Point NOT RELEVANT 4 (Air = 1)



Page 2 of 5 **RMT**

Reviewed: 01 Apr 2010

Printed: 13 Apr 2010

NF CONTACT CLEANER 2017 Product Name

Boiling Point 30°C 19.2 % Upper Explosion Limit **Melting Point NOT AVAILABLE Lower Explosion Limit** 7.5 %

Evaporation Rate NOT AVAILABLE

Decomposition Temperature > 250°C

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidising agents (eg. hypochlorites), alkalis/ alkali earth metals.

Decomposition May evolve toxic gases (chlorides, fluorides, phosgene, carbon oxides, hydrocarbons) when heated to

decomposition.

Hazardous Reactions Polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary

Asphyxiant - narcotic. This product may present a hazard with direct eye contact, prolonged skin contact or with vapour inhalation at high levels. Individuals with impaired cardiovascular function, especially those with a history

of cardiac arrhythmias, are advised to avoid exposure.

Low irritant. Contact may result in irritation, lacrimation and redness. Eye

Inhalation Irritant - asphyxiant. Over exposure may result in respiratory irritation, coughing, nausea, dizziness and headache.

High level exposure may result in dizziness, breathing difficulties and anaesthesia, cardiac arrhythmias,

pulmonary oedema and unconsciousness at very high levels.

Low irritant. Prolonged or repeated contact may result in mild irritation. Skin

Ingestion is considered unlikely due to product form. Ingestion

1,1-DICHLORO-1-FLUOROETHANE (HCFC 141B) (1717-00-6) **Toxicity Data**

LC50 (Inhalation): 151 g/m3/2 hours (mouse)

LD50 (Ingestion): > 5 g/kg (rat) LD50 (Skin): > 2 g/kg (rat)

CARBON DIOXIDE (PROPELLANT) (124-38-9) LCLo (Inhalation): 9 pph/5M (human)

12. ECOLOGICAL INFORMATION

Environment

Dangerous for the ozone layer. Hydrogenated chlorofluorocarbon compounds (HCFC's) do not persist in the stratosphere to the same degree as chlorofluorocarbons (CFC's). Although ozone depleting, they have a lower ozone depleting effect than CFC's. Release of HCFCs into the environment should be minimised and where possible, recycling of HCFCs is recommended.

13. DISPOSAL CONSIDERATIONS

Waste Disposal OZONE DEPLETING SUBSTANCE. Do not send to landfill. Do not puncture or incinerate aerosol cans. Contact

your state EPA or the manufacturer for additional information. Prevent contamination of drains and waterways as

environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION





Page 3 of 5

Reviewed: 01 Apr 2010

Printed: 13 Apr 2010

NF CONTACT CLEANER 2017 Product Name

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name AEROSOLS

DG Class UN No. 1950 2.2 Subsidiary Risk(s) None Allocated

None Allocated **Hazchem Code** 2Y **FPG Packing Group** 2D1

15. REGULATORY INFORMATION

Poison Schedule Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and

Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

OZONE DEPLETING SUBSTANCES: It is an offence (EPA) to distribute and manufacture the following identified ozone depleting substances unless authorised to do so: 1,1,1-trichloroethane, carbon tetrachloride, CFCs -11,12,13, 111, 112, 113, 114, 115, 211, 212, 213, 214, 215, 216 & 217. HCFC's-21, 22, 31, 122, 123, ,124, 131, 133, 141b, 142, 142b, 151, 221, 222, 223, 224, 225, 225ca, 225cb, 226, 231, 232, 233, 234, 235, 241, 242, 243, 244, 251, 252, 253, 261, 262 & 271. HALONS- 1211, 1311, 114 & 115.

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared By

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794



Page 4 of 5 **RMT**

Reviewed: 01 Apr 2010

Printed: 13 Apr 2010

Product Name NF CONTACT CLEANER 2017

Email: info@rmt.com.au Web: www.rmt.com.au

> SDS Date: 01 Apr 2010 End of Report



Page 5 of 5 RMT

Reviewed: 01 Apr 2010 Printed: 13 Apr 2010

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for ITT manufacturer:

Other Similar products are found below:

BKAF3-68102-25 DBMM-21W1S MS3102R32-8S MS3102E32-7S MS3102R328SX MS3102E32-8S MS3102E327SX MS3102R32-8SW MS3102R328SY MS3102R328SY MS3102E328SY MS3102R328SZ MS3102R328SZ MS3101E1811SX MS3101E1811SY MS3101R18-11S MS3101R1811SX MS3101R1811SY CA3106E28-51S-B-F80-A176 CB0-24-10SSA232 MS3101F1811SX MS3101F1811SY CA3106E28-51PBF80G16 110238-0195 M24308411Z MDM21SH003M7 MS3100F24-11PW MS3100E2410SZ MS3100F24-10SZ MS3100F24-11P MS3100E2411P MS3100E2411PW MS3100E2411PX MS3100E2411PY MS3100E2411PZ MS3100F24-11PX MS3100F24-11PX MS3100F24-22SY MS3100F24-22SY MS3100F2422PW MS3100F2422PX MS3106E24-22SX MS3106E24-10S MS3100F2422SW MS3100F2422SY MS3100F2422SW MS3100E2412PW MS3100E2412PX MS3100E2412PX MS3100E2422PX MS3100E2422PX