



# APPROVAL SHEET

CRC NEW ENERGY

TO: 交流滤波薄膜电容 3.3uF ± 5% 300VAC

Main Materials		MARKING & OUTLINE DRAWING
Construction	Materials	
Dielectric	Metallized Polypropylene Film	
Terminal	Tinned copper wire	
Filling	Flame-retardant epoxy resin, white	
Case	Flame-retardant plastic case, grey	

Part No.	TYPE	Dimensions (mm)						NOTE
		W	H	T	P	L	ΦD	
AC5043	MKP-AC335J300VAC	41	26	15	37.5	4	1.0	

CUSTOMER CONFIRMATION			CR OFFER		
STAMP	APPROVED BY	CHECKED BY	STAMP	APPROVED BY	PREPARED BY
					闫佳佳
DATE			DATE	2019-11-19	

SHENZHEN CRC NEW ENERGY CO., LTD

6th and 7th Floor R&D Building, Yanchuan North Industrial Park,

Songgang Town, Baoan District, Shenzhen, China

TEL: +86 - 0755 - 29948883 / 29948998 FAX: +86 - 0755 - 29948906 <http://www.csdcap.com>


CRC-BDE-08

# Technical Data


Items	Symbols	Values						
Rated capacitance	$C_N$	$3.3\mu F \pm 5\%$						
Rated voltage	$U_N$	300V.AC						
Non-recurrent surge voltage	$U_s$	650V.AC						
Maximum current	$I_{rms}$	6A						
Maximum peak current	$\hat{i}$	250A						
Maximum surge current	$I_s$	750A						
Series resistance	$R_s$	$\leq 26m\Omega$						
Tangent of the loss	$\tan \delta$	$\leq 0.0020$ (1KHZ)						
Insulation Resistance	$C \times R_{is}$	$\geq 5000S$						
Self inductance	$L_e$	$\leq 35nH$						
Lowest operating temperature	$\Theta_{min}$	$-40^\circ C$						
Maximum operating temperature	$\Theta_{max}$	$105^\circ C$						
Operating humidity	RH	0~95%						
Service life		100000h						
Failure quota		< 100fit						
<b>Test data</b>								
Voltage test between terminals	$V_{tt}$	900V.DC/10S						
<table border="1"> <tr> <td rowspan="5">过电压</td> <td>1.1 <math>U_N</math> (30% of on-load-dur.)</td> </tr> <tr> <td>1.15 <math>U_N</math> (30min/day)</td> </tr> <tr> <td>1.2 <math>U_N</math> (5min/day)</td> </tr> <tr> <td>1.3 <math>U_N</math> (1min/day)</td> </tr> <tr> <td>1.5 <math>U_N</math> (30ms every time, 1 000times during the life of the capacitor)</td> </tr> </table>			过电压	1.1 $U_N$ (30% of on-load-dur.)	1.15 $U_N$ (30min/day)	1.2 $U_N$ (5min/day)	1.3 $U_N$ (1min/day)	1.5 $U_N$ (30ms every time, 1 000times during the life of the capacitor)
过电压	1.1 $U_N$ (30% of on-load-dur.)							
	1.15 $U_N$ (30min/day)							
	1.2 $U_N$ (5min/day)							
	1.3 $U_N$ (1min/day)							
	1.5 $U_N$ (30ms every time, 1 000times during the life of the capacitor)							
Operating altitude		2000m (max)						
Terminal tightening torque		—						
Bottom tightening torque		—						
Weight		—						

# Electrical Characteristics of Film Capacitor

## 1. Lifetime Expectancy




Lifetime expectancy vs. Charging temperature




Lifetime expectancy vs. Charging voltage


## 2. Temperature Characteristics




Capacitance change rate vs. Temperature



Operating current vs. Temperature




Operating voltage vs. Temperature




(CR value) IR vs. Temperature

## 3. Frequency Characteristics



Capacitance change rate vs. Frequency



Dissipation factor vs. Frequency

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Film Capacitors](#) category:*

*Click to view products by [CRC](#) manufacturer:*

Other Similar products are found below :

[M83421/01-3089R](#) [703-6G](#) [F450KG153J250ALH0J](#) [750-1018](#) [FKP1-1000160010P15](#) [FKP1-1500160010P15](#) [FKP1U024707E00KYSD](#)  
[82EC1100DQ50K](#) [MMWAF150KME](#) [PCY2130F30153](#) [PME261JB5220KR19T0](#) [A521HH333M035C](#) [QXJ2E474KTPT](#) [QXL2B333KTPT](#)  
[QXM2G104K](#) [B32234-.033@250V-K](#) [B32520C6332K000](#) [B32522C6104K000](#) [B32523Q3155J](#) [B32676E6755K](#) [B81133-C1104-M3](#)  
[MTC355L1](#) [217-0716-001](#) [PA225L30](#) [221A10-120](#) [CB182K0184J--](#) [KP1830-247/061-G](#) [SCD105K122A3-22](#) [SCD205K122A3-24](#)  
[F601BL225K063CL60A](#) [PCX2339F65224](#) [PCX2339F65334](#) [2222 368 55105](#) [2222 370 21683](#) [QXL2E473KTPT](#) [445450-1](#) [B32524Q6155J](#)  
[46KI3100JBM1K](#) [MKP 1839-215-633](#) [MKP 1840-447-165](#) [MKP383510063JKP2T0](#) [MKT182022263473](#) [WMC08P22](#) [YE333](#) [ECQ-](#)  
[W4223KZ](#) [EEC2G805HQA415](#) [PA103L30](#) [82DC3100DQ50J](#) [82EC2150DQ50K](#) [WMF1D68](#)