




CRYSTEK
CRYSTALS
A DIVISION OF CRYSTEK CORPORATION

**PRECISION
POCKET
REFERENCE
OSCILLATOR**

*New
PPRO Series*



Actual Size

Crystek's new **PPRO** Series, **P**recision **P**ocket **R**eference **O**scillator is an another industry first! A complete Clipped-Sinewave TCXO has been integrated into a rugged SMA housing. Simply connect +3.0Vdc to the female SMA side, and it will output a Low Phase Noise, High Stability signal from the male SMA side. Frequency stability is ± 2.5 ppm MAX over -20°C to 75°C . Available off the shelf in many standard frequencies. Perfect for Lab use and reference boards as an input reference.

Part Number	Description
PPRO30-10.000	10.000MHz, 3.0V ± 2.5 ppm Max($-20/75^{\circ}\text{C}$)
PPRO30-13.000	13.000MHz, 3.0V ± 2.5 ppm Max($-20/75^{\circ}\text{C}$)
PPRO30-19.200	19.200MHz, 3.0V ± 2.5 ppm Max($-20/75^{\circ}\text{C}$)
PPRO30-26.000	26.000MHz, 3.0V ± 2.5 ppm Max($-20/75^{\circ}\text{C}$)
PPRO30-40.000	40.000MHz, 3.0V ± 2.5 ppm Max($-20/75^{\circ}\text{C}$)

Temperature Range: -20°C to $+75^{\circ}\text{C}$
Operating Temp.: -40°C to 85°C
Storage: -45°C to 90°C
Input Voltage: $+3.0\text{V} \pm 5\%$
Input Current: 1.2mA Typ., 2mA Max
Output: Clipped Sinewave
Load: 10Kohm // 10pF Typ.
Phase Noise:
Offset 100Hz: -110 dBc/Hz Max
Offset 1KHz: -130 dBc/Hz Max
Harmonics: -5dBc Max







CRYSTEK
CRYSTALS
A DIVISION OF CRYSTEK CORPORATION

**PRECISION
POCKET
REFERENCE
OSCILLATOR**

Available Accessories:

- Power Supply Banana Plug
- SMA to BNC Power Cable
- Signal Injection Cable
- DC Power Supply

Visit our Website for additional Information
WWW.CRYSTEK.COM



CRYSTEK
CORPORATION

12730 COMMONWEALTH DRIVE • FORT MYERS, FL 33913

PHONE: 239-561-3311 • 800-237-3061 Rev.: B

FAX: 239-561-1025 • WWW.CRYSTEK.COM Date: 09-14-09

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [TCXO Oscillators](#) category:

Click to view products by [Crystek](#) manufacturer:

Other Similar products are found below :

[SiT5000AI-3D-33E0-10.000000X](#) [THD3031035LK280005-10.0M](#) [AST3TDATAACJ5-10.0000MHz](#) [AST3TDATAACJ5-20.0000MHz](#)
[AST3TDA53TACJ2-19.2000MHz](#) [AST3TDA53TACJ2-38.8800MHz](#) [AST3TDATAACJ5-19.2000MHz](#) [AST3TDATAACJ5-38.8800MHz](#)
[SiT5155AI-FK-33E0-10.000000F](#) [CVT32-10.000](#) [SIT5356AI-FQ-33E0-25.000000X](#) [SIT5357AI-FQ-33N0-100.000000X](#) [DS32KHZSN+T&R](#)
[XTCLH25M000THJA0P0](#) [LFTCXO075793Cutt](#) [LFTCXO077229Cutt](#) [LFPTXO000002Bulk](#) [LFTCXO077228Cutt](#) [LFTCXO077230Cutt](#)
[LFTCXO075792Cutt](#) [AST3TQ53-T-10.000MHz-5-C](#) [ATX-11-F-26.000MHz-F05-T](#) [ATX-11-F-27.000MHz-F05-T](#) [ATX-12-F-32.000MHz-](#)
[F05-T](#) [ATX-13-F-26.000MHz-F05-T](#) [I538-2O7- 25.000 MHz](#) [I537-2O7- 39.000 MHz](#) [I537-2O7- 25.000 MHz](#) [ECS-TXO-2016-33-320-TR](#)
[ECS-TXO-2016-33-120-TR](#) [ECS-TXO-2016-33-250-TR](#) [ECS-TXO-2016-33-200-TR](#) [ECS-TXO-20CSMV-AC-260-AY-TR](#) [TG2016SMN](#)
[26.0000M-MCGNNM0](#) [TG2016SMN 25.0000M-MCGNNM0](#) [TG2016SMN 25.0000M-MCGNNM3](#) [TG2520SMN 16.0000M-MCGNNM0](#)
[TG2520SMN 25.0000M-MCGNNM0](#) [TG2520SMN 40.0000M-ECGNNM0](#) [TG2520SMN 24.0000M-ECGNNM0](#) [TG2520SMN 20.0000M-](#)
[MCGNNM0](#) [TG2520SMN 30.0000M-ECGNNM0](#) [TG2520SMN 30.000M-MCGNNM0](#) [TG2520SMN 27.0000M-MCGNNM3](#) [TG2520SMN](#)
[32.0000M-MCGNNM3](#) [TG2520SMN 32.0000M-ECGNNM3](#) [LFPTXO000001Bulk](#) [LFTCXO063711BULK](#) [LFTCXO063713BULK](#)
[LFTCXO063715BULK](#)