


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ITW PANCON.



VOLTAGE RATING: 300 VAC TEMPERATURE RATING: -55 ° TO 105 ° C WIRE RANGE: .030"/.055" OUTSIDE DIAMETER		
WIRE GAUGE AWG [mm ²]	CONNECTOR STRIPE COLOR	CURRENT RATING, AMPS
22 [0.3-0.4]	RED	4.0
24 [0.2]	BLACK	3.5
26 [0.12-0.15]	BLUE	3.5
28 [0.08-0.09]	GREEN	3.0



U.L. Recognized...File # E73711

NOTES:

- * 1. SEE CURRENT PRICE SHEET FOR PACKAGE SIZE PART NUMBER SUFFIX DESIGNATION.
- 2. CONTACT MATERIAL: BRASS ALLOY; BRIGHT ACID TIN OVER NICKEL PLATING.
- 3. HOUSING MATERIAL: NYLON 6/6; UL 94V-2.
- 4. FOR 15 MICRINCH GOLD OVER NICKEL OR GOLD FLASH OVER PALLADIUM NICKEL, ADD THE "B" SUFFIX TO THE PART NUMBER
- 5. ALL DIMENSIONS ARE SHOWN IN INCHES AND [MILLIMETERS].

ITW Pancon Bolingbrook, Illinois

MAS-CON[®], .100"
THRU CIRCUIT CONNECTOR

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:
(.X) ± (.XXX) ± .005(.12)
(.XX) ± .02(.5) ANGLES ± 2°

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES. THIRD ANGLE PROJECTION.



DRAWN BY WDM	SEE NOTES	SCALE 2 : 1
DATE 3/23/88		DRAWING NO. KA-10037
CHK'D WJH		DWG. SIZE SHT 1 OF 2 A

REV	DATE	BY	CHK	DESCRIPTION	CN - R	CUST	SUP
12	6/22/10	SHC		ADDED PDNI PLATING ALTERNATIVE			

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ITW PANCON.

NUMBER OF CIRCUITS	DIM "A" IN. (MM)	PART NUMBER *				WT. /100 PCS. LBS. (GRAMS)
		22 AWG	24 AWG	26 AWG	28 AWG	
2	.20 (5.1)	CT100F22-2	CT100F24-2	CT100F26-2	CT100F28-2	.08 (36)
3	.30 (7.6)	CT100F22-3	CT100F24-3	CT100F26-3	CT100F28-3	.12 (54)
4	.40 (10.2)	CT100F22-4	CT100F24-4	CT100F26-4	CT100F28-4	.16 (73)
5	.50 (12.7)	CT100F22-5	CT100F24-5	CT100F26-5	CT100F28-5	.20 (91)
6	.60 (15.2)	CT100F22-6	CT100F24-6	CT100F26-6	CT100F28-6	.24 (109)
7	.70 (17.8)	CT100F22-7	CT100F24-7	CT100F26-7	CT100F28-7	.28 (127)
8	.80 (20.3)	CT100F22-8	CT100F24-8	CT100F26-8	CT100F28-8	.32 (145)
9	.90 (22.9)	CT100F22-9	CT100F24-9	CT100F26-9	CT100F28-9	.36 (163)
10	1.00 (25.4)	CT100F22-10	CT100F24-10	CT100F26-10	CT100F28-10	.41 (186)
11	1.10 (27.9)	CT100F22-11	CT100F24-11	CT100F26-11	CT100F28-11	.45 (204)
12	1.20 (30.5)	CT100F22-12	CT100F24-12	CT100F26-12	CT100F28-12	.49 (222)
13	1.30 (33.0)	CT100F22-13	CT100F24-13	CT100F26-13	CT100F28-13	.53 (240)
14	1.40 (35.6)	CT100F22-14	CT100F24-14	CT100F26-14	CT100F28-14	.57 (259)
15	1.50 (38.1)	CT100F22-15	CT100F24-15	CT100F26-15	CT100F28-15	.61 (277)
16	1.60 (40.6)	CT100F22-16	CT100F24-16	CT100F26-16	CT100F28-16	.65 (295)
17	1.70 (43.2)	CT100F22-17	CT100F24-17	CT100F26-17	CT100F28-17	.69 (313)
18	1.80 (45.7)	CT100F22-18	CT100F24-18	CT100F26-18	CT100F28-18	.73 (331)
19	1.90 (48.3)	CT100F22-19	CT100F24-19	CT100F26-19	CT100F28-19	.77 (349)
20	2.00 (50.8)	CT100F22-20	CT100F24-20	CT100F26-20	CT100F28-20	.81 (367)
21	2.10 (53.3)	CT100F22-21	CT100F24-21	CT100F26-21	CT100F28-21	.85 (386)
22	2.20 (55.9)	CT100F22-22	CT100F24-22	CT100F26-22	CT100F28-22	.89 (404)
23	2.30 (58.4)	CT100F22-23	CT100F24-23	CT100F26-23	CT100F28-23	.93 (422)
24	2.40 (61.0)	CT100F22-24	CT100F24-24	CT100F26-24	CT100F28-24	.97 (440)
25	2.50 (63.5)	CT100F22-25	CT100F24-25	CT100F26-25	CT100F28-25	1.01 (458)
26	2.60 (66.0)	CT100F22-26	CT100F24-26	CT100F26-26	CT100F28-26	1.05 (476)
27	2.70 (68.6)	CT100F22-27	CT100F24-27	CT100F26-27	CT100F28-27	1.09 (494)
28	2.80 (71.1)	CT100F22-28	CT100F24-28	CT100F26-28	CT100F28-28	1.13 (513)

* SEE NOTE #1

										 Bolingbrook, Illinois				
										MAS-CON [®] , .100" THRU CIRCUIT CONNECTOR				
										UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± (.XXX) ± .005(.12) (.XX) ± .02(.5) ANGLES ± 2°		UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES. THIRD ANGLE PROJECTION.		
										DRAWN BY MAT'L		SCALE 2 : 1		
										WDM		SEE NOTES		
										DATE 3/23/88				
										CHK'D WJH		DRAWING NO. KA-10037		
REV	DATE	BY	CHK	DESCRIPTION				CN	R	CUST	SUP	SHT 2 OF 2		
				SEE SHEET 1										

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Card Edge Connectors](#) category:

Click to view products by [Pancon](#) manufacturer:

Other Similar products are found below :

[6565204-6](#) [1489165-4](#) [EBT156-12B1X](#) [EBT15622B2X](#) [EBT156-22R2W](#) [1-582587-1](#) [1-582589-1](#) [284-0102-12100](#) [306022901000000](#) [307-012-502-202](#) [307-024-526-201](#) [307-056-520-300](#) [307-080-526-208](#) [1926088-2](#) [245-062-520-350](#) [287-0032-12101](#) [306-010-500-112](#) [306-028-525-102](#) [306-240-318](#) [307-036-502-202](#) [307-036-521-301](#) [307-072-526-202](#) [345-060-559-303](#) [368-004-520-201](#) [392-008-559-201](#) [534671-1](#) [5-530501-5](#) [341-240-317](#) [345-029-520-300](#) [345-030-500-301](#) [345-044-500-300](#) [345-220-058](#) [346-240-318](#) [357-030-526-201](#) [387-012-523-300](#) [395-100-524-300](#) [50-12B-10](#) [50-6SN-5](#) [09-07-2032](#) [10035388-106LF](#) [10035388-802LF](#) [10115859-011LF](#) [10122859-009LF](#) [101269333204245CLF](#) [10127905-B04B24BLF](#) [530555-1](#) [EB63-S0C3540X](#) [5145409-2](#) [2007209-1](#) [0458440005](#)