# **CUI** DEVICES

late 06/24/2021

page 1 of 3

MODEL: HSB13-303014 | DESCRIPTION: HEAT SINK

#### **FEATURES**

- BGA design
- top mount
- aluminum alloy
- black anodized finish





thermal resistance<sup>1</sup> power dissipation<sup>1</sup> @ 1 W, 400 LFM @ 75°C ∆T, @ 75°C ∆T, @ 1 W, @ 1 W, 200 LFM nat conv nat conv nat conv (°C/W) (°C/W) (°C/W) (°C/W) (W) 14.8 4.7 3.4 6.07 HSB13-303014 12.36


Note: 1. See performance curves for full thermal resistance details.

### **PERFORMANCE CURVES**

	Heatsink Temperature Rise Above Ambient ( $\Delta T = Ths - Ta$ ) (°C)			
Power (W)	Natural Conv.	200 LFM	400 LFM	
0	0	0	0	
1	14.8	4.7	3.4	
2	28.7	9.2	6.2	
3	41.5	13.6	9.3	
4	53.5	18.4	12.5	
5	63.9	22.8	15.4	
6	74.5	27.8	18.6	
7	84.1	32.1	21.5	
8	94.2	36.5	24.5	
9	103.1	41.5	27.9	
10	112.5	45.9	30.9	
They "hat anot" temperature managinal on the heatainly				

Ths: "hot spot" temperature measured on the heatsink


Ta: ambient temperature





### **MECHANICAL DRAWING**

units: mm tolerance: ±0.38 mm

MATERIAL	AL 6063-T5
FINISH	black anodized
WEIGHT	15.0 g







Additional Resources: Product Page | 3D Model

CUI Devices | MODEL: HSB13-303014 | DESCRIPTION: HEAT SINK date 06/24/2021 | page 3 of 3

#### **REVISION HISTORY**

rev.	description	date
1.0	initial release	06/24/2021

The revision history provided is for informational purposes only and is believed to be accurate.

## **CUI** DEVICES

CUI Devices offers a one (1) year limited warranty. Complete warranty information is listed on our website.

CUI Devices reserves the right to make changes to the product at any time without notice. Information provided by CUI Devices is believed to be accurate and reliable. However, no responsibility is assumed by CUI Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

CUI Devices products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Sinks category:

Click to view products by CUI Devices manufacturer:

Other Similar products are found below:

581102B00000G 656-15ABPE 657-20ABPNE 7020B-TC12-MTG 73452PPBA 7G0011A PF720G A22-4026 120-1873-007 HAH10L HAH15L HF20 1542616-1 HS-2506-F1 HS-87M0-F2 218-40CTE3 231-69PAB-15V 25-7520 SW50-4G 231-75PAB-13V 231-75PAB-15V 253-122ABE-22 PSC22CB CLP212SG CLP-7701G HAA083 HAF10L HAQ10T D10100-28 BDN183CBA01 3-21053-4 32438 TX0506-1B TX1806B LAE66A3CB WA-DT2-101E 511-3U 73381PPBA 73403PPBA 7G0047C COMX-440-HSP 510-12M D10650-40T5 V8511 Y APF40-40-13CB/A01 780653U04500G ATS-54310K-C2-R0 FK 216 CB SA FK 231 SA 220 648-51AB