CUI DEVICES

date 02/19/2020

page 1 of 4

SERIES: MD-SN | **DESCRIPTION:** MINI DIN CONNECTOR


FEATURES

- vertical
- panel mount
- thin metal mounting ears





PART NUMBER KEY



SPECIFICATIONS


parameter	conditions/description	min	typ	max	units
rated input voltage			100 12		Vac Vdc
rated input current	at 100 Vac at 12 Vdc			1 2	A A
contact resistance				30	mΩ
insulation resistance	at 250 Vdc	50			MΩ
voltage withstand	for 1 minute			250	Vac
insertion force				4.5	kg
withdrawal force		0.9		3	kg
operating temperature		-20		105	°C
life			4,000		cycles
flammability rating	UL94V-0				
RoHS	yes				


MECHANICAL DRAWINGS


units: mm[inches]

TOLERANCE: ±0.1mm

	MATERIAL	PLATING
shell (30~80)	iron	nickel
shell (90)	brass	nickel
contact terminals (1~9)	phosphor bronze	silver
plastic	nylon + fiber	







MD-30SN



MD-40SN



<u>MD-50SN</u>



MD-60SN



MD-70SN




MD-80SN



MECHANICAL DRAWINGS (CONTINUED)

MD-90SN



Additional Resources: Product Page | 3D Model

CUI Devices | SERIES: MD-SN | DESCRIPTION: MINI DIN CONNECTOR date 02/19/2020 | page 4 of 4

REVISION HISTORY

rev.	description	date
1.0	initial release	04/07/2006
1.01	new template applied	05/02/2012
1.02	housing updates	05/04/2012
1.03	updated datasheet	09/08/2017
1.04	brand update	02/19/2020

The revision history provided is for informational purposes only and is believed to be accurate.

CUI DEVICES

CUI Devices offers a one (1) year limited warranty. Complete warranty information is listed on our website.

CUI Devices reserves the right to make changes to the product at any time without notice. Information provided by CUI Devices is believed to be accurate and reliable. However, no responsibility is assumed by CUI Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

CUI Devices products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular DIN Connectors category:

Click to view products by CUI Devices manufacturer:

Other Similar products are found below:

60KD4M M83723/76W22326 M83723/78R22327 75-069228-21J 7519021610P 75-190224-28S 7547401103P 75-474014-07L 88-559975-75P 88-569735-06P 8R3006A18M0033 GTC00G-24-7S PT05A-14-5SX PT05A1832SW GTC030-20-27PW-LC GTC030A-20-33S 1211290078 1211810025 1210503216 1211290084 1211500027 ACS06AF-16-10P(003) D38999/40WD35PN D38999/44WD35BN D38999/44WH21AN D38999/44WH35AN D38999/44WJ35PN 12DL6MX AFD57-22-12S-6141 MS3102R18-1PZ MS3102R28-22PZ MS3112E20-24P MS3114F10-6P MS3116E8-4SW MS3122E14-19P MS3456W28-21PZ-LC 171-2603 17DN100-EX C015-50C006-100-1 NYS322AG CA3100F18-10SB CA3100F18-1SB CA3102E12S-3P CA3102E14S-2P CA3102E14S-6P CA3102E18-12SWB CA3102E20-18P CA3102E20-37P CA3102E20-37P CA3102E20-37P