# CUI DEVICES

#### MODEL: MSS-102564-SV-SMT | DESCRIPTION: MINI SLIDE SWITCH

#### **FEATURES**

- gray flush actuator
- gray body
- split vertical surface mount




#### SPECIFICATIONS

| parameter             | conditions/description | min    | typ    | max | units  |
|-----------------------|------------------------|--------|--------|-----|--------|
| rated voltage         |                        |        |        | 12  | Vdc    |
|                       |                        |        |        | 24  | Vdc    |
| rated current         | at 12 Vdc              | 1      |        | 500 | mA     |
|                       | at 24 Vdc              | 1      |        | 300 | mA     |
| withstanding voltage  | for 1 minute           |        | 500    |     | Vac    |
| contact resistance    |                        |        |        | 30  | mΩ     |
| insulation resistance | at 500 Vdc             | 10,000 |        |     | MΩ     |
| operating force       |                        | 100    | 250    | 400 | gf     |
| actuator travel       |                        |        | 1.6    |     | mm     |
| operating temperature |                        | -40    |        | 85  | °C     |
| storage temperature   |                        | -40    |        | 85  | °C     |
| life                  | with load              |        | 2,000  |     | cycles |
| life                  | without load           |        | 10,000 |     | cycles |
| flammability rating   | UL94V-0                |        |        |     |        |
| RoHS                  | yes                    |        |        |     |        |
| packaging             | bulk, 200 pcs per bag  |        |        |     |        |

#### SOLDERABILITY

.....


| parameter        | conditions/description | min | typ | max | units |
|------------------|------------------------|-----|-----|-----|-------|
| reflow soldering | see graph below        |     |     | 260 | °C    |



cuidevices.com


#### **MECHANICAL DRAWING**


units: mm tolerance: ±0.1 mm unless otherwise noted





| ITEM | DESCRIPTION | MATERIAL       | PLATING/COLOR |
|------|-------------|----------------|---------------|
| 1    | actuator    | PA66 (UL94V-0) | gray          |
| 2    | housing     | PA66 (UL94V-0) | gray          |
| 3    | terminals   | nickel         | gold          |
|      |             |                |               |

.....









.....

#### **REVISION HISTORY**

| rev. | description     | date       |
|------|-----------------|------------|
| 1.0  | initial release | 02/19/2021 |

The revision history provided is for informational purposes only and is believed to be accurate.

## **CUI** DEVICES

CUI Devices offers a one (1) year limited warranty. Complete warranty information is listed on our website.

CUI Devices reserves the right to make changes to the product at any time without notice. Information provided by CUI Devices is believed to be accurate and reliable. However, no responsibility is assumed by CUI Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

CUI Devices products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Slide Switches category:

Click to view products by CUI Devices manufacturer:

Other Similar products are found below :

6-1437581-1 M43R MHS123K15D MHS133K MMD MSS12A EPS1PC1 K232CB 25139NLDB 25449NAH 1825078-1 1825080-4 1825269-1 1825270-2 T2215BEN506 GH46P000001 GH49P010001 25339NA 25436NLDH M42A TG36P000000 AYZ0202AG L203091MS02Q 4-1437581-7 X2225CR-437W 48BFSP3M2QT 1101M1S3ZB8E2 1-1437581-1 EG1218REDACTUATOR MSS2225G04 TG39W000000 1825075-1 MSS42G T105S1CWZBE SLB124145 SLB1280R5 SLB1340R45 25136NLDB TG39W000050 4021.4621 25149NAH TG36Y000050 NK236X693 GE36P000001 46204LRX EPS1PC2 1977143-4 1977144-4 1977145-4 HASS0194