

Rocker Switches

PANEL OPENING

+ .005
"B" - .000
+ .13
(.00)

+ .005
"A" - .000
+ .13
(.00)

AVAILABLE PANEL OPENINGS

OPTION NUMBER	"A"	"B"
1	.550" x 1.125" (13.97mm) x (28.58mm)	
2	.480" x 1.072" (12.19mm) x (27.23mm)	
3	.525" x 1.125" (13.34mm) x (28.58mm)	

NOTES:

- Recommended Panel Thickness Range: .025" - .180" (.635 - 4.57 mm)
(Switches for Other Panel Thicknesses Available, Consult Factory)
- For Metal Panels Switch Must Be Inserted in the Same Direction as the Punch for Optimum Retention

.288 REF.
(7.32)

.572 ± .010
(14.53 ± .25)

.050 (1.27)

.370 ± .025
(9.40 ± .64)

.250 TYP.
(6.35)

1.235 ± .015
(31.37 ± .38)

.680 ± .010
(17.27 ± .25)

.798 (20.27)

.031 TYP.
(.79)

.275 ± .010 TYP.
(6.99 ± .25)

.020 ± .012
(.51 ± .30)

CENTER TERMINAL
STAGGERED HEIGHT.

SWITCH SHOWN IN "ON" POSITION

OPTIONAL POLARIZATION FEATURE

OPTIONAL BARRIERS

Specifications:

Agency certifications: UL, CSA, and VDE*
 Actuator & housing material: Nylon, 94V-2
 Terminal & moving contact material: Copper
 Insulation Resistance: 100 Megohms (Minimum)**
 Dielectric Strength: 1000V (Minimum)**

* Due to ongoing advancements, additional agency certifications may be available, consult factory.
 ** Additional endurance and test data available, consult factory.

N

Circuitry

A - SPST
B - SPDT

A

Ratings

A - 16A @ 125V AC
12A @ 250V AC
10A @ 14V (T)
3/4HP @ 125-250V AC
T 85 12(6)A @ 250V ~

-

Termination

1 - .250" x .031" (Std)
2 - .187" x .031"
3 - .250" x .031" (with .125" hole for solder applications)

-

Housing Color

B - Black
W - White

I

Knob Legend

1 - ON/OFF
2 - I/O (Horizontal)
3 - None - Edge Color Only

-

Allocated for specials. "00" indicates no special features.

Panel Opening


1 - .550" x 1.125" (Std)
2 - .480" x 1.072
3 - .525" x 1.125"

Insulation Barriers/Polarization

1 - No barriers, No polarization (Std)
2 - Barriers between terminals, No polarization
3 - No barriers with Polarization feature
4 - Barriers and Polarization feature

Rocker Knob/Legend Color

1 - Black/Bright Red
2 - Black/Bright White
3 - Black/Bright Green
4 - Black/Bright Blue
5 - Black/Bright Orange
6 - White/Bright Red
7 - White/Bright Green
8 - White/Bright Blue
9 - White/Bright Orange



CW Industries offers a wide variety of rocker and other switches. All have common family traits: Superior quality, reliability, customization capability, agency approvals, and the economies of fully automated production.

CW also manufactures several lines and styles of electrical connectors that are used in a wide variety of products. CW products are available through a nationwide network of stocking distributors and value-added assembly centers. These centers can deliver 100% pre-tested assemblies made to your specifications as well as individual components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Rocker Switches](#) category:

Click to view products by [CW Industries](#) manufacturer:

Other Similar products are found below :

[LTI LA6E-1S-WH-RC-FN12VXCR1](#) [6-1571986-9](#) [8007K26N324V52](#) [8055K32Z7V](#) [8055K52Z7V](#) [8138K20E6M50](#) [84206L](#) [84312LX](#)
[PREDD5-07F-BB0GW](#) [999-16716-002](#) [999-16716-003](#) [999-16716-004](#) [A101J1V3Q004](#) [A101J2ZQ004](#) [A101J4ZQ004](#) [A101J51CB0004](#)
[A103J1ZQ004](#) [A201J1AQ004](#) [A201J3ZB004](#) [A201J50ZQ004](#) [A203J51ZQ0004](#) [A435S1YZQ](#) [H8500XBBBBBL-A](#) [H8653VBBG2577W](#)
[HB130CHNWWNAAC](#) [R13112ABB-602W](#) [1251.0303](#) [AE205J60V3B004](#) [1352.0107](#) [1571099-3](#) [1571987-4](#) [1571987-5](#) [1571989-7](#)
[1571988-5](#) [B123J77V7B2](#) [B226J50W4Q22P](#) [B433J37ZQ22M](#) [160212E](#) [1634200-7](#) [1801.1164](#) [1839.1502](#) [PANEL-PLUG-VHP-BLACK](#)
[PANEL-PLUG-VHP-WT](#) [K1ABBSCADN](#) [KG312A2DXD246X](#) [250011E714](#) [2600HM11E](#) [2600R21E](#) [2637LH/2A7/122048L0](#)
[2639LH/2A7/127000L0](#)