

Please note that Cypress is an Infineon Technologies Company.

The document following this cover page is marked as "Cypress" document as this is the company that originally developed the product. Please note that Infineon will continue to offer the product to new and existing customers as part of the Infineon product portfolio.

Continuity of document content

The fact that Infineon offers the following product as part of the Infineon product portfolio does not lead to any changes to this document. Future revisions will occur when appropriate, and any changes will be set out on the document history page.

Continuity of ordering part numbers

Infineon continues to support existing part numbers. Please continue to use the ordering part numbers listed in the datasheet for ordering.

www.infineon.com



(61, 71, 77, 88 I/Os)

Automotive TrueTouch[®] Multi-Touch All-Points Touchscreen Controller Datasheet

Features

- Multi-touch capacitive touchscreen controller
 - □ 32-bit Arm® Cortex™ CPU
 - □ Register-configurable
 - □ Noise-suppression technologies for display and EMI
 - Effective 20-V drive for higher signal-to-noise ratio (SNR)^[1]
 - AutoArmor™ improves both electromagnetic emissions and immunity
 - External display synchronization
 - □ Water rejection and wet-finger tracking using DualSense™
 - Multi-touch glove with automatic mode switching
 - Ten fingers with thin glove (≤1-mm thick)
 - Two fingers with thick glove (≤5-mm thick)
 - □ Large object rejection
 - □ Automatic baseline tracking to environmental changes
 - □ Low-power look-for-touch mode
 - □ Field upgrades via bootloader
 - Cypress Manufacturing Test Kit (MTK)
 - □ Touchscreen sensor self-test
- System performance (configuration dependent)
 - □ Screen sizes up to 15-inch diagonal
 - 6.0-mm electrode pitch; 16:10 aspect ratio
 - □ Up to 88 sense pins, 1836 intersections; 16:10 aspect ratio (34 TX × 54 RX)
 - □ Reports up to ten fingers
 - □ Small finger support down to 4 mm

- Power (configuration-dependent)
 - □ 1.71- to 1.95-V and 3.0- to 5.5-V logic and digital I/Os supply
 - □ 3.0- to 5.5-V analog supply
 - □ 30-mW average power
 - □ 30-µW typical deep-sleep power
- Sensor and system design (configuration-dependent)
 - □ Supports a variety of touchscreen sensors and stackups
 - · Manhattan, diamond
 - Sensor-on-Lens (SOL)
 - · Plastic (PET) and glass-sensor substrates
 - · LCD, AMOLED, and IPS displays
 - · Metal mesh
- Communication interface
- □ I²C slave at 100 and 400 kbps
- □ SPI slave bit rates up to 8 Mbps
- Package
 - □ 100-pin TQFP 14 × 14 × 1.4 mm (0.5-mm pitch)
 - □ 128-pin TQFP 14 × 20 × 1.4 mm (0.5-mm pitch)
- Ambient temperature range
 - ☐ Automotive-A: -40 °C to 85 °C
 - ☐ Automotive-S: -40 °C to 105 °C

Note

1. Effective voltage when using 17 multi-phase TX and 5-V V_{CCTX} supply.



Ordering Information

Table 1 lists the CYAT81X TrueTouch touchscreen controllers.

Table 1. Ordering Information^[2]

| MPN | Number of Sense pins | Number of fingers | Low-power wake-up Button | Capsense Buttons | Water Rejection | Thin Glove support | Display Armor | Gestures | Thick Overlay/Thick Glove support | 5-V Tx | Package |
|--------------------|----------------------|-------------------|--------------------------|------------------|-----------------|--------------------|---------------|----------|-----------------------------------|--------|----------|
| CYAT81682-100AA61Z | 61 | 10 | _ | ~ | ~ | ~ | ~ | _ | _ | _ | 100 TQFP |
| CYAT81682-100AS61Z | 61 | 10 | - | ~ | ~ | ~ | ~ | _ | _ | _ | 100 TQFP |
| CYAT81682-100AA71Z | 71 | 10 | _ | ~ | ~ | ~ | ~ | _ | _ | _ | 100 TQFP |
| CYAT81682-100AS71Z | 71 | 10 | - | ~ | ~ | ~ | ~ | _ | _ | _ | 100 TQFP |
| CYAT81682-100AA77Z | 77 | 10 | _ | ~ | ~ | ~ | ~ | _ | _ | _ | 100 TQFP |
| CYAT81682-100AS77Z | 77 | 10 | - | ~ | ~ | ~ | ~ | _ | _ | - | 100 TQFP |
| CYAT81682-128AA88Z | 88 | 10 | - | ~ | ~ | ~ | ~ | _ | _ | - | 128 TQFP |
| CYAT81682-128AS88Z | 88 | 10 | _ | V | V | V | V | _ | _ | _ | 128 TQFP |
| CYAT81685-100AA61Z | 61 | 10 | - | V | V | V | ~ | ~ | _ | _ | 100 TQFP |
| CYAT81685-100AS61Z | 61 | 10 | - | ~ | ~ | ~ | ~ | ~ | _ | _ | 100 TQFP |
| CYAT81685-100AA71Z | 71 | 10 | _ | V | V | V | V | ~ | _ | _ | 100 TQFP |
| CYAT81685-100AS71Z | 71 | 10 | - | V | V | V | ~ | ~ | _ | _ | 100 TQFP |
| CYAT81685-100AA77Z | 77 | 10 | _ | V | V | V | V | ~ | _ | _ | 100 TQFP |
| CYAT81685-100AS77Z | 77 | 10 | - | V | V | V | ~ | ~ | _ | _ | 100 TQFP |
| CYAT81685-128AA88Z | 88 | 10 | - | V | V | V | ~ | ~ | _ | _ | 128 TQFP |
| CYAT81685-128AS88Z | 88 | 10 | _ | V | V | V | V | ~ | _ | _ | 128 TQFP |
| CYAT81688-100AA61Z | 61 | 10 | - | V | V | V | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-100AS61Z | 61 | 10 | - | V | V | V | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-100AA71Z | 71 | 10 | _ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-100AS71Z | 71 | 10 | _ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-100AA77Z | 77 | 10 | _ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-100AS77Z | 77 | 10 | - | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81688-128AA88Z | 88 | 10 | - | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 128 TQFP |
| CYAT81688-128AS88Z | 88 | 10 | - | ~ | ~ | ~ | ~ | V | ~ | ~ | 128 TQFP |
| CYAT81689-100AA61Z | 61 | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |

Document Number: 002-04310 Rev. *C


All devices have the following base features: Water Rejection, DisplayArmor[™], AutoArmor[™], DualSense[™], CapSense buttons, Large Object Detection and Rejection, and Grip Suppression.



Table 1. Ordering Information^[2] (continued)

| MPN | Number of Sense pins | Number of fingers | Low-power wake-up Button | Capsense Buttons | Water Rejection | Thin Glove support | Display Armor | Gestures | Thick Overlay/Thick Glove support | 5-V Tx | Package |
|--------------------|----------------------|-------------------|--------------------------|------------------|-----------------|--------------------|---------------|----------|-----------------------------------|----------|----------|
| CYAT81689-100AS61Z | 61 | 10 | / | V | ' | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81689-100AA71Z | 71 | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81689-100AS71Z | 71 | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81689-100AA77Z | 77 | 10 | ~ | ~ | ~ | V | ~ | ~ | ~ | V | 100 TQFP |
| CYAT81689-100AS77Z | 77 | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 100 TQFP |
| CYAT81689-128AA88Z | 88 | 10 | ~ | ~ | ~ | V | ~ | ~ | ~ | ~ | 128 TQFP |
| CYAT81689-128AS88Z | 88 | 10 | ~ | ~ | ~ | ~ | ~ | ' | ' | ~ | 128 TQFP |

Ordering Code Definitions





Document History Page

| Document Title: CYAT81X (61, 71, 77, 88 I/Os) Automotive TrueTouch [®] Multi-Touch All-Points Touchscreen Controller Datasheet Document Number: 002-04310 | | | | | | | |
|--|---------|--------------------|--|--|--|--|--|
| Revision | ECN | Submission Date | Description of Change | | | | |
| ** | 4988927 | 10/28/2015 | New summary datasheet | | | | |
| *A | 5705461 | 04/21/2017 | Updated Cypress Logo and Copyright. | | | | |
| *B | 5962384 | 11/13/2017 | Updated Ordering Information and Ordering Code Definition | | | | |
| *C | 6759712 | 12/23/2019 | Updated Ordering Information. Updated Sales links and copyright information. | | | | |



Sales, Solutions, and Legal Information

Worldwide Sales and Design Support

Cypress maintains a worldwide network of offices, solution centers, manufacturer's representatives, and distributors. To find the office closest to you, visit us at Cypress Locations.

Products

Arm® Cortex® Microcontrollers cypress.com/arm Automotive cypress.com/automotive Clocks & Buffers cypress.com/clocks Interface cypress.com/interface Internet of Things cypress.com/iot Memory cypress.com/memory Microcontrollers cypress.com/mcu **PSoC** cypress.com/psoc

Power Management ICs cypress.com/pmic
Touch Sensing cypress.com/touch
USB Controllers cypress.com/usb
Wireless Connectivity cypress.com/wireless

PSoC® Solutions

PSoC 1 | PSoC 3 | PSoC 4 | PSoC 5LP | PSoC 6 MCU

Cypress Developer Community

Community | Projects | Video | Blogs | Training | Components

Technical Support

cypress.com/support

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS DOCUMENT OR ANY SOFTWARE OR ACCOMPANYING HARDWARE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. No computing device can be absolutely secure. Therefore, despite security measures implemented in Cypress hardware or software products, Cypress shall have no liability arising out of any security breach, such as unauthorized access to or use of a Cypress product. CYPRESS DOES NOT REPRESENT, WARRANT, OR GUARANTEE THAT CYPRESS PRODUCTS, OR SYSTEMS CREATED USING CYPRESS PRODUCTS, WILL BE FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATALOSS OR THEFT, OR OTHER SECURITY INTRUSION (collectively, "Security Breach"). Cypress disclaims any liability relating to any Security Breach, and hereby do release Cypress from any claim, damage, or other liability arising from any Security Breach. In the products described in these materials may contain design defects or errors known as errata which may cause the product to deviate from published specifications. To the extent permitted by applicable law, Cypress reserves the right to make changes to this document without further notice. Cypress does not assume any liability arising out of the application or use of any product or circuit described in this document. Any information provided in this document, including any sample design information or programming code, is provided only for reference purposes. It is the responsibility of the user of this document to properly design, program, and test the functionality and safety of any application made of this information and any resulting product. "High-Risk Device" means any device or system whose failure could cause personal injury, death, or property damage. Examples of High-Risk Devices are weapons, nuclear installations, surgical implants, and other medical devices. "Critical Component" means any component of a High-Risk Device whos

Cypress, the Cypress logo, Spansion, the Spansion logo, and combinations thereof, WICED, PSoC, CapSense, EZ-USB, F-RAM, and Traveo are trademarks or registered trademarks of Cypress in the United States and other countries. For a more complete list of Cypress trademarks, visit cypress.com. Other names and brands may be claimed as property of their respective owners.

[©] Cypress Semiconductor Corporation, 2015-2019. This document is the property of Cypress Semiconductor Corporation and its subsidiaries ("Cypress"). This document, including any software or firmware included or referenced in this document ("Software"), is owned by Cypress under the intellectual property laws and treaties of the United States and other countries worldwide. Cypress reserves all rights under such laws and treaties and does not, except as specifically stated in this paragraph, grant any license under its patents, copyrights, trademarks, or other intellectual property rights. If the Software is not accompanied by a license agreement and you do not otherwise have a written agreement with Cypress governing the use of the Software, then Cypress hereby grants you a personal, non-exclusive, nontransferable license (without the right to sublicense) (1) under its copyright rights in the Software (a) for Software provided in source code form, to modify and reproduce the Software solely for use with Cypress hardware products, only internally within your organization, and (b) to distribute the Software in binary code form externally to end users (either directly or indirectly through resellers and distributors), solely for use on Cypress hardware product units, and (2) under those claims of Cypress's patents that are infringed by the Software (as provided by Cypress, unmodified) to make, use, distribute, and import the Software solely for use with Cypress hardware products. Any other use, reproduction, modification, translation, or compilation of the Software is prohibited.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cypress manufacturer:

Other Similar products are found below:

CYUSB3ACC-002 MB96F693RBPMC-GSE1 CY2DL1510AZC CY8C28623-24LTXI CY7C1347G-250AXC CY62256VNLL-70SNXI

S27KS0641DPBHA020 CY7C1347G-200AXC S25FS064SAGBHI020 CY7C68320C-56LTXC CY62256VNLL-70ZRXI CY7B991V-5JXC

CY2CP1504ZXC CY8C5466AXI-064 CY62128EV30LL-45SXA CY7C199NL-15ZXC CY8C3446PVI-076 CY7C1041CV33-12BAXE

CY7C1021BNL-15ZSXA CY8C24423A-12PVXE CY7C1350G-200AXI CY62256NLL-55SNXE CY2077FZZ CY62256EV18LL-70SNXI

CY2309CSXC-1 CY29947AXC CY2077FSXC CY2292FZXI CY2DP1510AXC CY7C60223-QXC CY22800KFXC CY3203-105 CY3220
FPD CY5676A CY6116A-35DMB CY8CKIT-008 CY8CMBR3106S-LQXIT CYUSB2014-BZXI CYUSBS234 FM24V02A-GTR

AM29F080B-55EF BCM92073X_LE_KIT S29AL008J70BFI010 S29GL256S11TFIV10 S34ML08G101TFI000 FM25V02A-DG

FM28V102A-TG CY3679 CY7C028-15AXC CY7C1382D-200AXC