


REV	ECN NUMBER	DESCRIPTION	DRAW	DATE
AO		PERLIMINARY	LITAO	2015.08.03





MEASURE POINT:
 QUADRANT POINT (QP)
 TANGENCY POINT (TP)
 INTERSECTION POINT (IP)

UNLESS OTHERWISE SPECIFIED, TOLERANCE:
 X. ±0.25
 X.x ±0.20
 X.xx ±0.15
 ANGULAR ±3'



DONG GUAN D-CHAIN TECHNOLOGY CO.,LTD

DESIGN	LITAO	DATE	2015.08.03
CHECKED	Andy	DATE	2015.08.03
APPROVED	Andy	DATE	2015.08.03
PART NO:	SA2001254260-83-01		
DRAWING NO:	DQSA2001254260-83-01		

TITLE: 2.6H 3 IN 1 CARD  (T FLASH CARD+DOUBLE MICRO SIM CARD)		
REV: AO	SCALE: 1:1	UNIT: mm
SIZE: A4	SHEET: 1/2	

REV	ECN NUMBER	DESCRIPTION	DRAW	DATE
AO		PERLIMINARY	LITAO	2015.08.03

NOTES:

1. MATERIAL:


- 1.1 Housing: High Temperature Thermoplastic
UL94V-0; Color Black.
- 1.2 Terminal: Copper Alloy, T=0.12mm.
- 1.3 Shell: Stainless Steel, T=0.20mm.

2. FINISH:

- 2.1 Terminal: Plated Gold Over all
Underplated Nickel Over all
- 2.2 Shell: Plated Gold on the Solder Tails,
Underplated Nickel Over all


3. SPECIALITY:

- 3.1 Rated current: 0.5A
- 3.2 Rated voltage: 50V
- 3.3 Contact Resistance: 80mΩ MAX
- 3.4 Insulation Resistance: 100MΩ MIN 100V DC
- 3.5 Dielectric withstanding voltage: 100V AC.
- 3.6 Solder ability: 245±5°C, 5±0.5s.
- 3.7 Durability: 5000 Cycles Min.
- 3.8 Operating condition: Temperature: -30°C~+80°C
Humidity: 80% R.H MAX



RECOMMENDED PCB LAYOUT
TOLERANCE ±0.05

- THESE AREA SHOULD BE FREE OF ANY CONDUCTIVE TRACES
- SMT SOLDER AREA



MICRO SIM CARD PIN NO.	PIN NAME	T-CARD PIN NO.	PIN NAME	
P1-A	P1-B	VCC	T1	DAT2
P2-A	P2-B	RST	T2	CD/DAT3
P3-A	P3-B	CLK	T3	CMD
P4-A	P4-B	Reserved	T4	VDD
P5-A	P5-B	GND	T5	CLK
P6-A	P6-B	VPP	T6	VSS
P7-A	P7-B	I/O	T7	DAT0
P8-A	P8-B	Reserved	T8	DAT1
	S/W	Switch Pin		

MEASURE POINT:
QUADRANT POINT (QP)
TANGENCY POINT (TP)
INTERSECTION POINT (IP)



DONG GUAN D-CHAIN TECHNOLOGY CO.,LTD

UNLESS OTHERWISE SPECIFIED, TOLERANCE:

- X ±0.25
- X.x ±0.20
- X.xx ±0.15
- ANGULAR ±3'

DESIGN	LITAO	DATE	2015.08.03
CHECKED	Andy	DATE	2015.08.03
APPROVED	Andy	DATE	2015.08.03

TITLE:
2.6H 3 IN 1 CARD (T FLASH CARD+DOUBLE MICRO SIM CARD)

PART NO: SA2001254260-83-01
DRAWING NO: DQSA2001254260-83-01

REV: AO SCALE: 1:1 UNIT: mm
SIZE: A4 SHEET: 2/2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Memory Card Connectors](#) category:

Click to view products by [D-CHAIN](#) manufacturer:

Other Similar products are found below :

[6407-249V-25273P](#) [6407-249V-25343P](#) [6426-201-21343](#) [69.920.0553.0](#) [MCR60A-98D-2.54DSA\(70\)](#) [809180410000000](#) [DM3AT-SF-PEJM5\(41\)](#) [IC11S-BUR-PNEJL\(71\)](#) [C70210M0083692](#) [252-0144-000](#) [2041353-2](#) [308-DS1P0811-192](#) [HM2P09PDR360N9LF](#) [10014744-011TLF](#) [11327-001](#) [11327-002](#) [NX1-32T-KT3K\(05\)](#) [95622-003LF](#) [84648-056HLF](#) [CCM03-3109 B LFT](#) [MS3116J10-6PW](#) [2309923-1](#) [61126-050CAHLF](#) [GTFP08432B1HR](#) [G85D1160022HHR](#) [SCE2MSDB76A121SN](#) [SCE2MSDZN76A121SN](#) [10014744-011ALF](#) [10014744-011LF](#) [10057542-1211FLF](#) [10067972-000LF](#) [10067972-050LF](#) [10122302-20110LF](#) [G85D1162022HHR](#) [TF-05A](#) [M6014-12](#) [XKNANO-1412](#) [SMN-304-ARP6](#) [MIS11-S1F1-2000-A](#) [SMN-308-ARSP7](#) [SMN-308-ACSP7](#) [K-DYX-008](#) [K-DYX-004](#) [HYCW126-TF18-150B](#) [C7024-03](#) [SMO-1030](#) [MCS-110-KT](#) [SIM-217](#) [SNO-1355-KT](#) [SMO-1025-P10](#)