🐼 DECODE

USB/RS232 ISO

Industrial data converter

Highlights

- Converts RS-232 to USB interface
- Complies to USB 1.1 and USB 2.0 standards
- Automatic adjustment of data rate and format
- Galvanic isolation up to 1.5kV DC
- Plug & Play installation
- Power supplied from USB port no additional supply is required
- Compatible with Windows and Linux Operating Systems



Description

USB/232 ISO is a communication converter intended for interconnecting industrial serial buses and devices with RS-232 connection to PC's USB port.

Connecting this converter to PC additionally exceeds the capacity of RS-232 ports. Data rate and format adjustment is performed according to requirements of RS-232 device. Module is power supplied from USB port and galvanic isolated from RS-232 devices (network). It is compatible with most operating systems enabling two access modes: as virtual serial COM port (VCP drivers up to 115 kbps), and as direct USB port (D2XX drivers up to 1 Mb/s).

Application

USB/232 ISO is completely adjusted for applications in industrial communications and process automation, alarm systems and telemetry.

It is used for:

- Interconnecting distributed I/O modules and PLCs to PC;
- Galvanic isolation of PC from RS-232 networks;
- Connecting PC without COM ports to RS-232 communication bus;
- Increasing number of COM ports on PC;
- Field data readout using laptop;

Technical specification

| Communication connectors | USB (type B); RS-232 (standard DB-9 male connector) |
|-----------------------------|---|
| Compliance | USB 1.1 and USB 2.0 standard |
| Data rate and format | Automatically determined by RS-232 device |
| Maximum distance | 20m @ 9600 b/s |
| Supported operating systems | Windows and Linux |
| Cable in set | USB cable (type A to type B) 1.5 m |
| LED indicators | ON, Tx, Rx |
| Galvanic isolation | 1.5kV DC |
| Power supply | From USB port – no additional mains adapter is required |
| Operating temperature | -25 to 70°C |
| Dimensions | 76 x 42 x 20 mm |

DECODE d.o.o.

Bulevar Nikole Tesle 30A 11080 Belgrade, Serbia Tel: +381 11 311 0027 E-mail: office@decode.rs www.decode.rs

Legal notice

Reproduction, transfer, distribution or storage of part or all of the contents in this document in any form without the prior written permission is prohibited. All rights reserved. All trademarks mentioned herein belong to their respective owners.

Copyright © 2018 Decode

Disclaimer

Decode has used reasonable care in preparing the information included in this document, but does not warrant that such information is error free.

Decode, its associates, representatives, employees, and others acting on its behalf disclaim any and all liability for errors, inaccuracies, or incompleteness contained in any datasheet or in any other disclosure relating to any product.

In the interest of continuous product development, the Decode reserves the right to make improvements to this manual and the products described in it at any time and without prior notification or obligation.

The use of the product is at sole discretion of the user. Decode cannot be held responsible for any damages arising due to use of this product and makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product.

Note: The specifications in this document are valid as of the listed versions of software and/or hardware. Revised versions of this document, as well as software and driver updates are available in the download area of the Decode web site.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Controllers category:

Click to view products by DECODE manufacturer:

Other Similar products are found below :

CS1WCN223 CS1WCN713 CS1WKS001E 61F-11NH 61FGPN8DAC120 61F-GP-NT AC110 61F-GPN-V50-AC110 70177-1011 F03-03 HAS B F03-03 HAS C F03-31 81513201 81513535 81550401 FT1A-C12RA-W 88981106 H2CAC24A R88A-CAGA005S R88A-CRGB003CR-E R88ARR080100S R88A-TK01K DCN1-1 DTB4896VRE DTB9696CVE DTB9696LVE MR-50LF+ E53-AZ01 E53E8C E5CWLQ1TCAC100240 B300LKL21 NE1ASCPU02EIPVER11 NE1SCPU01 NE1SDRM21U NSCXDC1V3 NSH5-232CW-3M NT20SST122BV1 NV3Q-SW41 NV4W-ATT01 NV-CN001 OAS-160-N K31S6 K33-L1B K3TX-AD31A L595020 SRS2-1 G32X-V2K 26546803 26546805 26546831 CJ1W-OD204