COTTON FLOCK NITRILE GLOVE - 33 CM
Ref. VE801

Product specifications

Nitrile with cotton flocklining. Length: 33 cm. Thickness: 0,40 mm.

Support: 100% nitrile.
Flocking: 100% cotton.

COLOUR
Green

SIZE
07, 08, 09, 10, 11

Product Use - Risks

Biological chemical particles   Wearing

Agriculture / Green areas   Heavy industry   Light industry

CHEM D-FINDER

DELTA PLUS GROUP - ZAC La Peyrolière - BP 140 - 84405 Apt cedex FRANCE- Tel :+33 (0)4 90 74 20 33 - Fax :+33 (0)4 90 74 32 59
E.mail :information@deltaplus.fr - Web : www.deltaplus.eu

1

Product's highlights & user's benefits

Embossed structure on palm and fingers	Good grip of handled objects
Flocked inside	Absorption of perspiration for comfort
Silicone free	Ideal for the automotive industry No traces on the objects handled

DELTA PLUS GROUP - ZAC La Peyrolière - BP 140 - 84405 Apt cedex FRANCE- Tel :+33 (0)4 90 74 20 33 - Fax :+33 (0)4 90 74 32 59
E.mail :information@deltaplus.fr - Web : www.deltaplus.eu

2

Certifications and Standards

$$C\,E$$

REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)
3: Resistance to abrasion (from 1 to 4)
1: Resistance to cutting (from 1 to 5)
0: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.
TYPE B: Type B - Water and air tightness according to EN374-2:2014. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).
.: Determination of resistance to degradation by chemicals according to EN374-4: 2013. Part 4: Determination of resistance to degradation by chemicals.
J 6 > 480 mn: n-Heptane (J) CAS 142-85-5
K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
L 3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.
BACTERIA + FUNGI .: BACTERIA + FUNGI : Water and air tightness according to EN374-2:2014.

References

References	Bar code	COLOUR	SIZE	📦	🗄
VE801VE07	3295249169480	Green	07	120	12
VE801VE08	3295249169244	Green	08	120	12
VE801VE09	3295249169497	Green	09	120	12
VE801VE10	3295249169251	Green	10	120	12
VE801VE11	3295249171179	Green	11	120	12

DELTA PLUS GROUP - ZAC La Peyrolière - BP 140 - 84405 Apt cedex FRANCE- Tel :+33 (0)4 90 74 20 33 - Fax :+33 (0)4 90 74 32 59
E.mail :information@deltaplus.fr - Web : www.deltaplus.eu

3

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antistatic Control Products *category:*

Click to view products by DELTA PLUS *manufacturer:*

Other Similar products are found below :

13020 13490 13870 13879 13881 13883 13882 14404 2202SP 2229 2230 300515 3039 37061 42470 09060 09857 42516 37059 04563 17252 19691 19695 09037 09826 09813 66070 100816 68101 68103 98132 73741 13868 13485 13457 13245 13440 13420 13332 13205 13135 91070 8031 8523 66085 5822448 40931 37113 37109 37081