

## NITREX VE802



COTTON FLOCK NITRILE GLOVE - 33 CM

Ref. VE802



### Product specifications

Nitrile with cotton flocklining. Length: 33 cm. Thickness: 0,38 mm.

Support: 100% nitrile.

Flocking: 100% cotton.

#### COLOUR

Green

#### SIZE

6/7, 7/8, 8/9, 9/10, 10/11

## Product Use - Risks



Biological chemical particles



Wearing



Agriculture / Green areas




Heavy industry



Light industry



Hygiene environment



## Product's highlights & user's benefits



Embossed structure on palm and fingers

Good grip of handled objects

Flocked inside

Absorption of perspiration for comfort

## Certifications and Standards



### REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements  
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)  
1: Resistance to cutting (from 1 to 5)  
0: Resistance to tear (from 1 to 4)  
1: Resistance to puncture (1 to 4)  
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms -  
Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN374-2:2014. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN374-4: 2013. Part 4: Determination of resistance to degradation by chemicals.

- A 2 > 30 mn: Méthanol (A) CAS 67-56-1
- J 6 > 480 mn: n-Heptane (J) CAS 142-85-5
- K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9
- M 2 > 30 mn: Nitric acid 65% (M) CAS 7697-37-2
- N 3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
- O 6 > 480 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6
- P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms -  
Part 5: Terminology and performance requirements against micro-organisms risks.



BACTERIA + FUNGI .. BACTERIA + FUNGI : Water and air tightness according to EN374-2:2014.



### REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOBAL MIGR Food contact - Overall Migration  
.. Contact with any type of food

## References

References	Bar code	COLOUR	SIZE		
VE802VE06	3295249011819	Green	6/7	120	12
VE802VE07	3295249011826	Green	7/8	120	12
VE802VE08	3295249011833	Green	8/9	120	12
VE802VE09	3295249011840	Green	9/10	120	12
VE802VE10	3295249012359	Green	10/11	120	12

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Antistatic Control Products](#) category:*

*Click to view products by [DELTA PLUS](#) manufacturer:*

Other Similar products are found below :

[13020](#) [13490](#) [13870](#) [13879](#) [13881](#) [13883](#) [13882](#) [14404](#) [2202SP](#) [2229](#) [2230](#) [300515](#) [3039](#) [37061](#) [42470](#) [09060](#) [09857](#) [42516](#) [37059](#)  
[04563](#) [17252](#) [19691](#) [19695](#) [09037](#) [09826](#) [09813](#) [66070](#) [100816](#) [68101](#) [68103](#) [98132](#) [73741](#) [13868](#) [13485](#) [13457](#) [13245](#) [13440](#) [13420](#)  
[13332](#) [13205](#) [13135](#) [91070](#) [8031](#) [8523](#) [66085](#) [5822448](#) [40931](#) [37113](#) [37109](#) [37081](#)