







HF

Halogen Free



RECOMMEND PC BOARD HOLE PATTERN:
CONNECTOR MOUNT SIDE
(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS: 1.0~1.6±0.10



34POS: 5611BG-001H****T000

| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|----------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X4 | | 1/44 | 增加 DATECODE | 2022.10.03 | tanghaibo |
| X5 | | 1/45 | 新增料号编码 | 2022.12.19 | tanghaibo |
| X6 | | 1/45 | 修改编码电镀选项 | 2023.02.18 | tanghaibo |

- MATERIAL: HOUSING: GLASS FILLED THERMO PLASTIC POLYESTER(94V-0)
COLOR: BLACK OR WHITE
CONTACT: COPPER ALLOY
RETENTION PEG: PRE-TIN COPPER ALLOY
- FINISH(ALL OVER): NICKEL PLATING 1.27um MIN
- FINISH(CONTACT AREA): GOLD PLATING TIN SPECIFICATIONS
REFER TO THE FOLLOWING MATERIAL NUMBER CODE SPECIFICATIONS
- FINISH(CONTACT TAIL): TIN PLATING 2um MIN AFTER
- THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS
- DATECODE: YYWW
YY: YEAR(22: 2022)
WW: WEEK(25: THE 25TH WEEK)
D: DAY(1~7: SUNDAY~SATURDAY)
- PART NO.: 56**BG-***H * * * * T000

- RESERVE NUMBER
- PACKAGE CODE:
P: TUBE
R: REEL
T: TRAY
- LOGO MARK:
1: WITH DEREN LOGO
2: WITHOUT LOGO
- PLATING CODE: 1/45
4: Au :15u"
6: Sn :OVE TIN
- HOUSING COLOR:
1: BLACK
2: WHITE
- WATER CODE: 001~ZZZ
- POS CODE: 10POS: 0A
20POS: 0L
26POS: 0S
28POS: 0U
30POS: 0W
34POS: 11

| | | | | | | | |
|-----|-----|----|------|------|------|---------------------|---------------------|
| 34 | X | 16 | 32.0 | 35.0 | 36.6 | 5611BG-001H****T000 | 5611BG-003H***00000 |
| 30 | X | 14 | 28.0 | 31.0 | 32.6 | 560WBG-004H****T000 | 560WBG-001H***00000 |
| 28 | X | 13 | 26.0 | 29.0 | 30.6 | 560UBG-001H****T000 | 560UBG-002H***00000 |
| 26 | X | 12 | 24.0 | 27.0 | 28.6 | 560SBG-001H****T000 | 560SBG-002H***00000 |
| 20 | X | 9 | 18.0 | 21.0 | 22.6 | 560LBG-001H****T000 | 560LBG-002H***00000 |
| 10 | X | 4 | 8.0 | 11.0 | 12.6 | 560ABG-001H****T000 | 560ABG-002H***00000 |
| POS | KEY | n | A | B | C | MALE PART NO. | FAMALE PART NO. |

| DIM | TOL | DIM | TOL |
|-----|-------|-----|-----|
| x. | ±0.30 | x. | ±5' |
| .x | ±0.30 | .x | ±3' |
| .xx | ±0.30 | | |

DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

| | | |
|-------------------|------------|---|
| CUSTOMER DRAWING | DATE | TITLE: WTB Male XXP 15H Pitch2.0 90DIP ASSY |
| DESIGN: Tanghaibo | 2023.02.18 | P/N: 56**BG-***H****T000 |
| CHECK: | | SHEET: 1/3 |
| APPROVAL: | | SCALE: 1:1 UNIT: mm |

DRAW NO. ***










REV. X6

UNIT: mm

HF

Halogen Free

| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|-----------------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X4 | | 1/44 | 增加 DATECODE | 2022.10.03 | tanghaibo |
| X5 | | 1/55 | 新增料号编码 | 2022.12.19 | tanghaibo |
| X6 | | 1/66 | 修改编码电镀选项 | 2023.02.18 | tanghaibo |




30POS: 560WBG-004H****T000

28POS: 560UBG-001H****T000

26POS: 560SBG-001H****T000

| DIM | TOL | DIM | TOL |
|-----|-------|-----|-----|
| x. | ±0.50 | x. | ±5' |
| .x | ±0.35 | .x | ±3' |
| .xx | ±0.30 | | |

**DEREN**

SHENZHEN DEREN ELECTRONIC CO., LTD

| CUSTOMER DRAWING | | DATE | TITLE: WTB Male XXP 15H Pitch2.0 90°DIP ASSY | |
|------------------|-----------|------------|---|-----|
| DESIGN: | Tanghaibo | 2023.02.18 | P/N: 56**BG-****H****T000 | |
| CHECK: | | | SHEET: | 2/3 |
| APPROVAL: | | | SCALE: | 1:1 |
| REV. | X6 | | UNIT: | mm |

1

2

3

4

5

6







7

8

HF

Halogen Free


| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|-----------------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X4 | | 1/X4 | 增加 DATECODE | 2022.10.03 | tanghaibo |
| X5 | | 1/X5 | 新增料号编码 | 2022.12.19 | tanghaibo |
| X6 | | 1/X6 | 修改编码电镀选项 | 2023.02.18 | tanghaibo |



20POS: 560LBG-001H****T000

10POS: 560ABG-001H****T000

| DIM | TOL | DIM | TOL |
|-----|-------|-----|-----|
| x. | ±0.50 | x. | ±5' |
| .x | ±0.35 | .x | ±3' |
| .xx | ±0.30 | | |

**DEREN**

SHENZHEN DEREN ELECTRONIC CO., LTD

| CUSTOMER DRAWING | | DATE | TITLE: WTB Male XXP 15H Pitch2.0 90°DIP ASSY | |
|------------------|-----------|------------|---|--------------|
| DESIGN: | Tanghaibo | 2023.02.18 | P/N: 56**BG-****H****T000 | |
| CHECK: | | | SHEET: | 3/3 |
| APPROVAL: | | | SCALE: | 1:1 UNIT: mm |

DRAW NO.

REV.

X6

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [DEREN](#) manufacturer:

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-](#)
[5028](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)
[820-22-008-30-001101](#) [821-22-002-10-001101](#)