

Statguard[®] Floor Mat Cleaner Application Instructions



Figure 1. Statguard[®] Floor Mat Cleaner 1 Quart Spray Bottle (<u>10443</u>) 2.5 Gallons Bag-in-Box (<u>10444</u>) 5.0 Gallons Bag-in-Box (<u>10445</u>)

Description

Desco's Statguard[®] Floor Mat Cleaner is a non-hazardous, silicone free liquid used to remove dust, grease, grime, shoe prints, and other contaminates from ESD floor mats to maintain the performance of the mats. To apply the cleaner, the floor mat surface should be sprayed until slightly wet and then mopped till dry with a lint free flat mop. No additional rinsing will be required in most cases. Statguard[®] Floor Mat Cleaner contains no alkali, ammonia, or other harsh chemical that may physically damage mats or degrade the mat's ESD properties. Statguard[®] Floor Mat Cleaner is formulated to meet the VOC requirements of the California Air Resources Board and it is non-flammable, making it safe to use in electronics production areas and safe for operator contact.

Features

- Vinyl and Rubber Floor Mat Liquid Cleaning Solution
- Simple Application Does Not Require Additional Rinsing
- Silicone Free
- Contains No Chemicals That Will Damage Mats
- Meets CARB VOC Standard, Non-Flammable, Non-Hazardous

Directions for Use

- 1. Use dust mop or broom to remove larger debris from the floor mat.
- 2. Spray floor mat till slightly wet.
- 3. Mop/scrub till dry with a lint free flat mop.

No additional rinsing is required. For tougher stains reapplication may be necessary.

	Made in the	
Unite	d States of Am	erica

Specifications

Water, acetone	e, alcohols
Non-toxic by dermal contact, or inhalation	
Classification a to NFPA and C "non-flammable Category 3	SHA as
Fluoride Sulfate Nitrate Bromide Phosphate	0.3 <0.5 1.2 <0.5 <0.5
1 x 10 ⁷ to < 1 x (ref. ANSI/ESD s	
<0.01 seconds (per FTMS 101 Method 4046)	С
	Non-toxic by de or inhalation Classification at to NFPA and C "non-flammable Category 3 Fluoride Sulfate Nitrate Bromide Phosphate 1 x 10 ⁷ to < 1 x (ref. ANSI/ESD 3 <0.01 seconds (per FTMS 101

Testing

Floor mats should be tested as part of ANSI/ESD S20.20 Compliance Verification testing per ESD TR53. Mats should be tested to ensure that the mats are within spec. Desco manufactures multiple styles of <u>surface</u> resistance meters for testing floor mats and other surfaces.

Storage

Statguard[®] Floor Mat Cleaner product does not have a set life span. The chemicals are not known to degrade over time when stored at the proper temperature conditions as stated in the Safety Data Sheet. We also recommend that this product be stored in its original container and be sealed when not in use.

RoHS 3, REACH, and Conflict Minerals Statement See the Desco Industries RoHS 3, REACH, and Conflict Minerals Statement: http://www.descoindustries.com/ROHS.aspx

Desco Industries Limited Warranty See the Desco Industries Limited Warranty: http://www.descoindustries.com/Warranty.aspx

DESCO WEST - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 DESCO EAST - One Colgate Way, Canton, MA 02021-1407 • (781) 821-8370 • Website: Desco.com

Safety Data Sheet May be used to comply with ANSI Z400 CFR 1910.1200, Regulation (EC) No 13 Regulation) and GHS. Standards must	272/2008 (CLP be consulted for 3 - High 0 - Insignificant
specific requirements.	2 = Moderate Special Hazard (Yellow)
Revision Date: 2017-04-03	HMIS RATING: Health 1, Flammability 1, Physical Hazard 0, Personal Protection B
	HE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product identifiers	
Product Name: EC No.: REACH Registration No.: CAS No.:	Statguard [®] Floor Mat Cleaner None None None
1.2 Relevant identified uses of the su Identified use:	ubstance or mixture and uses advised against Antistatic Mat Cleaner
1.3 Details of the supplier of the safe	ty data sheet
Manufacturer: Email Address:	Desco Industries, Inc. One Colgate Way. Canton, MA 02021 781-821-8370 <u>Service@DescoIndustries.com</u>
1.4 Emergency telephone number Emergency Number:	781-821-8370
SECTION 2 — HAZARDS IDENTIFICA 2.1 Classification of substance or mi	-
Flammable liquid	Category 2
Eye irritation	Category 2
Specific target organ toxicity (Single exposure)	Category 3
2.2 Label elements	
Symbol:	Flame, Exclamation mark.
Signal word:	Danger.
Hazard statement:	(H225): Highly flammable liquid and vapour. (H319): Causes serious eye irritation. (H336): May cause drowsiness or dizziness.
Precautionary statements:	 (P210): Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P240): Ground/bond container and receiving equipment. (P241): Use explosion-proof electrical/vetilating/lighting equipment. (P242): Use only non-sparking tools. (P261): Avoid breathing dust/fume/gas/mist/vapours/spray. (P264): Wash hands thoroughly after handling. (P271): Use only outdoors or in a well-ventilated area. (P280): Wear protective gloves/protective clothing/eye protection/face protection. (P303 + P361 + P353): IF ON SKIN (or hair): Take off immediarely all contaminated clothing. Rinse skin with water/shower. (P304 + P340 + P312): IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. (P305 + P351 + P338): IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	VEST - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 olgate Way, Canton, MA 02021-1407 • (781) 821-8370 • Website: <u>Desco.com</u>

	(P403 + P235): St (P233): Keep cont (P405): Store lock (P501): Dispose o	eye irritation persists: Get medical advice/attention. ore in a well-ventilated place. Keep cool. tainer tightly closed. ed up. f contents/container in compliance with all Federal, I laws and regulations.
2.3 Other hazards N/A		
SECTION 3 — COMPOSITION/INFOR 3.1 Substances	RMATION ON INGR	EDIENTS
Hazardous Ingredients	CAS No.	Weight %
Isopropanol	67-63-0	5-25%
3.2 Mixtures		
N/A		
SECTION 4 — FIRST AID MEASURE	-	
4.1 Description of first aid measures	3	
Eye Contact		or at least 15 minutes. Remove contact lenses, if present ontinue rinsing. If eye irritation persists: Get medical
Skin Contact	Wash with soap ar attention.	nd water. If skin irritation occurs: Get medical advice/
Ingestion	Drink several glasses of water. DO NOT induce vomiting. Contact a physician.	
Inhalation	Move subject to fre	esh air.
 4.2 Most important symptoms and e N/A 4.3 Indication of any immediate med N/A 		
SECTION 5 — FIRE FIGHTING MEAS	SURES	
5.1 Extinguishing media		
Suitable Extinguishing Media	Water	
Unsuitable Extinguishing Methods	N/A	
5.2 Special hazards arising from the N/A	substance or mixt	ure
5.3 Advice for firefighters		
In the event of fire wear self-contained Cool containers with water.	breathing apparatus	3.
SECTION 6 — ACCIDENTAL RELEA	SE MEASURES	
6.1 Personal precautions, protective	equipment and en	nergency procedures
Wearing protective clothing. Inhalation	protection. Extinguis	sh all ignition sources.
6.2 Environmental precautions Biodegradable.		
		e, Chino, CA 91710 • (909) 627-8178 021-1407 • (781) 821-8370 • Website: <u>Desco.com</u>

6.3 Methods and materials for containment and cleaning up

Contain and collect material into plastic container. Water rinse and drain, flush small amounts. Use sanitary landfill disposal. Follow national and local regulations (RCRA; Subtitle D).

If Material is Released/Spilled: Keep spectators away. Contain spill with inert material (e.g. sand, earth). Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

6.4 Reference to other sections

See SECTION 13, Disposal Considerations, for information regarding the disposal of contained spills.

SECTION 7 — HANDLING AND STORAGE

7.1 Precautions for safe handling

Use in well-ventilated areas; avoid breathing vapors. Keep containers closed when not in use. Avoid from freezing.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry place with adequate ventilation. Keep from freezing - product may coagulate. Storage temperature: Max. 49°C/120°F 1°C/34°F

7.3 Specific end uses

N/A

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

TLV-value 400 ppm maximum for Isopropanol.

Hazardous Ingredients	CAS No.	TLV-value
Isopropanol	67-63-0	400 ppm
8.2 Exposure controls		
Technical Control Measures	product. Isolating p and local exhaust)	hnical measure to prevent or control contact with the process and personnel, mechanical ventilation (dilution and the regulation of process conditions. In case of non-control, a proper protective wearing should be used.
Hygiene Measures	Wash hands befor	e eating, smoking, or using washroom facilities
Individual protection measures		
Eye/Face Protection	Safety glasses or (similar standard.	Chemical splash goggles as defined in ANSI Z-87.1 or a
Skin Protection	No precautions oth	ner than clean body covering clothing should be needed.
Hand Protection	Impervious/Neopre	ene Gloves.
Respiratory Protection	Wear MSHA/NIOS exceeded.	H approved respirator where exposure limits are
Ingestion	e .	I hygiene. Do not consume or store food in the work before smoking or eating.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Color:	Clear violet
Odor:	Floral Alcohol
Odor Threshold:	N/A
pH:	6.0-8.0
Melting Point:	N/A
Boiling Point:	>200°F (93.3°C)
Flash Point:	106°F (41°C)
Evaporation rate:	0.28
Flammability:	Classification according to NFPA and OSHA as "non-flammable".
,	Flammable Category 3 according to EU and GHS.

DESCO WEST - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 DESCO EAST - One Colgate Way, Canton, MA 02021-1407 • (781) 821-8370 • Website: Desco.com

Upper flammability or explosive limits: Lower flammability or explosive limits: Vapor Pressure (mm Hg): Vapor Density (air=1): Relative Density: Specific Gravity (H2O = 1) : Solubility: Partition coefficient: Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidizing properties:	N/A N/A 18.0 1.06 8.17 lbs./gal at 20°C 0.98 Completely N/A N/A N/A N/A N/A N/A N/A	
9.2 Other information		
VOC per Method 24 of EPA:	1% VOC by wt.	
SECTION 10 — STABILITY AND REA	CTIVITY	
10.1 Reactivity N/A		
10.2 Chemical stability Stable product at normal conditions.		
10.3 Possibility of hazardous reactio N/A	ns	
10.4 Conditions to avoid Temperatures above 100°F (38°C) and	l below 34°F (1°C)	
10.5 Incompatible materials Strong Oxidizers.		
10.6 Hazardous decomposition prod Thermal decomposition may yield carb		
SECTION 11 — TOXICOLOGICAL IN 11.1 Information on toxicological eff All information refers to the main comp	ects	
Acute toxicity:	None known.	
Special Effects:	None known.	
SECTION 12 - ECOLOGICAL INFOR	RMATION	
12.1 Toxicity N/A		
12.2 Persistence and degradability N/A		
12.3 Bioaccumulative potential Not likely.		
12.4 Mobility in soil The product is aqueous and will be separated in aqueous conditions.		
12.5 Results of PBT and vPvB assessment N/A		
12.6 Other adverse effects N/A		
12.7 Additional information No environmental hazards have been reported or known.		
	WEST - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 Colgate Way, Canton, MA 02021-1407 • (781) 821-8370 • Website: <u>Desco.com</u>	

SECTION 13 — DISPOSAL CONSIDERATIONS		
13.1 Waste treatment methods	O to the second second state into a location on Wester since and during	
Product:	Contain and collect material into plastic container. Water rinse and drain, flush small amounts. Use sanitary landfill disposal. Follow state and local regulations (RCRA; Subtitle D).	
13.2 Additional information		
N/A		
SECTION 14 — TRANSPORT INFOR	MATION	
This product is not classified for transp This product is not classified as a flam regulated as such.	ort under ADR/IMDG regulations. mable liquid according to DOT and IATA transportation standards and is not	
14.1 UN Number	N/A	
14.2 UN proper shipping name	N/A	
14.3 Transport hazard class(es)	N/A	
14.4 Packing group	N/A	
14.5 Environmental hazards	N/A	
14.6 Special precautions for user	N/A	
14.7 Transport in bulk according to a of MARPOL and the IBC Code	Annex II N/A	
SECTION 15 — REGULATORY INFO		
	al regulations/legislation specific for the substance or mixture	
Physical/Chemical Indication	Non-flammable (NFPA and OSHA), Flammable (EU and GHS)	
The below items are listed and subje	ected to the reporting requirements of the SARA Title III Section 313 g and Community Right-To-Know Act of 1986 and of 40 CFR37:	
CAS Number: 67-63-0 with maximum v	veight 25%	
EINECS Status	All components are included in the EINECS Inventories.	
TSCA	All ingredients of this product are listed or are excluded from the listing on the U.S. Toxic substance.	
REACH	This product does not required REACH registration.	
15.2 Chemical Safety Assessment N/A		
SECTION 16 — OTHER INFORMATIO	ON CONTRACTOR OF	
HMIS RATING	Health 1, Flammability 1, Reactivity 0, Personal Protection B	
NFPA RATING	Special Hazard: N/A, Health: 1, Flammability: 1, Instability: 0	
SDS Updated	2017-04-03	
	Disclaimer	
OTHER INFORMATION: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.		
DESCO WEST - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 DESCO EAST - One Colgate Way, Canton, MA 02021-1407 • (781) 821-8370 • Website: <u>Desco.com</u>		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for desco manufacturer:

Other Similar products are found below :

 10566
 79202
 66208
 66210
 12809
 19282
 35595
 42541
 35274
 35999
 06722
 09180
 42516
 24723
 07454
 19492
 60467
 60500
 17270

 09105
 09214
 73750
 66040
 10439
 73770
 73854
 13762
 13415
 13205
 81800
 66105
 66085
 40981
 40980
 40931
 13806
 66106
 66226

 19859
 19840
 73740
 04541
 19892
 13844
 66086
 09229
 50568
 14362
 82067
 95205