


Product card: PET-G filament for 3D printing.

Product description: Filament PET-G - a thermoplastic polymer from the group of polyesters in the form of fiber, used for 3D printing using the FFF method. Filament wound on a spool, vacuum packed with a moisture absorber. The spool contains 1 kg of net material. It can be used in all FFF printers that are not protected from external suppliers and open source structures before using. PET-G is a material friendly for beginners, material available in covering and transparent colors.

Physical properties of the product:

| | |
|-----------------------------------|---------------------------|
| Diameter of filament | 1.75 mm / 2.85 mm |
| Dimensional tolerance of filament | +/- 0.05 mm |
| Roundness of filament | +/- 0.02 mm |
| Surface of the material | High Gloss |
| Shrinkage of the material | Very low |
| Product weight | 1.0 kg net, 1.4 kg gross |
| Spool - material | Transparent polycarbonate |
| Weight of the empty spool | ~257 g |
| The diameter of the spool | 200 mm |
| Width of spool | ~70 mm |
| Diameter of mounting hole | 52 mm |
| Packaging | Printed cardboard |
| Package size | ~230x210x80 mm |
| Vacuum packing | Yes |
| Moisture absorber | Yes |



Suggested printing parameters:

| | |
|----------------------|-----------|
| Hotend | 220-250°C |
| Heated bed | 70-80°C |
| Cooling the printout | Optional |

Due to the structural differences of printers, the above figures should be considered as guidelines and the corresponding values must be determined experimentally.

Physical properties of the material:

| | | |
|------------------------------|------------------------|-----------|
| Specific Density | 1.23 g/cm ³ | - |
| Glass Transition Temperature | 80°C | ASTM 3418 |
| Moisture | ≤ 0.3% | - |

Availability of colors and diameters:

| Color | Kolor | 1.75 | 2.85 |
|---------------------------|----------------------------|------|------|
| White | Biały | ✓ | ✓ |
| Bright Yellow | Jasnożółty | ✓ | ✓ |
| Orange | Pomarańczowy | ✓ | |
| Red | Czerwony | ✓ | ✓ |
| Gray | Szary | ✓ | |
| Blue | Błękitny | ✓ | |
| Super Blue | Niebieski | ✓ | ✓ |
| Bright Green | Jasnozielony | ✓ | ✓ |
| Black | Czarny | ✓ | ✓ |
| Transparent | Transparentny | ✓ | |
| Bright Yellow Transparent | Jasnożółty Transparentny | ✓ | |
| Bright Green Transparent | Jasnozielony Transparentny | ✓ | |
| Ruby Red Transparent | Rubinowy Transparentny | ✓ | |
| Blue Transparent | Błękitny Transparentny | ✓ | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [3D Printers and Accessories](#) category:

Click to view products by [Devil Design](#) manufacturer:

Other Similar products are found below :

[PLA 1,75 GLOW IN THE DARK BLUE 0,33](#) [SILK 1,75 BRIGHT YELLOW I150-PF-0175-0250](#) [PETG 1,75 BRIGHT PINK 50670](#) [50671](#) [50677](#) [50678](#) [50679](#) [50680](#) [50681](#) [50682](#) [50683](#) [ASA 1,75 BRIGHT ORANGE](#) [ASA 1,75 RACE GREEN](#) [ASA 1,75 SUPER BLUE](#) [PETG-1.75-DARK ORANGE](#) [PLA-1.75-NATURAL](#) [PLA 1,75 GALAXY GREEN I150-PF-0175-0750](#) [PA12 1,75 NATURAL 0,33](#) [PETG-1.75-AMBER-TRANSPARENT](#) [PETG 1,75 BEIGE](#) [PETG 1,75 BRIGHT ORANGE](#) [PETG 1,75 BROWN](#) [PETG 1,75 EMERALD GREEN](#) [PETG-1.75-GALAXY-GRAY](#) [PETG 1,75 GALAXY GREEN](#) [PETG 1,75 GALAXY SUPER BLUE](#) [PETG 1,75 GRAY 2](#) [PETG 1,75 LIGHT GREEN](#) [PETG 1,75 MAROON](#) [PETG 1,75 MINT](#) [PETG 1,75 OCEAN BLUE](#) [PETG 1,75 OLIVE GREEN](#) [PETG 1,75 PC GRAY](#) [PETG 1,75 PINK](#) [PETG 1,75 PURPLE](#) [PETG 1,75 RACE GREEN](#) [PETG 1,75 RASPBERRY RED](#) [PETG 1,75 SILVER](#) [PETG 1,75 SUPER BLUE TRANSPARENT](#) [PETG 1,75 VANILLA](#) [PETG 1,75 VIOLET](#) [PETG 1,75 YELLOW](#) [PLA-1.75-BRIGHT ORANGE](#) [PLA 1,75 GALAXY SUPER BLUE](#) [PLA 1,75 LIGHT GREEN](#) [PLA 1,75 MARBLE DARK](#) [PLA 1,75 MARBLE LIGHT](#)