


| REVISION RECORD |     |             |      |
|-----------------|-----|-------------|------|
| REV             | ECN | DESCRIPTION | DATE |
|                 |     |             |      |

NOTE1:  
 UL Standard  
 1. Rated voltage/current : 300V / 8A  
 2. Withstanding voltage : AC1600V/1min.

1. Pollution Degree 2  
 II Overvoltage Category  
 2.5kV Rate Impulse Voltage(kV)  
 250V Rate Voltage(V)  
 7A Rate Current(A)

NOTE2:  
 1. Dimension shall be interpreted per ASME Y14.5-2009  
 2. Pitch : 3.5/3.81mm, Poles : N=02~22P  
 3. Operating temperature: -40°C~+105°C  
 4. Undimensioned tolerances:






| Pitch range in mm | Over | TO  | Over | TO  | Over | TO  | ±2% |
|-------------------|------|-----|------|-----|------|-----|-----|
| 0.1/10            | Over | 60  | Over | 60  | Over | 60  | ±2% |
| 0.1/10            | Over | 100 | Over | 100 | Over | 100 | ±2% |
| 0.1/10            | Over | 150 | Over | 150 | Over | 150 | ±2% |



- 9.(White)
- 8.(Yellow)
- 7.(Transparent)
- 6.(Red)
- 5.(Orange)
- 4.(Green)
- 3.(Black)
- 2.(Blue)

|              |                               |
|--------------|-------------------------------|
| PART NO.:    |                               |
| NAME:        | DB2EVM-3.5/3.81-XXP-1Y-00A(H) |
| TITLE:       | CUSTOMER DRAWING              |
| DRFT:        |                               |
| CHKD:        |                               |
| APPD:        |                               |
| DRAWING NO.: |                               |
| SHEET:       | 1/1                           |
| SCALE:       | 1:1                           |

THIRD ANGLE PROJECTION  
 DO NOT SCALE DRAWING  
 (INCH)



A  
B  
C  
D  
E  
F  
G  
H

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [DIBO](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)