DIGITUS HDMI® AOC Hybrid Fiber Optic Cable, UHD 4K, 15 m

AK-330125-150-S EAN 4016032462040





HDMI AOC hybrid-fiber connection cable, Type A M/M, 15m, UHD 4K@60Hz, CE, gold, bl

This active HDMI® AOC hybrid fiber optic cable is ideally suited for transferring uncompressed video and audio data with high bandwidth over longer distances. The hybrid construction, which uses copper and fiber optic cable, prevents electromagnetic interference. This ensures a loss-free transfer along the entire length of the cable with UHD resolution of up to 4K/60Hz and bandwidths of up to 18 Gbps. The use of fiber optic cable keeps the diameter of this active cable very low and gives it a very tight bending radius and low weight. It is ideal for use in homes, meeting rooms, and conference rooms as well as within buildings — and these are just a few of the possible uses. The simple Plug and Play installation is user-friendly; just plug it in and immediately enjoy optimal image quality. It supports numerous standards such as HDMI 2.0b, HDCP 2.2, and HDR. As far as audio goes, features such as ARC, DTS-HD Master Audio, Dolby TrueHD and many more are supported. Cutting edge chip technology makes it possible to transfer the full HDMI® signal spectrum while also supporting uncompressed CED and EDID with very low latency.

Transfer of uncompressed video and audio signals over a distance of up to 15 m in UHD 4K resolution with 18 Gbps bandwidth.

- Supports up to 4K with 50/60Hz
- Supports up to 4K 3D
- Data transfer rate of up to 18Gbps
- Supports up to 120Hz at Full HD
- Supports 1080p 3D HFR
- Supports YUV 4:4:4

- HDCP 2.2, HDCP 1.4
- HDMI 2.0b (backwards-compatible)
- Supports Deep Color (30-bit colour depth)
- Supports HDR10 (High Dynamic Range)
- Supports audio return channel (ARC)
- Supports Consumer Electronic Control (CEC)
- Supports Lip Sync (Audio/Video synchronisation)
- With Ethernet channel (HEC)
- Multi Stream audio/video support
- Supports 21:9 Cinemascope
- 32 channel audio support
- Dolby TrueHD capable
- Supports 8-channel LPCM, 192 kHz, 24-bit audio capability
- Supports DTS-HD Master Audio bitstream
- Supports Super Audio CD (DSD)
- Supports DVD audio
- Supports Blu-ray Disc and HD DVD audio and video
- Connector surface: gold-plated
- Color cable: black
- Hoods: Metallic housing
- Hoods: Metallic housing
- Shielding: Double shielding
- AOC Active Optical Cable: yes
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- HDMI Standard: Premium High Speed HDMI with Ethernet
- HDTV Resolution max.: 4096 x 2560 Pixel, 60Hz

1

- HDTV Standard: Ultra HD 4K
- Length: 15 m

| Logistics | | | | | | |
|------------------------------|-----------------|----------------|---------------|---------------|----------------|-----------------|
| | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm ³ |
| Packaging Unit Carton | 18 | 11.00 | 45.00 | 34.00 | 28.00 | 42,840.00 |
| Packaging Unit Inside | 1 | 0.61 | 7.30 | 14.00 | 14.00 | 1,430.80 |
| Packaging Unit Single | 1 | 0.61 | 7.30 | 14.00 | 14.00 | 1,430.80 |
| Net single without Packaging | 1 | 0.55 | 7.30 | 14.00 | 14.00 | 1,430.80 |



More images:



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for HDMI, Displayport & DVI Connectors category:

Click to view products by Digitus manufacturer:

Other Similar products are found below :

1775247-3
2-1932649-5
30-1231
30-528
2069485-1
30-504
30-519
30-542
47648-2000
2002-400
769-103/021-000
1932649-1
233

368NFG6-17NH
RPI-16338
CCB-HDMIL-1.5M
CCB-HDMIL-1M
CCB-HDMIL-7.5M
CCBP-HDMI-10M
CCBP-HDMI8K-2M
AK-AV

02
AK-AV-03
AK-AV-11
AK-AV-13
AK-AV-15
AK-HD-100A
AK-HD-15P
AK-HD-30P
DSP-2PH4-04
DSP-4PH4-02

DSP-8PH4-03
AK-AD-38
AK-AD-39
RPI-14662
RPI-16335
A-DPM-DVIF-002-W
A-DPM-DVIF-03-W
A-DPM-HDMIF-002
A-DVI

VGA
A-HDMI90-FML
A-MDPM-DPF-001-W
A-MDPM-HDMIF-02-W
A-MDPM-HDMIF4K-01
75053
75603
75777
75844
75919
A

DPM-HDMIF-002-W
AK-330126-100-S
A
AK-330126-100-S
AK-330126-100-S
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
A
B
A
A
A
<