

# DIGITUS HDMI® AOC Hybrid Fiber Optic Cable, UHD 4K, 20 m

AK-330125-200-S  
EAN 4016032462057



**HDMI AOC hybrid-fiber connection cable, Type A M/M, 20m, UHD 4K@60Hz, CE, gold, bl**

This active HDMI® AOC hybrid fiber optic cable is ideally suited for transferring uncompressed video and audio data with high bandwidth over longer distances. The hybrid construction, which uses copper and fiber optic cable, prevents electromagnetic interference. This ensures a loss-free transfer along the entire length of the cable with UHD resolution of up to 4K/60Hz and bandwidths of up to 18 Gbps. The use of fiber optic cable keeps the diameter of this active cable very low and gives it a very tight bending radius and low weight. It is ideal for use in homes, meeting rooms, and conference rooms as well as within buildings — and these are just a few of the possible uses. The simple Plug and Play installation is user-friendly; just plug it in and immediately enjoy optimal image quality. It supports numerous standards such as HDMI 2.0b, HDCP 2.2, and HDR. As far as audio goes, features such as ARC, DTS-HD Master Audio, Dolby TrueHD and many more are supported. Cutting edge chip technology makes it possible to transfer the full HDMI® signal spectrum while also supporting uncompressed CED and EDID with very low latency.

**Transfer of uncompressed video and audio signals over a distance of up to 20 m in UHD 4K resolution with 18 Gbps bandwidth.**

- Supports up to 4K with 50/60Hz
- Supports up to 4K 3D
- Data transfer rate of up to 18Gbps
- Supports up to 120Hz at Full HD
- Supports 1080p 3D HFR
- Supports YUV 4:4:4

- HDCP 2.2, HDCP 1.4
- HDMI 2.0b (backwards-compatible)
- Supports Deep Color (30-bit colour depth)
- Supports HDR (High Dynamic Range)
- Supports audio return channel (ARC)
- Supports Consumer Electronic Control (CEC)
- Supports Lip Sync (Audio/Video synchronisation)
- With Ethernet channel (HEC)
- Multi Stream audio/video support
- Supports 21:9 Cinemascope
- 32 channel audio support
- Dolby TrueHD capable
- Supports 8-channel LPCM, 192 kHz, 24-bit audio capability
- Supports DTS-HD Master Audio bitstream
- Supports Super Audio CD (DSD)
- Supports DVD audio
- Supports Blu-ray Disc and HD DVD audio and video
- Connector surface: gold-plated
- Color cable: black
- Hoods: Metallic housing
- Hoods: Metallic housing
- Shielding: Double shielding
- AOC - Active Optical Cable: yes
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- HDMI Standard: Premium High Speed HDMI with Ethernet
- HDTV Resolution max.: 4096 x 2560 Pixel, 60Hz
- HDTV Standard: Ultra HD 4K
- Length: 20 m

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	16	12.00	45.00	34.00	30.00	45,900.00
Packaging Unit Inside	1	0.75	16.00	16.00	7.50	1,920.00
Packaging Unit Single	1	0.75	16.00	16.00	7.50	1,920.00
Net single without Packaging	1	0.68	16.00	16.00	7.50	1,920.00

More images:




**AK-330125-200-S // HDMI® AOC Hybrid Fiber Optic Cable, UHD 4K**

HDMI AOC Cable	HDMI Traditional Cable
Active optical fiber (AOC) cable	Passive optical fiber (POF) cable
Low signal loss	High signal loss
Low latency	High latency
High bandwidth	Low bandwidth
High reliability	Low reliability
High durability	Low durability
High flexibility	Low flexibility
High temperature resistance	Low temperature resistance
High humidity resistance	Low humidity resistance
High dust resistance	Low dust resistance
High salt resistance	Low salt resistance
High acid resistance	Low acid resistance
High alkali resistance	Low alkali resistance
High UV resistance	Low UV resistance
High fire resistance	Low fire resistance
High shock resistance	Low shock resistance
High vibration resistance	Low vibration resistance
High electromagnetic interference (EMI) resistance	Low EMI resistance
High radio frequency interference (RFI) resistance	Low RFI resistance
High static electricity resistance	Low static electricity resistance
High mechanical strength	Low mechanical strength
High tensile strength	Low tensile strength
High tear strength	Low tear strength
High impact strength	Low impact strength
High bending strength	Low bending strength
High twisting strength	Low twisting strength
High compression strength	Low compression strength
High tension strength	Low tension strength

**HDMI® AOC Hybrid Fiber Optic Cable, UHD 4K, 10 m**

- YUV 4:4:4
- 21:9 Aspect Ratio
- 4K ULTRA HD
- 18 Gbps
- 30 bit DEEP COLOR
- HDR High Dynamic Range
- Plug & Play



**AK-330125-200-S // HDMI® AOC Hybrid Fiber Optic Cable, UHD 4K**

**Anschlüsse**  
Connectors

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:*

*Click to view products by [Digitus](#) manufacturer:*

Other Similar products are found below :

[1775247-3](#) [2-1932649-5](#) [30-1231](#) [30-528](#) [2069485-1](#) [30-504](#) [30-519](#) [30-542](#) [47648-2000](#) [2002-400](#) [769-103/021-000](#) [1932649-1](#) [233-368NFG6-17NH](#) [RPI-16338](#) [CCB-HDMIL-1.5M](#) [CCB-HDMIL-1M](#) [CCB-HDMIL-7.5M](#) [CCBP-HDMI-10M](#) [CCBP-HDMI8K-2M](#) [AK-AV-02](#) [AK-AV-03](#) [AK-AV-11](#) [AK-AV-13](#) [AK-AV-15](#) [AK-HD-100A](#) [AK-HD-100P](#) [AK-HD-15P](#) [AK-HD-30P](#) [DSP-2PH4-04](#) [DSP-4PH4-02](#) [DSP-8PH4-03](#) [AK-AD-38](#) [AK-AD-39](#) [RPI-14662](#) [RPI-16335](#) [A-DPM-DVIF-002-W](#) [A-DPM-DVIF-03-W](#) [A-DPM-HDMIF-002](#) [A-DVI-VGA](#) [A-HDMI90-FML](#) [A-MDPM-DPF-001-W](#) [A-MDPM-HDMIF-02-W](#) [A-MDPM-HDMIF4K-01](#) [75053](#) [75603](#) [75777](#) [75844](#) [75919](#) [A-DPM-HDMIF-002-W](#) [AK-330126-100-S](#)