


# DIGITUS 4 port 2.5 Gigabit Ethernet network card, RJ45, PCI Express, Realtek chipset

DN-10136  
EAN 4016032487968



### 4 Port RJ45 RTL8125B 2,5 GBits Server NIC

The DN-10136 PCIe Quad-Port 2.5G network adapter is realized by the combination of multiple chips, it combines a four-speed IEEE802.3 compatible Media Access Controller with a four-speed Ethernet transceiver, it complies with the IEEE802.3u specification for 10/100Mbps Ethernet, the IEEE802.3ab specification for 1000Mbps Ethernet and IEEE802.3bz specification for 2500 Mbps Ethernet. Also it offers high-speed transmission over CAT5e UTP cable OR CAT3 UTP(10Mbps only)cable .It is suitable for multiple market segments and emerging applications, such as desktop, workstation, server, communications platforms, and embedded applications.

**The DN-10136 PCIe Quad-Port 2.5G network adapter combines an IEEE802.3-compliant Media Access Controller with a four-speed Ethernet transceiver. It meets the IEEE802.3u, IEEE802.3ab, and IEEE802.3bz specifications, supports high-speed transmissions over CAT5e/ CAT3 UTP cables, and is suitable for desktops, workstations, servers, communication platforms, and embedded applications.**

- Support PCI Express Specification Revision 2.1
- 2-Lane PCI Express bus connecting with up to 10Gbps bus width
- PCI Express interface: x4
- Integrated 10M BASE-T and 100/1000M/2.5G base-T 802.3 compatible transceiver
- Supports 2.5G and 1G Lite mode
- Auto-Negotiation with Extended Next Page capability(XNP)
- Supports pair swap/polarity/skew correction
- Crossover Detection& Auto-Correction
- Supports 1-Lane 2.5/5Gbps PCI Express Bus
- Supports hardware ECC(Error correction code)function





- Supports hardware CRC(Cyclic Redundancy Check)function
- Supports PCI MSI (Message Signaled Interrupt)and MSI-X
- Transmit/Receive on-chip buffer support
- Supports ECMA-393 ProxZzzy Standard for sleeping hosts
- Wake-On-LAN and 'RealWow!' Technology (remote wake-up)supports
- Compatible with IEEE802.3,IEEE802.3u,IEEE802.3ab
- Supports IEEE1588v1,IEEE1588v2,IEEE802.2AS time synchronization
- Supports IEEE802.1Qav credit-based shaper algorithm
- Supports IEEE802.1P Layer 2 Priority encoding
- Supports IEEE802.1Q VLAN tagging
- Supports IEEE802.1ad Double VLAN
- Supports IEEE802.3az (Energy Efficient Ethernet)
- Supports IEEE802.3bz(2.5GBase-T)
- Supports full duplex flow control(IEEE802.3x)
- Supports jumbo frame to 16K bytes
- Supports Virtual Machine Queue(VMQ)
- Supports quad core Receive -Side Scaling(RSS)
- Supports quad core Receive -Side Scaling(RSS)
- Supports Protocol Offload (ARP&NS)
- Drivers for Vista /Win7 / Win8 / Win10 /Win11/ Sever2008 / Sever 2012 / Linux / DOS
- Chipset: RTL8125B+ASM1806

### Package contents

- 1 x PCIe Quad-Port 2.5G network adapter
- 1 x User's Manual
- 1 x CD
- 1 x Low profile bracket

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	20	4.87	39.00	41.00	41.00	65,559.00
Packaging Unit Inside	1	0.24	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.24	3.00	15.50	22.00	1,023.00
Net single without Packaging	1	0.13	3.00	15.50	22.00	1,023.00

More images:



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Digitus](#) manufacturer:*

Other Similar products are found below :

[DN-W19 09U/450](#) [DK-1511-050/BLACK](#) [DK-2532-10-4](#) [DN-WD19 12U/600](#) [DK-2533-05/3](#) [DK-TP512](#) [DS-30040-2](#) [DK-1511-300](#) [DK-1512-100/WH](#) [DK-1612-100/Y](#) [DK-1617-A-100S](#) [DK-1644-010/R](#) [DK-1644-070/Y](#) [DK-1844-005](#) [AK-330125-300-S](#) [DK-1624-VH-305](#) [DK-2533-03-5](#) [DK-HD2533-01/3](#) [DK-HD2533-05-4](#) [AK-330127-300-S](#) [DK-1P32-S-075](#) [DS-45339](#) [DB-340305-018-S](#) [DS-12870](#) [DS-55203](#) [DS-55518](#) [DK-3P32-S-050](#) [DS-55125](#) [DK-3P32-S-100](#) [DS-12874](#) [DS-55315](#) [DN-95108](#) [AK-330150-150-S](#) [AK-340105-200-S](#) [DS-45333](#) [DS-45334](#) [DB-300443-010-S](#) [DK-3P32-100](#) [DK-3P16-100](#) [DS-45323](#) [DK-1P32-S-100](#) [DS-55530](#) [DK-1P32-050](#) [DK-1P32-100](#) [AK-340106-030-S](#) [AK-330150-100-S](#) [DK-3P16-075](#) [DK-1P32-S-050](#) [DK-3P16-S-050](#) [DS-55509](#)