

FEATURES

- ※Side actuation
- ※End stackable
- ※Through hole or SMT


APPLICATION

- ※Industrial control
- ※Automatic machines control
- ※Telecommunication


SPECIFICATION

| | |
|-----------------------|--------------------|
| Contact Rating | 25mA, 24V DC |
| Contact Resistance | 100mΩ max. |
| Insulation Resistance | 100MΩ min. 500V DC |
| Dielectric Strength | 500V AC/1 minute |
| Operating Force | 800gf max. |
| Travel | 1mm |
| Operating Life | 2,000 cycles |
| Operating Temp. | -20°C ~ +85°C |
| Storage Temp. | -40°C ~ +85°C |

HOW TO ORDER






CIRCUIT




PACKAGE

- <Tube>
- EP□(R)-02: 95 pcs
 - EP□(R)-04: 47 pcs
 - EP□(R)-06: 31 pcs
 - EP□(R)-08: 23 pcs
 - EP□(R)-10: 18 pcs
- <Tape & Reel>
- EPM(R): 700 pcs

EPI(R)




| PART NO. | NO.OF POS. | DIM.A | DIM.B |
|-----------|------------|-------|-------|
| EPI(R)-02 | 2 | 4.98 | 2.54 |
| EPI(R)-04 | 4 | 10.06 | 7.62 |
| EPI(R)-06 | 6 | 15.14 | 12.70 |
| EPI(R)-08 | 8 | 20.22 | 17.78 |
| EPI(R)-10 | 10 | 25.30 | 22.86 |






P.C.B. LAYOUT

EPM(R)




| PART NO. | NO.OF POS. | DIM.A | DIM.B |
|-----------|------------|-------|-------|
| EPM(R)-02 | 2 | 4.89 | 2.54 |
| EPM(R)-04 | 4 | 10.06 | 7.62 |
| EPM(R)-06 | 6 | 15.14 | 12.70 |
| EPM(R)-08 | 8 | 20.22 | 17.78 |
| EPM(R)-10 | 10 | 25.30 | 22.86 |






P.C.B. LAYOUT

DIP SWITCH

EPI(R)-F



| PART NO. | NO.OF POS. | DIM.A | DIM.B |
|------------|------------|-------|-------|
| EPI(R)-02F | 2 | 4.89 | 2.54 |
| EPI(R)-04F | 4 | 10.06 | 7.62 |
| EPI(R)-06F | 6 | 15.14 | 12.70 |
| EPI(R)-08F | 8 | 20.22 | 17.78 |
| EPI(R)-10F | 10 | 25.30 | 22.86 |



P.C.B. LAYOUT

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIP Switches/SIP Switches](#) category:

Click to view products by [Diptronics](#) manufacturer:

Other Similar products are found below :

[78M03S](#) [79B10T](#) [8136-475G4T](#) [G7G-1A2-CB-DC12](#) [H7CZL8AC100240](#) [A7SS-M](#) [A8CA-201](#) [DRR60016](#) [DRS4016](#) [1825008-1](#) [1825444-1](#) [25.350.0653.0](#) [SBS 5004 TG](#) [SDA10H1BDA](#) [97R06ST](#) [A2C-2A5](#) [1825444-7](#) [ADE08SA04](#) [ADE12S04](#) [192960010](#) [2-1825058-8](#) [25.330.0653.1](#) [25.352.0353.0](#) [CXDRIVEV2X](#) [IKN0600000](#) [IKN0800000](#) [LA2-002-DC24](#) [DBS1003](#) [438872000](#) [DRD10CRAE04](#) [DSR02T](#) [DSS 208 N](#) [E2FMX2D1M1TGJ03M](#) [NDI10H](#) [219-9MSTP](#) [204-6ES](#) [EPM02FV](#) [701521596](#) [NDS08V](#) [76SB05](#) [79A10](#) [TD06H0SK1](#) [Z7.255.9027.0](#) [1-1825058-3](#) [1825428-4](#) [219-10LPSTF](#) [E3ZG6111D03M](#) [G4D212PUSTV2DC5](#) [195-7MSTN](#) [NDI05H](#)