

1SS400BS

1SS400BS Fast Switching Diode

General description

Fast Switching Diode in a SOD-882 Plastic Package.

FEATURES

- High Speed Switching
- Small Surface Mounting Type
- Green EMC
- RoHS Compliant
- Matte Tin(Sn) Lead Finish
- Band Indicates Cathode

Green Product



SOD882 Package



Device Marking Code:

Device Type	Device Marking
1SS400BS	3 or S3

Absolute Maximum Ratings T_A = 25°C unless otherwise noted


Symbol	Parameter	Value	Units
P _D	Power Dissipation	150	mW
T _{STG}	Storage Temperature Range	-55 to +125	°C
T _J	Operating Junction Temperature	+125	°C
V _{RM}	Peak Reverse Voltage	90	V
V _R	DC Reverse Voltage	80	V
I _{FM}	Peak Forward Current	225	mA
I _{surge}	Surge Forward Current (Pulse Width=1s)	500	mA

Electrical Characteristics T_A = 25°C unless otherwise noted


Symbol	Parameter	Test Condition	Limits		Unit
			Min	Max	
V _F	Forward Voltage	I _F =100mA		1.2	Volts
I _R	Reverse Current	V _R =80V		0.1	uA
C _T	Capacitance between terminals	V _R =0.5V, f=1MHz		4	pF
t _{rr}	Forward Voltage	V _R =6V, I _F =10mA, R _L =100Ω		4	nS

RATING AND CHARACTERISTIC CURVES

Total Capacitance




Forward Voltage vs Ambient Temperature



1SS400BS

SOD882 Package Outline



DIM	MILLIMETERS		INCHES	
	MIN	MAX	MIN	MAX
A	0.46	0.50	0.018	0.020
A1	---	0.03	---	0.001
b	0.45	0.55	0.018	0.022
D	0.55	0.65	0.022	0.026
E	0.95	1.05	0.037	0.041
e1	Typ. 0.65		Typ. 0.026	
L	0.20	0.30	0.008	0.012

Important Notice and Disclaimer

DOESHARE has used reasonable care in preparing the information included in this document, but DOESHARE does not warrant that such information is error free. DOESHARE assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

DOESHARE no warranty, representation or guarantee regarding the documents, circuits and products specification, DOESHARE reservation rights to make changes for any documents, products, circuits and specifications at any time without notice.

Purchasers are solely responsible for the choice, selection and use of the DOESHARE products and services described herein, and DOESHARE assumes no liability whatsoever relating to the choice, selection or use of the products and services described herein.

No license, express or implied, by implication or otherwise under any intellectual property rights of DOESHARE.

Resale of DOESHARE products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by DOESHARE for the DOESHARE product or service described herein and shall not create or extend in any manner whatsoever, any liability of DOESHARE.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Diodes - General Purpose, Power, Switching category:](#)

Click to view products by [Doeshare manufacturer:](#)

Other Similar products are found below :

[MMBD3004S-13-F](#) [RD0306T-H](#) [BAV17-TR](#) [BAV19-TR](#) [1N3611](#) [NTE156A](#) [NTE574](#) [NTE6244](#) [1SS181-TP](#) [1SS193,LF](#) [1SS400CST2RA](#)
[SDAA13](#) [SHN2D02FUTW1T1G](#) [LS4151GS08](#) [1N4449](#) [1N456A](#) [1N4934-E3/73](#) [1N914B](#) [1N914BTR](#) [1SS226-TP](#) [RFUH20TB3S](#)
[D291S45T](#) [BAV300-TR](#) [BAW56DWQ-7-F](#) [BAW75-TAP](#) [MM230L-CAA](#) [IDW40E65D1](#) [JAN1N3600](#) [LL4151-GS18](#) [053684A](#)
[SMMSD4148T3G](#) [707803H](#) [NSVDAN222T1G](#) [CDSZC01100-HF](#) [LL4150-M-08](#) [1N4454-TR](#) [BAV199E6433HTMA1](#) [BAS28-7](#)
[BAW56HDW-13](#) [BAS28 TR](#) [VS-HFA04SD60STR-M3](#) [NSVM1MA152WKT1G](#) [RGP30D-E3/73](#) [BAV99TQ-13-F](#) [BAS21DWA-7](#)
[BAV99HDW-13](#) [NTE6250](#) [NTE582-4](#) [NTE582-6](#) [MMDB30-E28X](#)