



## MN1300 Size: D (LR20)

Alkaline-Manganese Dioxide Battery

DURACELL		34.2 mm
Nominal voltage	1.5 V	- 34.2 mm→ 32.3 - 1.5 mm MAX → ← MIN
Impedance	136 m-ohm @ 1 kHz	
Typical weight	139 g (4.9 oz)	
Typical volume	56.4 cm <sup>3</sup> (3.4 in <sup>3</sup> )	61.5 mm
Terminals	Flat	59.5
Storage temperature range	5°C to 30°C (41°F to 86°F)	
Operating temperature range	-20°C to 54°C (-4°F to 130°F)	
Designation	ANSI: 13A IEC: LR20	Dimensions shown are IEC standard








Berkshire Corporate Park Bethel, CT. 06801 U.S.A. Telephone: Toll-free 1-800-544-5454 www.duracell.com Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.


MN13CTUS0413




## MN1300 Size: D (LR20)


Alkaline-Manganese Dioxide Battery







Zn/MnO<sub>2</sub>





Berkshire Corporate Park Bethel, CT. 06801 U.S.A. Telephone: Toll-free 1-800-544-5454 www.duracell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

MN13CTUS0413

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Duracell manufacturer:

Other Similar products are found below :

 DL1620B
 MS76B
 DA146
 MN2400B4
 15035031
 M3 C 2PK
 5000394203822
 CEF27 2XAA 2XAAA
 DL223AB
 75044300
 PC1400

 MN2400
 LR43
 PC134A
 CEF14 2XAA 2XAAA
 ACCU 9V1
 DRC5908
 5000394002883
 MN1604
 DRN5924
 PC1604
 DRS5964

 5000394019126
 DRO5940
 DRC5907
 DRP5953
 15035025
 M3 PP3
 DRC5904
 DRC5900
 DRP6116
 5000394105522
 DRN5920

 ACCU D2
 5000394020092
 DRG5944
 DRC5909
 DRP5954
 DRP5958
 DRACUSB3-EU
 DRP5952
 DRF5982
 5000394004030
 BUN0127A

 DRN5926
 PC1500
 5000394018549
 USB5023A
 395
 LR54
 189
 V10GA
 LR1130
 DRC5901