



CF-6V4.5



CAREFREE RECHARGEABLE - LEAD ACID

Product Name Sealed Lead Acid(SLA)

Technology AGM

APPLICATIONS

Airports; Emergency; Industrial; Medical; Military; Navigation; Railroad Signals; Residential; Security; Specialized Products; UPS/Lighting

PERFORMANCE SPECIFICATIONS

Voltage (Volts) 6
Capacity (Amp-Hours) 4.5

DIMENSIONS AND WEIGHT

Width/Diameter (Inches) 1.85
Length/Depth (Inches) 2.76
Height/Thickness (Inches) 3.98
Weight (Pounds) 1.87

PRODUCT NOTES

Terminal is tin plated brass, ABS case material

© 2004 EP Commercial Power Solutions, all rights reserved. Terms & Conditions

EaglePicher[™]

SPECIFICATIONS CF-6V4.5H

Nominal Voltage 6V Nominal Capacity at 77°F (25°C) Voltage readings are per cell 20 Hour Rate (0.225 amps to 1.75 volts)...... 4.5 ampere hours 10 Hour Rate (0.45 amps to 1.75 volts) 4.5 ampere hours 5 Hour Rate (0.79 amps to 1.75 volts)...... 3.95 ampere hours 1 Hour Rate (3.37 amps to 1.60 volts)...... 3.37 ampere hours 1/2 Hour Rate (5.28 amps to 1.60 volts)...... 2.64 ampere hours Max. Physical Size Length...... 2.76 inches (70mm) Width 1.85 inches (47mm) Height (excluding terminals) 3.98 inches (101mm) Height (including terminals) 4.21 inches (107mm) Weight 1.87 lbs (0.85kg) **Energy Density** (20 Hour Rate) 1.33 watt hrs/cu in

Operating Temperature Range:

Discharge -60°F to +140°F (-51°C to +60°C) Charge 0°F to +120°F (-18°C to +49°C)

(20 Hour Rate) 14.44 watt hrs/lbs

Recharging Methods:

Float Charging: Constant Potential Source of 6.8 to 6.9 volts continuously.


Routine Charging: Constant Potential Source of 7.25 to 7.45 volts with a charging current of 1.6 ampere maximum.

Terminal: Standard is tin plated brass, positive terminal is 0.030 stock by 0.187 wide, negative terminal is 0.030 stock by 0.187 wide, mates with Amp Faston series or equal.

Case Material: ABS



PRODUCT SCHEMATIC



Above data are average values which can be obtained within 3 charge/discharge cycles. These are not minimum values.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sealed Lead Acid Battery category:

Click to view products by Eagle Picher manufacturer:

Other Similar products are found below:

<u>0850-0004</u> <u>0800-0004</u> <u>LC-R0612P</u> <u>2908235</u> <u>2908234</u> <u>2908665</u> <u>2908233</u> <u>NP12-12</u> <u>NP12-6</u> <u>NP3.2-12</u> <u>1109004</u> <u>2320296</u> <u>2320306</u> <u>2320319</u> 2908237 PSH-1280F2 RBC62-1U APCRBC123 APCRBC124 2320322 2320335 2320416 2320429 2908368