EAO – Your Expert Partner for Human Machine Interfaces

19-451.035 - Illuminated pushbutton actuator

Ø 8 mm raised

square

black

Plastic

0,002 kg

IP40

9 mm x 9 mm

19-451.035 - Illuminated pushbutton actuator



Attention: The preview is based on a sample product. This can differ from your current configuration.

Mounting cut-out Design

Front dimension Front shape Front bezel colour Front bezel material

Other Attributes Weight

Operating-/Indication part Lens illumination illuminative

IP-Rating Front protection

Actuator Switching action

Housing colour

Housing material

Connection Method Terminal

Solder 2.0 x 0.5mm

Momentary black Plastic

Switching element

Switching system Contacts Switching voltage Switching current Contact material

Illuminated pushbutton

Function


Low-level element 1 NO 50 V AC 0.1 A

eao


EAO – Your Expert Partner for Human Machine Interfaces

19-451.035 - Illuminated pushbutton actuator


Dimensions



Mounting cut-outs



Wiring diagram



Component layout

9 x 9 mm

Ø9 mm





Legend

Contacts: NO = Normally open Switching action: B = Momentary



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pushbutton Switches category:

Click to view products by EAO manufacturer:

Other Similar products are found below :

 8940K2012
 LW1L-M1C10V-A
 LW1L-M1C70-A
 LW2L-A1C20M-GD
 LW2L-M1C20M-A
 60324L
 M22-D-R-GB0/K11
 M7E-HRN2

 67021K512
 67081K512X
 701PB580
 7199K101
 810K12910
 810KSV30B
 MML21EA2ADK
 MML21KA3ABK
 MML23KA3AC05K-001

 MML23KW3AA01W
 8418K2
 8442K3
 8450K1
 860K11911T01A
 861901
 861K11911T01A07
 861K13810T00A14
 861K13911

 8646AB6X718UL
 8646ABUL
 9001KXRK
 907AYY100
 PMHD155A1
 9533CD4+U574+U4922
 95-414.000
 99-450.837
 99-453.837

 PV3H2B0NN-341
 1203MRA
 A22NZBGANGA
 A22NZBNANGA
 A22NZMPATRA
 A2PMA1X03EC56
 A3A-5123-02
 A3A-7140
 A3A-7340

 7310
 A3A-7340
 A3U-TMW-A2C-5M
 A595
 12037A2ULCSA
 ABD122N-B
 1211390004