EAO – Your Expert Partner for Human Machine Interfaces

41-421.036 - Illuminated pushbutton

41-421.036 - Illuminated pushbutton



Attention: The preview is based on a sample product. This can differ from your current configuration.

Mounting Mounting cut-out

Design

Front Front dimension Front shape Front bezel colour Front bezel material

Other Attributes Weight

Operating-/Indication part Lens illumination illuminative

IP-Rating Front protection

Connection Method Terminal

Actuator Switching action Housing colour Housing material

Switching element

Switching voltage Switching current Switching system Contacts Contact material

Function Illuminated pushbutton 15 mm x 21 mm raised

18 mm x 24 mm rectangular black Plastic

0,014 kg

IP40

Universal 2.0 x 0.5 mm

Momentary black Plastic


42 V AC/DC 0.1 A Low-level element 2 NO

eao

EAO – Your Expert Partner for Human Machine Interfaces


41-421.036 - Illuminated pushbutton

Dimensions




L = Solder terminal

Mounting cut-outs



Wiring diagram



Additional information Has two independent lamp bases

Legend Contacts: NO = Normally open Switching action: A = Rest, B = Momentary



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pushbutton Switches category:

Click to view products by EAO manufacturer:

Other Similar products are found below :

 8940K2012
 LW1L-M1C10V-A
 LW1L-M1C70-A
 LW2L-A1C20M-GD
 LW2L-M1C20M-A
 60324L
 M22-D-R-GB0/K11
 M7E-HRN2

 67021K512
 67081K512X
 701PB580
 7199K101
 810K12910
 810KSV30B
 MML21EA2ADK
 MML21KA3ABK
 MML23KA3AC05K-001

 MML23KW3AA01W
 8418K2
 8442K3
 8450K1
 860K11911T01A
 861901
 861K11911T01A07
 861K13810T00A14
 861K13911

 8646AB6X718UL
 8646ABUL
 9001KXRK
 907AYY100
 PMHD155A1
 9533CD4+U574+U4922
 95-414.000
 99-450.837
 99-453.837

 PV3H2B0NN-341
 1203MRA
 A22NZBGANGA
 A22NZBNANGA
 A22NZMPATRA
 A2PMA1X03EC56
 A3A-5123-02
 A3A-7140
 A3A-7340

 7310
 A3A-7340
 A3U-TMW-A2C-5M
 A595
 12037A2ULCSA
 ABD122N-B
 1211390004