# EAO – Your Expert Partner for **Human Machine Interfaces**

# 61-4970.13 - Potentiometer

#### 61-4970.13 - Potentiometer



Attention: The preview is based on a sample product. This can differ from your current configuration.

### Mounting

Mounting cut-out 21,2 mm x 21,2 mm Design flush

#### **Front**

Front bezel material Plastic
Front bezel colour black
Front shape square
Front dimension 24 mm x 24 mm

#### Other Attributes

Weight 0,023 kg
Resistance 10 kOhm linear
Power 1 W
Slewing range 300 °

## **IP-Rating**

Front protection IP65

#### **Connection Method**

Terminal Flat ribbon cable

## **Actuator**

Housing material Plastic

#### **Function**


Potentiometer

eao 🔳


# EAO – Your Expert Partner for **Human Machine Interfaces**

# 61-4970.13 - Potentiometer


## **Dimensions**



# **Mounting cut-outs**



## Wiring diagram



#### **Component layout**

Rearview Potentiometer terminals



Conductor colour of flat ribbon cable a = blue, b = red, c = yellow

#### **Additional information**

Cable length 300 mm

eao 🔳

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Potentiometers category:

Click to view products by EAO manufacturer:

Other Similar products are found below:

58C2-2 590SX1N32F103SS 591SXJ48S252SC 591SXP56S252SC 591SXP56S503SC D31409 70B1G048K502X-A 70B1M032S502W 70B1N056S202W 70B8N056F502W 70J8N048S104U 70L1N040P103W 70L1N048P103X 70L1N048S103W GA2L040S102UC GA2L040S103UC GS1G044P103UA GS1N048P103UA GS1T032S103UA A43-1500 A43-20K A47-200K A4720K RA20LASD251A 132-2-0-202 132-0-0-202 RK14K1220-F25-C0-A103 RK14K1220F25C0C104 RK14K1220-F25-C1-B103 14910FAGJSX10102KA 14910FBGLFY00103KA 14910AABHSX10103KA 14910FAGJSX10104KA 152-01031 C0342008 5K P270-109A J97589 23M728 248BBHS0XB25104MA RV170F-10-15R1-B500K-0021 RV8NAYSB104A 917523A A43-40 A43-750 A43S-5 A47-15K A4750K SPPG048S103U SPPG056P103U SWE-10