EAO – Your Expert Partner for Human Machine Interfaces

82-6151.1123 - Illuminated pushbutton 22 mm stainless-steel, momentary

82-6151.1123 - Illuminated pushbutton 22 mm stainless-steel, momentary



Attention: The preview is based on a sample product. This can differ from your current configuration.

Mounting

Mounting cut-out Design

Front

Front dimension Front shape Front ring shape Front bezel material

Other Attributes

Operating voltage Weight Operation current

Operating-/Indication part

Lens optics Lens material Lens profile Lens illumination Lens colour

IP-Rating Front protection

Connection Method Terminal

Actuator Switching action

Switching element

Switching current Contact material Contacts Switching system Switching voltage

Illumination

Function Illuminated pushbutton Ø 22,3 mm flush

Ø 25 mm round flush Stainless steel

12 V AC/DC 0,018 kg 7 mA

opaque Stainless steel flat illuminative Stainless steel

IP65, IP67

Solder 2.8 x 0.5 mm

Momentary

3 A Silver 1 C Snap-action switching element 240 V AC/DC


Ring with blue LED




EAO – Your Expert Partner for Human Machine Interfaces

82-6151.1123 - Illuminated pushbutton 22 mm stainless-steel, momentary


Dimensions




Mounting cut-outs



Wiring diagram



Component layout



Legend

Switching action: B = Momentary Contacts: C = Changeover



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pushbutton Switches category:

Click to view products by EAO manufacturer:

Other Similar products are found below :

LW1L-M1C10V-A LW2L-A1C20M-GD LW2L-M1C20M-A 60324L M7E-HRN2 67021K512 67081K512X 701PB580 719-5504-000 MDPSSGLFS 810KSV30B FLT 2U EE 01A MML21KA3ABK MML23KA3AC05K-001 MML23KW3AA01W 8418K2 8646AB6X718UL 8646ABUL FSDWH 9001KXRK 9001T8BK 9533CD4+U574+U4922 1203MRA A22EM01S A595 1202A6 12037A2ULCSA 1203A2UL ABD122N-B 1211390004 ABN111-Y ABN400-R 1211500044 1211580012 1212MRA 1232A6NF RA3CSH6A 1241.1183.7047 1241.2511 1241.3428 1223A2ULCSA 1223MRA 1232AX2119 1241.1183.8000 1241.1183.8029 1241.2506 1241.2606 12MA6 1301940184 RELBARF6X10(PLASTIC)