



EAO AG
Tannwaldstrasse 88
4600 Olten
Switzerland

Phone: +41 62 286 9111
info@eao.com

All Series > Series 82 > Part No. 82-6151.1124

Part No. 82-6151.1124, Illuminated Pushbutton

22mm, Illuminated Pushbutton, Stainless steel, Flush/Flat, Plug-In Terminal, Silver Contacts, Momentary, Ring Illumination, Blue LED, 24V AC/DC



Specifications

Actuator	Illuminated pushbutton
Size	22 mm
Action	Momentary
Illumination	Ring Illumination
LED Color	Blue
LED Voltage	24V AC/DC
Contact Type	SPDT
Contacts	SPDT
Contact Material	Silver Contacts
Actuator Color	Silver
Mounting Type	Panel Mount
Terminal	Plug-in terminal
Housing Material	Stainless steel
Switching Function	On-Off

Environmental Rating	IP65, IP67
Impact Resistance (According to IEC 62262)	IK 10
Mechanical Life	1'000'000 switching cycles
Operating Temperature [Min]	-30 °C
Operating Temperature [Max]	70 °C
AC Contact Current Rating	3 A
DC Contact Current Rating	1 A
AC Voltage	240 V
DC Voltage	240 V

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pushbutton Switches](#) category:

Click to view products by [EAO](#) manufacturer:

Other Similar products are found below :

[8940K2012](#) [LW1L-M1C10V-A](#) [LW1L-M1C70-A](#) [LW2L-A1C20M-GD](#) [LW2L-M1C20M-A](#) [60324L](#) [M22-D-R-GB0/K11](#) [M7E-HRN2](#)
[67021K512](#) [67081K512X](#) [701PB580](#) [7199K101](#) [810K12910](#) [810KSV30B](#) [MML21EA2ADK](#) [MML21KA3ABK](#) [MML23KA3AC05K-001](#)
[MML23KW3AA01W](#) [8418K2](#) [8442K3](#) [8450K1](#) [860K11911T01A](#) [861901](#) [861K11911T01A07](#) [861K13810T00A14](#) [861K13911](#)
[8646AB6X718UL](#) [8646ABUL](#) [9001KXRK](#) [907AYY100](#) [PMHD155A1](#) [9533CD4+U574+U4922](#) [95-414.000](#) [99-450.837](#) [99-453.837](#)
[PV3H2B0NN-341](#) [1203MRA](#) [A22NZBGANGA](#) [A22NZBNANGA](#) [A22NZMPATRA](#) [A2PMA1X03EC56](#) [A3A-5123-02](#) [A3A-7140](#) [A3A-7310](#) [A3A-7340](#) [A3U-TMW-A2C-5M](#) [A595](#) [12037A2ULCSA](#) [ABD122N-B](#) [1211390004](#)