



Powering Business Worldwide

pe.eaton.com

Eaton Bussmann series medium auxiliary fuse

38CAVH2E

UPC:051712843683

Dimensions:

- **Height:** 17.41 IN
- **Length:** 2 IN
- **Width:** 2 IN

Weight:2.6 LB

Warranties:

- Not Applicable

Specifications:

- **Type:** PT, non-indicating and indicating
- **Application:** Primary protection of medium voltage potential transformers and small medium voltage service/control transformers
- **Amperage Rating:** 2A
- **Voltage Rating:** 38 kV
- **Interrupt Rating:** 40 kAIC
- **Fuse Indicator:** Non Indicating
- **Packaging Type:** Standard
- **Diameter:** 2 IN
- **Barrels:** 1
- **Connection:** Ferrule end X ferrule end
- **Construction Type:** Bolt-on

Supporting documents:

- [Product Catalog](#)
- [38KV 2A CAV FUSE](#)

Certifications: No Data

Product compliance:

- Contact factory



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialty Fuses](#) category:

Click to view products by [Eaton](#) manufacturer:

Other Similar products are found below :

[63NZ02GL](#) [80NH00GR-6](#) [FWP-32A14F](#) [12LCT](#) [ECF-1](#) [ECF-2](#) [ECF-3](#) [ECF-4](#) [170M3809D](#) [N-2-1/2](#) [N-3-2/10](#) [NITD2](#) [16D27SB](#) [16FC](#)
[170M1564D](#) [170M4241](#) [ESD63](#) [ABS-30](#) [ABS-8](#) [FWP-25A14FI](#) [FWP-80A22FI](#) [30CIF06](#) [32CMLC](#) [32NH00AM-6](#) [TDC180-2](#) [TPL-BL](#)
[TPS-5](#) [KLC40](#) [WKL](#) [NITD25](#) [04450080FX850](#) [NITD16](#) [LA60Q152](#) [LA60Q402](#) [ECF-5](#) [TDC180-10](#) [TDC180-7](#) [TPM-25](#) [3AG-312](#)
[16NHG000B](#) [170M3509](#) [DEO200](#) [DD200M250](#) [BP/S-6-1/4](#) [170M3510](#) [TPH-300](#) [EFS200](#) [170M0161](#) [170M6016](#) [BK/F02B-1/2A](#)