

Fast-Acting 1/1" x 1/1" Glass Tube Fuses **AGW Series**




Description

- · Fast-acting
- 1/4" x 1/8" (6.3 x 22.2mm) physical size
- · Glass tube, nickel-plated brass endcap construction
- Mounts in inline holders HHB, HHH, HRK or ¼" clips

Ordering

Specify product code

• Insert packaging code prefix before part number. E.g., BK/AGW-1



Specifications						
Product Code	Voltage Rating	Interrupting Rating (amps)at	Typical DC Cold Resistance	Typical Melt I ² t	Typical Voltage	
	Vac	Rated Voltage AC	(Ω)*	AC	Drop (V)**	
AGW-1	32	1000	0.1175	7.4	0.152	
AGW-1-1/2	32	1000	0.0695	0.220	0.098	
AGW-2	32	1000	0.0490	8.44	0.138	
AGW-2-1/2	32	1000	0.0346	57.438	0.130	
AGW-3	32	1000	0.0318	72	0.119	
AGW-4	32	1000	0.0207	7.3	0.024	
AGW-5	32	1000	0.0158	105	0.0112	
AGW-6	32	1000	0.0124	204.48	0.096	
AGW-7-1/2	32	1000	0.0101	213.75	0.104	
AGW-10	32	1000	0.0069	406	0.103	
AGW-15	32	1000	0.0041	585	0.087	
AGW-20	32	1000	0.0029	832	0.078	
AGW-25	32	1000	0.0023	1056.25	0.077	
AGW-30	32	1000	0.0018	2745	0.076	


COOPER Bussmann

Data Sheet 2040

0610 SB-BU091105 Page 1 of 2

DC Cold Resistance (Measured at <10% of rated current)
Typical Voltage drop (Voltage drop was measured at 25°C ambient temperature at rated current)

Time-Current Curve



Packaging Code			
Packaging Code	Description		
BK	100 fuses packed into a cardboard carton		







Data Sheet 2040



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cartridge Fuses category:

Click to view products by Eaton manufacturer:

Other Similar products are found below:

MBO-20 MDA-V-1/100 12C10X38GI AGA-V-2-1/2 AGC-V-3-12-R AGY-50 MSL-3 MSL-4 MSL-5 BK1/C436-2A BK1-GMA-1-6-R BK1-GMA-200-R BK1/GMC-100-R BK1/GMC-1.5-R BK1-GMC-2-5-R BK1GMD-4-R BK1S500-250-R BK1S500-32-R BK1-S500-4-R BK1S500-5-R BK1-S505-1-R BK1-S506-2-R BK1-S506-3-15-R BK1/S506-63-R BK/ABC-5RX BK/AGW-B-4 BK/AVX-1/4 BK/C515S-250-R BK/MBO-20 BK/MBO-8 BK/MDM-3/4 BK-MDQ-4 BK/S505-V-2.5A BK/TDC120-15 BK/TDC120-20 BK/TDC122-45 BP/MDL-7 1C10X38AM S505-V-500MA SEF-1697-1-002 AGA-V-7-1/2 AGC-15WX AGC-2-1-2-R 20.0M6.3X32F 20C8X32GI GMC-50-R 361.250 MBO-8 TDC121-30