

Fuse Holders

HB PCB Series (HBH, HBV, HBW)

Description

- For ½" x 1 ½" and 5 x 20mm fuses
- Fuse carriers are interchangeable
- Carriers are color coded for easy identification:
 - Gray for ¼" diameter fuses
 - Black for 5mm fuses
- Vertical and horizontal body mounting versions
- Fuse carrier and knob are spring loaded bayonet type with screwdriver slot
- "Kicked" terminals (all models) for optimum wave-soldering
- Stabilizer pins on HBV model
- High dielectric molded thermoplastic meets UL 94V0

Resistance Ratings

- Insulation resistance: 10,000 megaohm at 500Vdc
- Contact resistance: Less than 0.005 ohms at 200mV

Dielectric Strength

• Dielectric strength: Over 200V/mil

Agency Information

- CE, VDE 4009241 (HBV, HBW) SEMKO 800444
- UL Recognized: IZLT2, E14853
- CSA Certified: Class 6225-01, File 47235





Environmental Data


- Operating Temperature: (-40°C to + 85°C)
- Temperature rating (RTI): The mounting body for all devices has a temperature rating of 150°C. The knob for all devices has a temperature rating of 130°C.

Ordering

· Specify packaging, product, and option code

Specifications								
Catalog	Fuse Holder		Voltage Rating	Current Rating (amps) Agency Approval				
Number	Body Mount	Carrier Size	Volts	UL	CSA	VDE	SEMKO	
HBH-I	Horizontal	½" x 1 ½"	250	16	12	_	10	
HBH-M	Horizontal	5 x 20mm	250	16	12	_	10	
HBV-I	Vertical w/ Stability Pins	¼" x 1 ¼"	250	16	12	6.3	10	
HBV-M	Vertical w/ Stability Pins	5 x 20mm	250	16	12	6.3	10	
HBW-I	Vertical w/o Stability Pins	¼" x 1 ¼"	250	16	12	6.3	10	
HBW-M	Vertical w/o Stability Pins	5 x 20mm	250	16	12	6.3	10	
НВН	Horizontal	na	250	16	12	_	10	
HBV	Vertical w/ Stability Pins	na	250	16	12	6.3	10	
HBW	Vertical w/o Stability Pins	na	250	16	12	6.3	10	
FBI	na	½" x 1 ½"	_	_	_	_	_	
FBM	na	5 x 20mm	_	_	_	_	_	

0608 BU-SB08247 Page 1 of 2 Data Sheet 2118 **COOPER** Bussmann



NOTE: Carriers do not fit panel-mounted fuseholders.

Packaging Code					
Packaging Code Prefix	Description				
Blank	10 fuse holders packed into a carton				
BK	100 fuse holders packed into a cardboard shelf package				
	•				

Option Code				
Option Code Suffix	Description			
-R	RoHS compliant version			

North America

Cooper Electronic Technologies 1225 Broken Sound Parkway NW Suite F Boca Raton, FL 33487-3533 Tel: 1-561-998-4100

P.O. Box 14460 St. Louis, MO 63178-4460 Tel: 1-636-394-2877 Fax: 1-636-527-1607 Fax: 1-561-241-6640 Toll Free: 1-888-414-2645

Cooper Bussmann

Europe

Cooper Electronic Technologies Cooper (UK) Limited Burton-on-the-Wolds Leicestershire • LE12 5TH UK Tel: +44 (0) 1509 882 737 Fax: +44 (0) 1509 882 786

Cooper Electronic Technologies Avda. Santa Eulalia, 290 08223 Terrassa, (Barcelona), Spain

Tel: +34 937 362 812 +34 937 362 813

Fax: +34 937 362 719

Asia Pacific

Cooper Electronic Technologies 1 Jalan Kilang Timor #06-01 Pacific Tech Centre Singapore 159303 Tel: +65 278 6151 Fax: +65 270 4160

The only controlled copy of this Data Sheet is the electronic read-only version located on the Cooper Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Cooper Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Cooper Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

Life Support Policy: Cooper Bussmann does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company, Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user

© 2008 Cooper Bussmann St. Louis, MO 63178 www.cooperbussmann.com



Bussmann



Data Sheet 2118



0608 BU-SB08247 Page 2 of 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fuse Holder Accessories category:

Click to view products by Eaton manufacturer:

Other Similar products are found below:

BK/1A1337 1A1853 1A4421 1A5220 903-048 1A1337 1A4544 1A5220-01 CO2-10 CO3-03 348897 B072-7007 BK/1A4421 X30110 09030012H 09050023H 00970021HXNVDL 00BS0232P CO2-04 BK1A1853 BK9834 00970053XP 3566C 00970053H 04450718ZX900 CH10CL BP/FP-3 58600000005 33-012C 880140 00970023S 880150 PDM71009ZXM B109-7091-6 B109-7091-5 CFBAR2-M8XSP 901-524 CVR-RH-25100 LFH60030FBC 03540514Z 03540526Z 03540531Z 03540541Z 03540525Z 03540537Z 03540539Z 03540540Z FEH CC2/J 03540519Z