




Semiconductor Fuse

70-1000A, 150 Volts

BIF Document
35785310

Size



Minimum Melting

Time-Current Characteristic Curves

FWA 70A-1000A

Approved: **NN**

Page **1 of 3**

Rev. Date: **SEPT-97**

Pub. Date: **JAN-98**




Semiconductor Fuse

70-400A, 150 Volts

BIF Document
35785310

Size



Peak Let-Through Time-Current Characteristic Curves
FWA 70A-400A

Approved: **NN** Page **2 of 3**
Rev. Date: **SEPT-97** Pub. Date: **JAN-98**




Semiconductor Fuse

500-1000A, 150 Volts

BIF Document
35785310

Size



Peak Let-Through Cut-Off Current Characteristic Curves
FWA 500A-1000A

Approved: **NN**
Rev. Date: **SEPT-97**

Page **3 of 3**
Pub. Date: **JAN-98**

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialty Fuses](#) category:

Click to view products by [Eaton](#) manufacturer:

Other Similar products are found below :

[63NZ02GL](#) [714125](#) [722134](#) [F02A-4AS](#) [F02B-1A](#) [80NH00GR-6](#) [FWH-200A](#) [FWP-32A14F](#) [12LCT](#) [12TDLSJ63](#) [REN-3](#) [15.5CAVH2E](#)
[ECF-1](#) [ECF-2](#) [ECF-3](#) [ECF-4](#) [170M0213](#) [170M1369-D](#) [170M3809D](#) [BK/F02B-1A](#) [N-2-1/2](#) [N-3-2/10](#) [NITD2](#) [20D16](#) [KAA-3](#) [KAB-30](#)
[KAW-3](#) [2D16](#) [LKN-125B](#) [16D27SB](#) [16FC](#) [170M1564D](#) [170M2616](#) [170M2668](#) [170M4161](#) [170M4241](#) [170M4699](#) [ESD63](#) [ABS-30](#) [ABS-8](#)
[ACF-15](#) [ACF-30](#) [ACO-30](#) [F02A-10A](#) [SSD10](#) [200NH1M](#) [FWP-25A14FI](#) [FWP-40A14FI](#) [FWP-500A](#) [FWP-63A22FI](#)